

# **SAFETY DATA SHEET**

Creation Date 24-Nov-2010 Revision Date 24-Dec-2021 Revision Number 4

# 1. Identification

Product Name Acrylamide (Electrophoresis)

Cat No.: BP170-5; BP170-100; BP170-500

**CAS No** 79-06-7

**Synonyms** 2-Propenamide; Ethylenecarboxamide

Recommended Use Laboratory chemicals.

Uses advised against Food, drug, pesticide or biocidal product use.

### Details of the supplier of the safety data sheet

### Company

Fisher Scientific Company One Reagent Lane Fair Lawn, NJ 07410 Tel: (201) 796-7100

Emergency Telephone Number CHEMTREC®, Inside the USA: 800-424-9300

CHEMTREC®, Outside the USA: 001-703-527-3887

# 2. Hazard(s) identification

### Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute oral toxicity Category 3 Acute dermal toxicity Category 4 Acute Inhalation Toxicity - Dusts and Mists Category 4 Skin Corrosion/Irritation Category 2 Serious Eye Damage/Eye Irritation Category 2 Skin Sensitization Category 1 Category 1B Germ Cell Mutagenicity Carcinogenicity Category 1B Reproductive Toxicity Category 2 Specific target organ toxicity - (repeated exposure) Category 1

Target Organs - Liver, Kidney, Blood.

### Label Elements

### Signal Word

Danger

### **Hazard Statements**

Toxic if swallowed

Causes skin irritation

Causes serious eve irritation

May cause an allergic skin reaction

Suspected of damaging fertility

Causes damage to organs through prolonged or repeated exposure

May cause genetic defects

May cause cancer

Harmful in contact with skin or if inhaled



### **Precautionary Statements**

#### Prevention

Contaminated work clothing should not be allowed out of the workplace

Do not breathe dust/fume/gas/mist/vapors/spray

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Use only outdoors or in a well-ventilated area

Wear protective gloves/protective clothing/eye protection/face protection

### Response

IF exposed or concerned: Get medical attention/advice

### Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

#### Skin

If skin irritation or rash occurs: Get medical advice/attention

IF ON SKIN: Wash with plenty of soap and water

Call a POISON CENTER or doctor/physician if you feel unwell

Take off contaminated clothing and wash before reuse

#### Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

#### Indestion

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician

Rinse mouth

### Storage

Store locked up

### **Disposal**

Dispose of contents/container to an approved waste disposal plant

## Hazards not otherwise classified (HNOC)

None identified

WARNING. Cancer and Reproductive Harm - https://www.p65warnings.ca.gov/.

# 3. Composition/Information on Ingredients

\_\_\_\_\_

Component	CAS No	Weight %
Acrylamide	79-06-1	>95

# 4. First-aid measures

**General Advice** Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

Eye Contact In the case of contact with eyes, rinse immediately with plenty of water and seek medical

advice.

**Skin Contact** Wash off immediately with plenty of water for at least 15 minutes. Immediate medical

attention is required.

**Inhalation** Remove to fresh air. If not breathing, give artificial respiration. Do not use mouth-to-mouth

method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.

Immediate medical attention is required.

**Ingestion** Do NOT induce vomiting. Call a physician or poison control center immediately.

Most important symptoms and

effects

May cause allergic skin reaction. Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest

pain, muscle pain or flushing

Notes to Physician Treat symptomatically

# 5. Fire-fighting measures

Suitable Extinguishing Media Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam.

Unsuitable Extinguishing Media No information available

**Flash Point** 138 °C / 280.4 °F

Method - No information available

Autoignition Temperature 424 °C / 795.2 °F

**Explosion Limits** 

UpperNo data availableLowerNo data availableSensitivity to Mechanical ImpactNo information availableSensitivity to Static DischargeNo information available

### Specific Hazards Arising from the Chemical

Decomposes violently at elevated temperatures. Containers may explode when heated. Thermal decomposition can lead to release of irritating gases and vapors.

#### **Hazardous Combustion Products**

Nitrogen oxides (NOx). Carbon monoxide (CO). Carbon dioxide (CO2). Ammonia. Hydrogen.

### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

NFPA

Health Flammability Instability Physical hazards
3 2 2 N/A

### 6. Accidental release measures

**Personal Precautions** 

Use personal protective equipment as required. Ensure adequate ventilation. Avoid dust formation. Keep people away from and upwind of spill/leak. Evacuate personnel to safe

areas.

**Environmental Precautions** 

Should not be released into the environment. See Section 12 for additional Ecological Information. Do not flush into surface water or sanitary sewer system.

**Methods for Containment and Clean** Sweep up and shovel into suitable containers for disposal. Avoid dust formation. **Up** 

7. Handling and storage

Handling

Wear personal protective equipment/face protection. Avoid dust formation. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not breathe (dust, vapor, mist, gas). Do not ingest. If swallowed then seek immediate medical assistance.

Storage.

Keep in a dry place. Keep container tightly closed. Protect from direct sunlight. Store under an inert atmosphere. Keep refrigerated. Keep container tightly closed in a dry and well-ventilated place. Protect from moisture. Incompatible Materials. Acids. Bases. Strong oxidizing agents. Metals. copper. Reducing Agent.

# 8. Exposure controls / personal protection

### **Exposure Guidelines**

Component	ACGIH TLV	OSHA PEL	NIOSH IDLH	Mexico OEL (TWA)
Acrylamide	TWA: 0.03 mg/m <sup>3</sup>	(Vacated) TWA: 0.03 mg/m <sup>3</sup>	IDLH: 60 mg/m <sup>3</sup>	STEL: 0.03 mg/m <sup>3</sup>
	Skin	Skin	TWA: 0.03 mg/m <sup>3</sup>	_
		TWA: 0.3 mg/m <sup>3</sup>	_	

### Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH IDLH: NIOSH - National Institute for Occupational Safety and Health

Engineering Measures Use only under a chemical fume hood. Ensure adequate ventilation, especially in confined

areas. Ensure that eyewash stations and safety showers are close to the workstation

location.

**Personal Protective Equipment** 

**Eye/face Protection** Wear appropriate protective eyeglasses or chemical safety goggles as described by

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

**Skin and body protection**Wear appropriate protective gloves and clothing to prevent skin exposure.

Respiratory Protection Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard

EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

# 9. Physical and chemical properties

Physical StateSolidAppearanceWhiteOdorOdorless

Odor Threshold No information available

### **Acrylamide (Electrophoresis)**

рΗ 6.5-8.0 50% in water

Melting Point/Range 82 - 86 °C / 179.6 - 186.8 °F **Boiling Point/Range** 125 °C / 257 °F @ 25 mmHg

138 °C / 280.4 °F **Flash Point Evaporation Rate** Not applicable

Flammability (solid,gas) No information available

Flammability or explosive limits

**Upper** No data available Lower No data available **Vapor Pressure** 5.3 hPa @ 100 °C **Vapor Density** Not applicable **Specific Gravity** 1.122 @ 30°C Solubility Soluble in water Partition coefficient; n-octanol/water No data available

**Autoignition Temperature** 424 °C / 795.2 °F

**Decomposition Temperature Viscosity** 

Not applicable Molecular Formula C3 H5 N O **Molecular Weight** 71.08

# 10. Stability and reactivity

175 °C

Yes **Reactive Hazard** 

Stable under normal conditions. Hazardous polymerization may occur. Hygroscopic. heat Stability

sensitive. Air sensitive. Light sensitive. Decomposes on exposure to light.

Temperatures above 84°C. Keep away from open flames, hot surfaces and sources of **Conditions to Avoid** 

ignition. Exposure to air. Exposure to light. Incompatible products. Exposure to moist air or

water.

**Incompatible Materials** Acids, Bases, Strong oxidizing agents, Metals, copper, Reducing Agent

Hazardous Decomposition Products Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO2), Ammonia, Hydrogen

**Hazardous Polymerization** Hazardous polymerization may occur.

**Hazardous Reactions** None under normal processing.

# 11. Toxicological information

### **Acute Toxicity**

### **Product Information**

**Component Information** 

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Acrylamide	124 mg/kg ( Rat )	1141 mg/kg ( Rabbit)	Not listed

**Toxicologically Synergistic** 

**Products** 

Delayed and immediate effects as well as chronic effects from short and long-term exposure

No information available

Irritation Irritating to eyes and skin Sensitization No information available

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico
Acrylamide	79-06-1	Group 2A	Reasonably	A2	Х	A3
			Anticipated			

IARC (International Agency for Research on Cancer)

IARC (International Agency for Research on Cancer)

### **Acrylamide (Electrophoresis)**

NTP: (National Toxicity Program)

Group 1 - Carcinogenic to Humans

Group 2A - Probably Carcinogenic to Humans Group 2B - Possibly Carcinogenic to Humans

NTP: (National Toxicity Program)

Known - Known Carcinogen

Reasonably Anticipated - Reasonably Anticipated to be a Human

Carcinogen

ACGIH: (American Conference of Governmental Industrial

Hygienists)

A1 - Known Human Carcinogen A2 - Suspected Human Carcinogen

A3 - Animal Carcinogen

ACGIH: (American Conference of Governmental Industrial Hygienists)

Mexico - Occupational Exposure Limits - Carcinogens

A1 - Confirmed Human Carcinogen A2 - Suspected Human Carcinogen

A3 - Confirmed Animal Carcinogen

A4 - Not Classifiable as a Human Carcinogen A5 - Not Suspected as a Human Carcinogen

**Mutagenic Effects** Mutagenic

Experiments have shown reproductive toxicity effects on laboratory animals. **Reproductive Effects** 

**Developmental Effects** No information available.

Mexico - Occupational Exposure Limits - Carcinogens

**Teratogenicity** No information available.

STOT - single exposure None known STOT - repeated exposure Liver Kidney Blood

No information available **Aspiration hazard** 

delayed

Symptoms / effects, both acute and Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling

of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing

No information available **Endocrine Disruptor Information** 

Other Adverse Effects Neurotoxic effects have occurred in humans.

# 12. Ecological information

### Ecotoxicity

Do not empty into drains. Contains a substance which is:. Harmful to aquatic organisms. The product contains following substances which are hazardous for the environment.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Acrylamide	Not listed	124 mg/L LC50 96 h	Not listed	EC50: = 98 mg/L, 48h Flow
-		74-150 mg/L LC50 96 h		through (Daphnia magna)
		81-150 mg/L LC50 96 h		EC50: = 98 mg/L, 48h
		103-115 mg/L LC50 96 h		(Daphnia magna)
		137-191 mg/L LC50 96 h		

Persistence and Degradability Persistence is unlikely

**Bioaccumulation/ Accumulation** No information available.

**Mobility** . Will likely be mobile in the environment due to its water solubility.

Component	log Pow
Acrylamide	-1.24

# 13. Disposal considerations

**Waste Disposal Methods** 

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

Component	RCRA - U Series Wastes	RCRA - P Series Wastes
Acrylamide - 79-06-1	U007	-

# 14. Transport information

DOT

UN-No UN2074

Proper Shipping Name ACRYLAMIDE, SOLID

Hazard Class 6.1 Packing Group III

TDG

**UN-No** UN2074

Proper Shipping Name ACRYLAMIDE, SOLID

Hazard Class 6.1 Packing Group III

<u>IATA</u>

UN-No UN2074

Proper Shipping Name ACRYLAMIDE, SOLID

Hazard Class 6.1 Packing Group III

IMDG/IMO

UN-No UN2074

Proper Shipping Name ACRYLAMIDE, SOLID

Hazard Class 6.1 Packing Group III

# 15. Regulatory information

### **United States of America Inventory**

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags
Acrylamide	79-06-1	X	ACTIVE	-

### Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed

'-' - Not Listed

TSCA 12(b) - Notices of Export Not applicable

## **International Inventories**

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
Acrylamide	79-06-1	Χ	-	201-173-7	Χ	Χ	Χ	Χ	Χ	KE-29374

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

### U.S. Federal Regulations

### **SARA 313**

Component	CAS No	Weight %	SARA 313 - Threshold Values %
Acrylamide	79-06-1	>95	0.1

SARA 311/312 Hazard Categories See section 2 for more information

CWA (Clean Water Act) Not applicable

## **Acrylamide (Electrophoresis)**

#### Clean Air Act

Component	HAPS Data	Class 1 Ozone Depletors	Class 2 Ozone Depletors
Acrylamide	X		-

**OSHA** - Occupational Safety and

Health Administration

Not applicable

**CERCLA** 

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Component	Hazardous Substances RQs	CERCLA EHS RQs
Acrylamide	5000 lb	5000 lb

### **California Proposition 65**

This product contains the following Proposition 65 chemicals.

Component	CAS No	California Prop. 65	Prop 65 NSRL	Category
Acrylamide	79-06-1	Carcinogen	0.2 μg/day	Developmental
		Developmental		Carcinogen
		Male Reproductive		

# U.S. State Right-to-Know Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Acrylamide	X	X	X	X	X

### **U.S. Department of Transportation**

Reportable Quantity (RQ): Y
DOT Marine Pollutant N
DOT Severe Marine Pollutant N

### U.S. Department of Homeland

Security

This product does not contain any DHS chemicals.

### Other International Regulations

Mexico - Grade No information available

### Authorisation/Restrictions according to EU REACH

Component	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Acrylamide	-	Use restricted. See item 28. (see link for restriction details) Use restricted. See item 29. (see link for restriction details) Use restricted. See item 60. (see link for restriction details) Use restricted. See item 75. (see link for restriction details)	SVHC Candidate list - 201-173-7 - Carcinogenic, Article 57a;Mutagenic, Article 57b

After the sunset date the use of this substance requires either an authorization or can only be used for exempted uses, e.g. use in scientific research and development which includes routine analytics or use as intermediate.

https://echa.europa.eu/authorisation-list

https://echa.europa.eu/substances-restricted-under-reach

https://echa.europa.eu/candidate-list-table

# Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Acrylamide	79-06-1	Listed	Not applicable	Not applicable	Not applicable
Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
Acrylamide	79-06-1	Not applicable	Not applicable	Not applicable	Not applicable

# 16. Other information

Prepared By Regulatory Affairs

Thermo Fisher Scientific

Email: EMSDS.RA@thermofisher.com

 Creation Date
 24-Nov-2010

 Revision Date
 24-Dec-2021

 Print Date
 24-Dec-2021

Revision Summary This document has been updated to comply with the US OSHA HazCom 2012 Standard

replacing the current legislation under 29 CFR 1910.1200 to align with the Globally

Harmonized System of Classification and Labeling of Chemicals (GHS).

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of SDS**