

# **SAFETY DATA SHEET**

Creation Date 10-May-2010 Revision Date 24-Dec-2021 Revision Number 8

## 1. Identification

Product Name 2-Mercaptoethanol (Electrophoresis)

Cat No.: BP176-100

**CAS No** 60-24-2

Synonyms 2-Hydroxy-1-ethanethiol; Thioglycol

Recommended Use Laboratory chemicals.

Uses advised against Food, drug, pesticide or biocidal product use.

### Details of the supplier of the safety data sheet

#### Company

Fisher Scientific Company One Reagent Lane Fair Lawn, NJ 07410 Tel: (201) 796-7100

**Emergency Telephone Number** 

CHEMTREC®, Inside the USA: 800-424-9300 CHEMTREC®, Outside the USA: 001-703-527-3887

# 2. Hazard(s) identification

### Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids Category 4 Acute oral toxicity Category 3 Acute dermal toxicity Category 2 Acute Inhalation Toxicity - Vapors Category 3 Skin Corrosion/Irritation Category 2 Serious Eye Damage/Eye Irritation Category 1 Skin Sensitization Category 1A Reproductive Toxicity Category 2 Specific target organ toxicity - (repeated exposure) Category 2

Target Organs - Liver, Heart.

#### Label Elements

# Signal Word

Danger

#### **Hazard Statements**

Combustible liquid

Fatal in contact with skin

Causes skin irritation

May cause an allergic skin reaction

Causes serious eye damage

Suspected of damaging fertility

May cause damage to organs through prolonged or repeated exposure

Toxic if swallowed or if inhaled



#### **Precautionary Statements**

#### Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Do not get in eyes, on skin, or on clothing

Use only outdoors or in a well-ventilated area

Contaminated work clothing should not be allowed out of the workplace

Wear protective gloves

Do not breathe dust/fume/gas/mist/vapors/spray

Keep away from heat/sparks/open flames/hot surfaces. - No smoking

Keep cool

### Response

IF exposed or concerned: Get medical attention/advice

#### Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Call a POISON CENTER or doctor/physician

#### Skin

Immediately call a POISON CENTER or doctor/physician

IF ON SKIN: Gently wash with plenty of soap and water

Remove/Take off immediately all contaminated clothing

Wash contaminated clothing before reuse

If skin irritation or rash occurs: Get medical advice/attention

## **Eyes**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician

#### Ingestion

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician

Rinse mouth

#### Fire

In case of fire: Use CO2, dry chemical, or foam for extinction

#### Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

#### Disposal

Dispose of contents/container to an approved waste disposal plant

#### Hazards not otherwise classified (HNOC)

Very toxic to aquatic life

Toxic to aquatic life with long lasting effects

#### Other hazards

Stench.

## 3. Composition/Information on Ingredients

Component	CAS No	Weight %
2-Mercaptoethanol	60-24-2	<100
Ethanol, 2,2'-dithiobis-	1892-29-1	<0.25

## 4. First-aid measures

General Advice Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. In

the case of contact with eyes, rinse immediately with plenty of water and seek medical

advice.

**Skin Contact** Wash off immediately with plenty of water for at least 15 minutes. Immediate medical

attention is required.

**Inhalation** Remove to fresh air. If not breathing, give artificial respiration. Do not use mouth-to-mouth

method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.

Immediate medical attention is required.

**Ingestion** Do NOT induce vomiting. Call a physician or poison control center immediately.

Most important symptoms and

effects

None reasonably foreseeable. Causes severe eye damage. May cause allergic skin reaction. Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing: Symptoms of overexposure may be headache, dizziness, tiredness,

nausea and vomiting Treat symptomatically

**Notes to Physician** 

## 5. Fire-fighting measures

Suitable Extinguishing Media Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam. Water mist may

be used to cool closed containers.

Unsuitable Extinguishing Media No information available

**Flash Point** 73 °C / 163.4 °F

Method - No information available

Autoignition Temperature 295 °C / 563 °F

**Explosion Limits** 

**Upper** 2.7 vol % **Lower** 1.1 vol %

Sensitivity to Mechanical Impact No information available Sensitivity to Static Discharge No information available

### **Specific Hazards Arising from the Chemical**

Combustible material. Containers may explode when heated. Keep product and empty container away from heat and sources of ignition. Thermal decomposition can lead to release of irritating gases and vapors. Do not allow run-off from fire-fighting to enter drains or water courses.

#### **Hazardous Combustion Products**

Sulfur oxides. Sulfides.

#### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

NF	PA
----	----

Health	Flammability	Instability	Physical hazards		
4	2	1	N/A		

	6. Accidental release measures
Personal Precautions	Use personal protective equipment as required. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Evacuate personnel to safe areas. Remove all sources of ignition. Take precautionary measures against static discharges.
Environmental Precautions	Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water system. Prevent product from entering drains. Local authorities should be advised if significant spillages cannot be contained.

**Methods for Containment and Clean** Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. **Up** Remove all sources of ignition.

	7. Handling and storage
Handling	Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not breathe mist/vapors/spray. Do not ingest. If swallowed then seek immediate medical assistance. Keep away from open flames, hot surfaces and sources of ignition.
Storage.	Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks and flame. Incompatible Materials. Oxidizing agent. Acids. Strong bases.

### 8. Exposure controls / personal protection

**Exposure Guidelines** 

This product does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

Engineering Measures Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations

and safety showers are close to the workstation location.

Personal Protective Equipment

**Eye/face Protection**Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

**Skin and body protection**Wear appropriate protective gloves and clothing to prevent skin exposure.

Respiratory Protection Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard

EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

**Hygiene Measures** Handle in accordance with good industrial hygiene and safety practice.

# 9. Physical and chemical properties

Physical State Liquid
Appearance Light yellow

**Odor** Stench

Odor Threshold No information available

**pH** 5.2 (0.1M)

Melting Point/Range -100 °C / -148 °F

Boiling Point/Range 157 - 158 °C / 314.6 - 316.4 °F Flash Point 73 °C / 163.4 °F Evaporation Rate No information available

Flammability (solid,gas)

Not applicable

Flammability or explosive limits

 Upper
 2.7 vol %

 Lower
 1.1 vol %

Vapor Pressure 1 mmHg @ 20 °C

Vapor Density2.69Specific Gravity1.110

SolubilitySoluble in waterPartition coefficient; n-octanol/waterNo data availableAutoignition Temperature295 °C / 563 °F

Decomposition Temperature > 157°C

Viscosity 3.43 cP at 20 °C

Molecular Formula C2 H6 O S

Molecular Weight 78.13

# 10. Stability and reactivity

Reactive Hazard None known, based on information available

**Stability** Stable under normal conditions. Water reactive.

Conditions to Avoid Incompatible products. Heat, flames and sparks. Excess heat. Exposure to moist air or

water. Keep away from open flames, hot surfaces and sources of ignition.

Incompatible Materials Oxidizing agent, Acids, Strong bases

Hazardous Decomposition Products Sulfur oxides, Sulfides

**Hazardous Polymerization** No information available.

Hazardous Reactions None under normal processing.

### 11. Toxicological information

#### **Acute Toxicity**

#### **Product Information**

**Component Information** 

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation	
2-Mercaptoethanol	LD50 = 244 mg/kg (Rat)	150 μL/kg (Rabbit) 112 - 224 mg/kg (Rabbit)	Not listed	
Ethanol, 2,2'-dithiobis-	LD50 = 173 mg/kg (Rat)	Not listed	Not listed	

Toxicologically Synergistic No information available

**Products** 

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation Irritating to eyes, respiratory system and skin

Sensitization No information available

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component CAS No IA	RC NTP ACGIH	OSHA Mexico
---------------------	--------------	-------------

| 2-Mercaptoethanol        | 60-24-2   | Not listed |
|--------------------------|-----------|------------|------------|------------|------------|------------|
| Ethanol, 2,2'-dithiobis- | 1892-29-1 | Not listed |

**Mutagenic Effects** 

No information available

**Reproductive Effects** 

No information available.

**Developmental Effects** 

No information available.

**Teratogenicity** 

No information available.

STOT - single exposure STOT - repeated exposure None known Liver Heart

**Aspiration hazard** 

No information available

delayed

Symptoms / effects, both acute and Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing: Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting

**Endocrine Disruptor Information** 

No information available

Other Adverse Effects

The toxicological properties have not been fully investigated.

# 12. Ecological information

#### **Ecotoxicity**

The product contains following substances which are hazardous for the environment. Very toxic to aquatic organisms.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
2-Mercaptoethanol	EC50: = 12 mg/L, 72h (Desmodesmus subspicatus)	Not listed	= 125 mg/L EC50 Pseudomonas putida 17 h	EC50: = 1.52 mg/L, 48h (Daphnia magna)

Persistence and Degradability

Persistence is unlikely

**Bioaccumulation/ Accumulation** 

No information available.

Mobility

. Will likely be mobile in the environment due to its water solubility.

Component	log Pow
2-Mercaptoethanol	-0.056

### 13. Disposal considerations

**Waste Disposal Methods** 

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

### 14. Transport information

DOT

UN2966 **UN-No Proper Shipping Name** THIOGLYCOL

**Hazard Class** 6.1 **Packing Group** Ш

TDG

UN2966 **UN-No Proper Shipping Name** THIOGLYCOL

**Hazard Class** 6.1 **Packing Group** 

**IATA** 

**UN-No** UN2966

**Proper Shipping Name THIOGLYCOL** 

**Hazard Class** 6.1 **Packing Group** 

IMDG/IMO

**UN-No** UN2966

**Proper Shipping Name** THIOGLYCOL

**Hazard Class** 6.1 **Packing Group** Ш

# 15. Regulatory information

### **United States of America Inventory**

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags	
2-Mercaptoethanol	60-24-2	Χ	ACTIVE	-	
Ethanol, 2,2'-dithiobis-	1892-29-1	X	ACTIVE	-	

#### Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed '-' - Not Listed

TSCA 12(b) - Notices of Export Not applicable

#### **International Inventories**

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
2-Mercaptoethanol	60-24-2	Х	-	200-464-6	Х	Х	Х	Х	Х	KE-23095
Ethanol, 2,2'-dithiobis-	1892-29-1	-	Х	217-576-6	Х	-		Х	Х	KE-12729

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

### U.S. Federal Regulations

Not applicable **SARA 313** 

SARA 311/312 Hazard Categories See section 2 for more information

Not applicable **CWA (Clean Water Act)** 

Clean Air Act Not applicable

**OSHA** - Occupational Safety and

Health Administration

Not applicable

**CERCLA** Not applicable

**California Proposition 65** This product does not contain any Proposition 65 chemicals.

## U.S. State Right-to-Know

Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
2-Mercaptoethanol	X	Х	Х	-	-

### **U.S. Department of Transportation**

Reportable Quantity (RQ): Ν

DOT Marine Pollutant N
DOT Severe Marine Pollutant N

U.S. Department of Homeland

Security

This product does not contain any DHS chemicals.

Other International Regulations

Mexico - Grade No information available

Authorisation/Restrictions according to EU REACH

### Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
2-Mercaptoethanol	60-24-2	Listed	Not applicable	Not applicable	Not applicable
Ethanol, 2,2'-dithiobis-	1892-29-1	Not applicable	Not applicable	Not applicable	Not applicable

Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities	Seveso III Directive (2012/18/EC) - Qualifying Quantities	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
		for Major Accident Notification	for Safety Report Requirements		
2-Mercaptoethanol	60-24-2	Not applicable	Not applicable	Not applicable	Not applicable
Ethanol, 2,2'-dithiobis-	1892-29-1	Not applicable	Not applicable	Not applicable	Not applicable

### 16. Other information

Prepared By Regulatory Affairs

Thermo Fisher Scientific

Email: EMSDS.RA@thermofisher.com

 Creation Date
 10-May-2010

 Revision Date
 24-Dec-2021

 Print Date
 24-Dec-2021

**Revision Summary** SDS sections updated. 2. 3. 16.

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of SDS**