

# SAFETY DATA SHEET

Creation Date 20-Oct-2009

Revision Date 24-Dec-2021

Revision Number 6

1. Identification

Chloroform, stabilized with n-amylene

Product Name

C607-1, C607-4, C607SK-1, C607SK-4

CAS No Synonyms

Cat No. :

67-66-3 Methane trichloride; Methenyl trichloride; Formyl trichloride

Recommended Use Uses advised against

Laboratory chemicals.

# Details of the supplier of the safety data sheet

Company Fisher Scientific Company One Reagent Lane Fair Lawn, NJ 07410 Tel: (201) 796-7100

**Emergency Telephone Number** 

CHEMTREC®, Inside the USA: 800-424-9300 CHEMTREC®, Outside the USA: 001-703-527-3887

2. Hazard(s) identification

### **Classification**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute oral toxicity	Category 4
Acute Inhalation Toxicity - Vapors	Category 3
Skin Corrosion/Irritation	Category 2
Serious Eye Damage/Eye Irritation	Category 2
Carcinogenicity	Category 1B
Reproductive Toxicity	Category 2
Specific target organ toxicity (single exposure)	Category 3
Target Organs - Central nervous system (CNS), Respiratory system.	
Specific target organ toxicity - (repeated exposure)	Category 1
Target Organs - Heart, Liver, Kidney.	

# Label Elements

# Signal Word

### Danger

Hazard Statements Harmful if swallowed Causes skin irritation Causes serious eye irritation Toxic if inhaled May cause drowsiness or dizziness Suspected of damaging the unborn child Causes damage to organs through prolonged or repeated exposure May cause cancer



#### Precautionary Statements Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Use only outdoors or in a well-ventilated area

Wear eye/face protection

Do not breathe dust/fume/gas/mist/vapors/spray

### Response

IF exposed or concerned: Get medical attention/advice

### Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Call a POISON CENTER or doctor/physician

### Skin

IF ON SKIN: Wash with plenty of soap and water

If skin irritation occurs: Get medical advice/attention

Take off contaminated clothing and wash before reuse

### Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

### Ingestion

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

### Rinse mouth

Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

### Disposal

Dispose of contents/container to an approved waste disposal plant

# Hazards not otherwise classified (HNOC)

None identified

WARNING. Cancer and Reproductive Harm - https://www.p65warnings.ca.gov/.

# 3. Composition/Information on Ingredients

Component	CAS No	Weight %
Chloroform	67-66-3	>99
2-Methyl-2-butene	513-35-9	0.01

4. First-aid measures		
General Advice	Inhalation may cause anesthesia. Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.	
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.	
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. Get medical attention if symptoms occur.	
Inhalation	Remove to fresh air. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Immediate medical attention is required. If not breathing, give artificial respiration.	
Ingestion	Do NOT induce vomiting. Call a physician or poison control center immediately.	
Most important symptoms and effects	Difficulty in breathing. Unconsciousness. May cause cardiac arrhythmia. May cause cardiac arrest. Symptoms of overexposure are dizziness, headache, tiredness, nausea, unconsciousness, cessation of breathing: Causes central nervous system depression	
Notes to Physician	Treat symptomatically	

5. Fire-fighting measures

Suitable Extinguishing Media	Substance is nonflammable; use agent most appropriate to extinguish surrounding fire.
Unsuitable Extinguishing Media	No information available
Flash Point Method -	No information available No information available
Autoignition Temperature Explosion Limits	No information available
Upper	No data available No data available
Lower Sensitivity to Mechanical Impac Sensitivity to Static Discharge	

## **Specific Hazards Arising from the Chemical**

Non-combustible, substance itself does not burn but may decompose upon heating to produce corrosive and/or toxic fumes.

## **Hazardous Combustion Products**

Phosgene. Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>). Hydrogen chloride gas.

# Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

<u>NFPA</u>	Health 3	Flammability 0	<b>Instability</b> 0	Physical hazards N/A
	6. Accidental release measures			
Personal PrecautionsUse personal protective equipment as required. Evacuate adequate ventilation. Avoid contact with skin, eyes or cloth Should not be released into the environment. See Section		hing.		
		Information. Do not flush in	to surface water or sanitary se	wer system.

Methods for Containment and Clean Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Up

	7. Handling and storage
Handling	Wear personal protective equipment/face protection. Use only under a chemical fume hood. Do not breathe mist/vapors/spray. Do not get in eyes, on skin, or on clothing. Do not ingest. If swallowed then seek immediate medical assistance. Keep away from open flames, hot surfaces and sources of ignition.
Storage.	Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from direct sunlight. Store under an inert atmosphere. Protect from moisture. Incompatible Materials. Strong oxidizing agents. Alkali metals. Aluminium. Acetone.

8. Exposure controls / personal protection

## Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH IDLH	Mexico OEL (TWA)
Chloroform	TWA: 10 ppm	(Vacated) TWA: 2 ppm (Vacated) TWA: 9.78 mg/m <sup>3</sup> Ceiling: 50 ppm Ceiling: 240 mg/m <sup>3</sup>	IDLH: 500 ppm STEL: 2 ppm STEL: 9.78 mg/m <sup>3</sup>	TWA: 10 ppm TWA: 50 mg/m <sup>3</sup> STEL: 50 ppm STEL: 225 mg/m <sup>3</sup>

# <u>Legend</u>

ACGIH - American Conference of Governmental Industrial Hygienists OSHA - Occupational Safety and Health Administration NIOSH IDLH: NIOSH - National Institute for Occupational Safety and Health

Engineering Measures	Use only under a chemical fume hood. Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location.			
Personal Protective Equipment				
Eye/face Protection	Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.			
Skin and body protection	Wear appropriate protective gloves and clothing to prevent skin exposure.			
Respiratory Protection	Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.			
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.			

	9. Physical and chemical properties
Physical State	Liquid
Appearance	Colorless
Odor	aromatic sweet
Odor Threshold	No information available
рН	No information available
Melting Point/Range	-63 °C / -81.4 °F
Boiling Point/Range	61 - 61 °C / 141.8 - 141.8 °F
Flash Point	No information available

Evaporation Rate
Flammability (solid,gas)
Flammability or explosive limits
Upper
Lower
Vapor Pressure
Vapor Density
Specific Gravity
Solubility
Partition coefficient; n-octanol/water
Autoignition Temperature
Decomposition Temperature
Viscosity
Molecular Formula
Molecular Weight

No information available Not applicable No data available 213 mbar @ 20 °C No information available 1.480 Slightly soluble in water No data available No information available No information available

0.56 mPa s at 20 °C

# 10. Stability and reactivity

C H Cl3 119.38

Reactive Hazard		
Stability	Stable under normal conditions. UNSTABLE (REACTIVE) UPON DEPLETION OF INHIBITOR.	
Conditions to Avoid	Incompatible products. Heat, flames and sparks. Excess heat. Exposure to light. Protect from moisture.	
Incompatible Materials	Strong oxidizing agents, Alkali metals, Aluminium, Acetone	
Hazardous Decomposition Products Phosgene, Carbon monoxide (CO), Carbon dioxide (CO2), Hydrogen chloride gas		
Hazardous Polymerization	Hazardous polymerization does not occur.	
Hazardous Reactions	None under normal processing.	

11. Toxicological information

# Acute Toxicity

# Product Information

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation			
Chloroform	LD50 = 908 mg/kg (rat) LD50 = 695 mg/kg (Rat) LD50 = 450 mg/kg (Rat)	LD50 = 695 mg/kg ( Rat )				
2-Methyl-2-butene	700-2600 mg/kg (Rat)	>2000 mg/kg (Rat)	LC50 > 61000 ppm (Rat)4 h			
Toxicologically Synergistic         No information available           Products         Delayed and immediate effects as well as chronic effects from short and long-term exposure						
Irritation	Irritating to eyes and skin					
Sensitization	Sensitization No information available					
Carcinogenicity	The table below indicates whether each agency has listed any ingredient as a carcinogen.					

Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico
Chloroform	67-66-3	Group 2B	Reasonably	A3	Х	A3
			Anticipated			
2-Methyl-2-butene	513-35-9	Not listed	Not listed	Not listed	Not listed	Not listed

IARC (International Agency for Rese	earch on Cancer)	IARC (International Agency for Research on Cancer) Group 1 - Carcinogenic to Humans Group 2A - Probably Carcinogenic to Humans		
NTP: (National Toxicity Program)		Group 2B - Possibly Carcinogenic to Humans NTP: (National Toxicity Program) Known - Known Carcinogen Reasonably Anticipated - Reasonably Anticipated to be a Human		
ACGIH: (American Conference of Governmental Industrial Hygienists)		Carcinogen A1 - Known Human Carcinogen A2 - Suspected Human Carcinogen A3 - Animal Carcinogen		
Mexico - Occupational Exposure Lin	nits - Carcinogens	<ul> <li>ACGIH: (American Conference of Governmental Industrial Hygienists)</li> <li>Mexico - Occupational Exposure Limits - Carcinogens</li> <li>A1 - Confirmed Human Carcinogen</li> <li>A2 - Suspected Human Carcinogen</li> <li>A3 - Confirmed Animal Carcinogen</li> <li>A4 - Not Classifiable as a Human Carcinogen</li> <li>A5 - Not Suspected as a Human Carcinogen</li> </ul>		
Mutagenic Effects	No information available			
Reproductive Effects	Experiments have shown	reproductive toxicity effects on laboratory animals.		
Developmental Effects	Developmental effects ha	ave occurred in experimental animals.		
Teratogenicity	Study result . negative.			
STOT - single exposure STOT - repeated exposure	Central nervous system ( Heart Liver Kidney	CNS) Respiratory system		
Aspiration hazard	No information available			
Symptoms / effects,both acute and delayed	<b>d</b> Symptoms of overexposure are dizziness, headache, tiredness, nausea, unconsciousness, cessation of breathing: Causes central nervous system depression			
Endocrine Disruptor Information	No information available			
Other Adverse Effects	Tumorigenic effects have	been reported in experimental animals.		

# 12. Ecological information

### Ecotoxicity

Do not empty into drains. The product contains following substances which are hazardous for the environment. Contains a substance which is:. Harmful to aquatic organisms.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Chloroform	EC50 = 560 mg/L/48h	LC50: = 300 mg/L, 96h static	Photobacterium	EC50 = 28.9 mg/L/48h
		(Poecilia reticulata)	phosphoreum: EC50 = 520	
		LC50: = 18 mg/L, 96h	mg/L/5 min	
		flow-through (Lepomis	Photobacterium	
		macrochirus)	phosphoreum: EC50 = 670	
		LC50: = 18 mg/L, 96h	mg/L/15 min	
		flow-through (Oncorhynchus	Photobacterium	
		mykiss)	phosphoreum: EC50 = 670	
		LC50: = 71 mg/L, 96h	mg/L/30min	
		flow-through (Pimephales		
		promelas)		
2-Methyl-2-butene	Not listed	LC50: = 4.99 mg/L, 96h semi-static (Oncorhynchus mykiss)	Not listed	EC50: = 3 mg/L, 48h (Daphnia magna)

**Persistence and Degradability** Persistence is unlikely based on information available.

**Bioaccumulation/ Accumulation** No information available.

Mobility

Will likely be mobile in the environment due to its volatility.

Component	log Pow
Chloroform	2

# 13. Disposal considerations

Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

Component	RCRA - U Series Wastes	RCRA - P Series Wastes
Chloroform - 67-66-3	U044	-

	14. Transport information
DOT	
UN-No	UN1888
Proper Shipping Name	CHLOROFORM
Hazard Class	6.1
Packing Group	111
TDG	
UN-No	UN1888
Proper Shipping Name	CHLOROFORM
Hazard Class	6.1
Packing Group	
UN-No	UN1888
Proper Shipping Name	Chloroform
Hazard Class	6.1
Packing Group	111
IMDG/IMO	
UN-No	UN1888
Proper Shipping Name	Chloroform
Hazard Class	6.1
Packing Group	
	15. Regulatory information

### United States of America Inventory

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags
Chloroform	67-66-3	Х	ACTIVE	-
2-Methyl-2-butene	513-35-9	Х	ACTIVE	-

#### Legend:

**TSCA** US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710) X - Listed

'-' - Not Listed

TSCA 12(b) - Notices of Export Not applicable

# International Inventories

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
Chloroform	67-66-3	Х	-	200-663-8	Х	Х	Х	Х	Х	Х
2-Methyl-2-butene	513-35-9	Х	-	208-156-3	Х	Х	Х	Х	Х	KE-23587

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

#### U.S. Federal Regulations

### SARA 313

Component	CAS No	Weight %	SARA 313 - Threshold Values %
Chloroform	67-66-3	>99	0.1

#### SARA 311/312 Hazard Categories See section 2 for more information

### CWA (Clean Water Act)

Component	CWA - Hazardous Substances	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants
Chloroform	X	10 lb	Х	Х

#### **Clean Air Act**

Component	HAPS Data	Class 1 Ozone Depletors	Class 2 Ozone Depletors
Chloroform	Х		-

**OSHA** - Occupational Safety and Not applicable Health Administration

### CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Component	Hazardous Substances RQs	CERCLA EHS RQs
Chloroform	10 lb 1 lb	10 lb

## California Proposition 65

This product contains the following Proposition 65 chemicals.

Component	CAS No	California Prop. 65	Prop 65 NSRL	Category
Chloroform	67-66-3	Carcinogen	20 µg/day	Developmental
		Developmental	40 µg/day	Carcinogen

#### U.S. State Right-to-Know Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Chloroform	Х	Х	Х	Х	Х
2-Methyl-2-butene	Х	Х	Х	-	-

### U.S. Department of Transportation

Reportable Quantity (RQ):	Υ
DOT Marine Pollutant	Ν
DOT Severe Marine Pollutant	Ν

# U.S. Department of Homeland Security

This product contains the following DHS chemicals: Legend - STQs = Screening Threshold Quantities, APA = A placarded amount

Component	DHS Chemical Facility Anti-Terrorism Standard	
Chloroform	Release STQs - 20000lb	

# Other International Regulations

Mexico - Grade

No information available

### Authorisation/Restrictions according to EU REACH

Component	REACH (1907/2006) - Annex XIV -	REACH (1907/2006) - Annex XVII -	REACH Regulation (EC
	Substances Subject to	<b>Restrictions on Certain Dangerous</b>	1907/2006) article 59 - Candidate

	Authorization	Substances	List of Substances of Very High Concern (SVHC)
Chloroform		Use restricted. See item 32. (see http://eur-lex.europa.eu/LexUriServ/L exUriServ.do?uri=CELEX:32006R190 7:EN:NOT for restriction details)	

https://echa.europa.eu/substances-restricted-under-reach

## Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Chloroform	67-66-3	Listed	Not applicable	Not applicable	Not applicable
2-Methyl-2-butene	513-35-9	Listed	Not applicable	Not applicable	Not applicable

Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
Chloroform	67-66-3	Not applicable	Not applicable	Not applicable	Annex I - Y45
2-Methyl-2-butene	513-35-9	Not applicable	Not applicable	Not applicable	Not applicable

	16. Other information
Prepared By	Regulatory Affairs Thermo Fisher Scientific Email: EMSDS.RA@thermofisher.com
Creation Date Revision Date Print Date Revision Summary	20-Oct-2009 24-Dec-2021 24-Dec-2021 This document has been updated to comply with the US OSHA HazCom 2012 Standard replacing the current legislation under 29 CFR 1910.1200 to align with the Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

# **End of SDS**