

# **SAFETY DATA SHEET**

Creation Date 02-Feb-2010 Revision Date 13-Oct-2023 Revision Number 6

1. Identification

Product Name Ethylene glycol

Cat No. : E178-1; E178-4; E178-200; E178-500

CAS No 107-21-

Synonyms Monoethylene glycol; 1,2-Ethanediol

Recommended Use Laboratory chemicals.

Uses advised against Food, drug, pesticide or biocidal product use.

## Details of the supplier of the safety data sheet

## Company

Fisher Scientific Company One Reagent Lane Fair Lawn, NJ 07410 Tel: (201) 796-7100

#### **Emergency Telephone Number**

CHEMTREC®, Inside the USA: 800-424-9300 CHEMTREC®, Outside the USA: 001-703-527-3887

# 2. Hazard(s) identification

#### Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute oral toxicity

Category 4
Specific target organ toxicity (single exposure)

Category 3

Target Organs - Central nervous system (CNS).

Specific target organ toxicity - (repeated exposure) Category 2

Target Organs - Kidney, Liver.

## Label Elements

## Signal Word

Warning

## **Hazard Statements**

Harmful if swallowed

May cause drowsiness or dizziness

\_\_\_\_\_

May cause damage to organs through prolonged or repeated exposure



#### **Precautionary Statements**

#### Prevention

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product Do not breathe dust/fume/gas/mist/vapors/spray Use only outdoors or in a well-ventilated area

#### Response

Get medical attention/advice if you feel unwell

#### Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Call a POISON CENTER or doctor/physician if you feel unwell

#### Ingestion

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

Rinse mouth

# Storage

Store in a well-ventilated place. Keep container tightly closed

Store locked up

## **Disposal**

Dispose of contents/container to an approved waste disposal plant

## Hazards not otherwise classified (HNOC)

WARNING. Reproductive Harm - https://www.p65warnings.ca.gov/.

# 3. Composition/Information on Ingredients

Component	CAS No	Weight %	
Ethylene glycol	107-21-1	>95	

# 4. First-aid measures

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention.

**Skin Contact** Wash off immediately with plenty of water for at least 15 minutes. Get medical attention

immediately if symptoms occur.

**Inhalation** Remove to fresh air. Do not use mouth-to-mouth method if victim ingested or inhaled the

substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Get medical attention immediately if

symptoms occur. If not breathing, give artificial respiration.

**Ingestion** Do NOT induce vomiting. Call a physician or poison control center immediately.

Most important symptoms and

effects

Difficulty in breathing.

Notes to Physician

Treat symptomatically

# 5. Fire-fighting measures

Revision Date 13-Oct-2023 Ethylene glycol

Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam. **Suitable Extinguishing Media** 

No information available **Unsuitable Extinguishing Media** 

**Flash Point** 111 °C / 231.8 °F

Method -**DIN 51758** 

413 °C / 775.4 °F **Autoignition Temperature** 

**Explosion Limits** 

15.30 vol % Upper Lower 3.20 vol %

Sensitivity to Mechanical Impact No information available Sensitivity to Static Discharge No information available

#### Specific Hazards Arising from the Chemical

Thermal decomposition can lead to release of irritating gases and vapors. Keep product and empty container away from heat and sources of ignition.

#### **Hazardous Combustion Products**

Carbon monoxide (CO). Carbon dioxide (CO2).

## **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA

Health	Flammability	Instability	Physical hazards
2	1	1	N/A

## Accidental release measures

**Personal Precautions** 

Ensure adequate ventilation. Use personal protective equipment as required. **Environmental Precautions** Should not be released into the environment. See Section 12 for additional Ecological

Information.

Methods for Containment and Clean Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Up

7. Handling and storage						
Handling	Wear personal protective equipment/face protection. Ensure adequate ventilation. Do not breathe mist/vapors/spray. Avoid contact with skin, eyes or clothing.					
Storage.	Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks and flame. Incompatible Materials. Strong oxidizing agents. Strong acids.					

Strong bases. Aldehydes.

#### 8. Exposure controls / personal protection

## **Exposure Guidelines**

Component	ACGIH TLV	OSHA PEL	NIOSH	Mexico OEL (TWA)
Ethylene glycol	TWA: 25 ppm	(Vacated) Ceiling: 50 ppm		Ceiling: 100 mg/m <sup>3</sup>
	STEL: 50 ppm	(Vacated) Ceiling: 125		
	STEL: 10 mg/m <sup>3</sup>	mg/m³		

Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

Engineering Measures Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations

and safety showers are close to the workstation location.

Personal Protective Equipment

**Eye/face Protection** Wear appropriate protective eyeglasses or chemical safety goggles as described by

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

**Skin and body protection**Wear appropriate protective gloves and clothing to prevent skin exposure.

Respiratory Protection Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard

EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

**Recommended Filter type:** Organic gases and vapours filter. Type A. Brown. conforming to EN14387.

**Hygiene Measures** Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

Physical State Viscous liquid Liquid

Appearance Colorless Odor Odorless

Odor Threshold<br/>pHNo information available<br/>5.5-7.550% aq. solMelting Point/Range-13 °C / 8.6 °F

Boiling Point/Range 196 - 198 °C / 384.8 - 388.4 °F @ 760 mmHq

Flash Point 111 °C / 231.8 °F

Method - DIN 51758

Evaporation Rate No information available

Flammability (solid,gas) Not applicable

Flammability or explosive limits

 Upper
 15.30 vol %

 Lower
 3.20 vol %

 Vapor Pressure
 0.12 mmHg @ 20 °C

 Vapor Density
 2.14 (Air = 1.0)

Specific Gravity 1.113
Solubility niscible

Partition coefficient; n-octanol/water

No data available

Autoignition Temperature

No data available

413 °C / 775.4 °F

Decomposition Temperature> 500°CViscosity21 cP (20°C)Molecular FormulaC2 H6 O2

Molecular Weight 62.06

10. Stability and reactivity

Reactive Hazard None known, based on information available

Stability Hygroscopic.

Conditions to Avoid Incompatible products. Excess heat. Exposure to moist air or water.

Incompatible Materials Strong oxidizing agents, Strong acids, Strong bases, Aldehydes

Hazardous Decomposition Products Carbon monoxide (CO), Carbon dioxide (CO2)

**Hazardous Polymerization** Hazardous polymerization does not occur.

Hazardous Reactions None under normal processing.

# 11. Toxicological information

**Acute Toxicity** 

Product Information
Component Information

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Ethylene glycol	7712 mg/kg ( Rat )	LD50 = 9530 μL/kg ( Rabbit )	LC50 > 2.5 mg/L (Rat) 6 h
		LD50 = 10600 mg/kg (Rat)	
		LD50 > 3500 mg/kg (mice)	

**Toxicologically Synergistic** 

**Products** 

No information available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Irritation** May cause skin, eye, and respiratory tract irritation

Sensitization No information available

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico
Ethylene glycol	107-21-1	Not listed				

Mutagenic Effects No information available

**Reproductive Effects** No information available.

**Developmental Effects** No information available.

**Teratogenicity** No information available.

STOT - single exposure Central nervous system (CNS)

STOT - repeated exposure Kidney Liver

Aspiration hazard No information available

Symptoms / effects, both acute and No information available

delayed

**Endocrine Disruptor Information** No information available

Other Adverse Effects The toxicological properties have not been fully investigated.

# 12. Ecological information

## **Ecotoxicity**

Do not empty into drains. .

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Ethylene glycol	EC50: 6500 - 13000 mg/L,	LC50: = 41000 mg/L, 96h	Not listed	EC50: = 46300 mg/L, 48h
	96h (Pseudokirchneriella	(Oncorhynchus mykiss)		(Daphnia magna)
	subcapitata)	LC50: = 27540 mg/L, 96h		
		static (Lepomis macrochirus)		
		LC50: 14 - 18 mL/L, 96h		
		static (Oncorhynchus		
		mykiss)		
		LC50: = 40761 mg/L, 96h		
		static (Oncorhynchus		
		mykiss)		
		LC50: 40000 - 60000 mg/L.		

96h static (Pimephales	
promelas)	
LC50: = 16000 mg/L, 96h	
static (Poecilia reticulata)	

Persistence and Degradability Persistence is unlikely

**Bioaccumulation/ Accumulation** No information available.

**Mobility** Will likely be mobile in the environment due to its water solubility.

Component	log Pow
Ethylene glycol	-1.36

# 13. Disposal considerations

Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

	14. Transport information
DOT	Not regulated
DOT TDG IATA	Not regulated
<u>IATA</u>	Not regulated
IMDG/IMO_	Not regulated
	15. Regulatory information

## **United States of America Inventory**

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags
Ethylene glycol	107-21-1	X	ACTIVE	-

#### Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed

'-' - Not Listed

TSCA - Per 40 CFR 751, Regulation of Certain Chemical Substances & Mixtures, Under TSCA Section 6(h) (PBT)

Not applicable

TSCA 12(b) - Notices of Export

Not applicable

#### **International Inventories**

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
Ethylene glycol	107-21-1	Х	-	203-473-3	Х	Х	Х	Х	Х	KE-13169

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

#### U.S. Federal Regulations

#### **SARA 313**

OAKA 313								
	Component	CAS No	Weight %	SARA 313 - Threshold Values %				
	Ethylene alycol	107-21-1	>95	1.0				

SARA 311/312 Hazard Categories See section 2 for more information

### **CWA (Clean Water Act)**

Not applicable

Clean Air Act

Component	HAPS Data	Class 1 Ozone Depletors	Class 2 Ozone Depletors
Ethylene glycol	X		-

**OSHA** - Occupational Safety and

Health Administration

Not applicable

**CERCLA** 

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Component	Hazardous Substances RQs	CERCLA EHS RQs
Ethylene glycol	5000 lb	-

## **California Proposition 65**

This product contains the following Proposition 65 chemicals.

Component	CAS No	California Prop. 65	Prop 65 NSRL	Category
Ethylene glycol	107-21-1	Developmental	-	Developmental

# U.S. State Right-to-Know

# Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Ethylene glycol	X	X	X	X	-

#### **U.S. Department of Transportation**

Reportable Quantity (RQ): Y
DOT Marine Pollutant N
DOT Severe Marine Pollutant N

# U.S. Department of Homeland

Security

This product does not contain any DHS chemicals.

#### Other International Regulations

Mexico - Grade Slight risk, Grade 1

## Authorisation/Restrictions according to EU REACH

Not applicable

Component	CAS No	REACH (1907/2006) -	REACH (1907/2006) -	REACH Regulation (EC
		Annex XIV - Substances	Annex XVII - Restrictions	1907/2006) article 59 -
		Subject to Authorization	on Certain Dangerous	Candidate List of
			Substances	Substances of Very High
				Concern (SVHC)
Ethylene glycol	107-21-1	-	-	-

#### Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Ethylene glycol	107-21-1	Listed	Not applicable	Not applicable	Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)?

Not applicable

#### Other International Regulations

Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
Ethylene glycol	107-21-1	Not applicable	Not applicable	Not applicable	Not applicable

4 /	$\sim$		
16	()ther	inform	ation

Prepared By Regulatory Affairs

Thermo Fisher Scientific

Email: EMSDS.RA@thermofisher.com

 Creation Date
 02-Feb-2010

 Revision Date
 13-Oct-2023

 Print Date
 13-Oct-2023

Revision Summary This document has been updated to comply with the US OSHA HazCom 2012 Standard

replacing the current legislation under 29 CFR 1910.1200 to align with the Globally

Harmonized System of Classification and Labeling of Chemicals (GHS).

### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of SDS**