

SAFETY DATA SHEET

Creation Date 15-Jun-2009

Revision Date 24-Dec-2021

Revision Number 6

1. Identification			
Product Name	Hexanes		
Cat No. :	H303-1; H303-4; H303-4LC; H303RS-19; H303RS-28; H303RS-50; H303RS-115; H303RS-200; H303SK-4; H303SS-19; H303SS-28; H303SS-50; H303SS-115; H303SS-200		
CAS No Synonyms	92112-69-1 Hex		
Recommended Use Uses advised against	Laboratory chemicals. Food, drug, pesticide or biocidal product use.		

Details of the supplier of the safety data sheet

Company Fisher Scientific Company One Reagent Lane Fair Lawn, NJ 07410 Tel: (201) 796-7100

Emergency Telephone Number

Chemtrec US: (800) 424-9300 Chemtrec EU: 001-703-527-3887

2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids	Category 2	
Skin Corrosion/Irritation	Category 2	
Serious Eye Damage/Eye Irritation	Category 2	
Reproductive Toxicity	Category 2	
Specific target organ toxicity (single exposure)	Category 3	
Target Organs - Respiratory system, Central nervous system	(CNS).	
Specific target organ toxicity - (repeated exposure)	Category 1	
Target Organs - Respiratory system, Heart.		
Aspiration Toxicity	Category 1	

Label Elements

Signal Word

Danger

Hazard Statements

Highly flammable liquid and vapor May be fatal if swallowed and enters airways Causes skin irritation Causes serious eye irritation May cause respiratory irritation May cause drowsiness or dizziness Suspected of damaging fertility Causes damage to organs through prolonged or repeated exposure



Precautionary Statements Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Wash face, hands and any exposed skin thoroughly after handling

Wear eye/face protection

Do not breathe dust/fume/gas/mist/vapors/spray

Do not eat, drink or smoke when using this product

Use only outdoors or in a well-ventilated area

Keep away from heat/sparks/open flames/hot surfaces. - No smoking

Keep container tightly closed

Ground/bond container and receiving equipment

Use explosion-proof electrical/ventilating/lighting equipment

Use only non-sparking tools

Take precautionary measures against static discharge

Keep cool

Response

IF exposed or concerned: Get medical attention/advice

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Skin

If skin irritation occurs: Get medical advice/attention

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

Ingestion

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician

Do NOT induce vomiting

Fire

In case of fire: Use CO2, dry chemical, or foam for extinction

Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Toxic to aquatic life with long lasting effects

WARNING. Reproductive Harm - https://www.p65warnings.ca.gov/.

3. Composition/Information on Ingredients	3. Com	position/	Information	on Ind	gredients
---	--------	-----------	-------------	--------	-----------

Component		CAS No	Weight %	
Hexane, branched and lir	near	92112-69-1	100	
	4.	First-aid measures		
General Advice	If symptoms	persist, call a physician.		
Eye Contact	Rinse immeo medical atter	liately with plenty of water, also under th ntion.	ne eyelids, for at least 15 minutes. Get	
Skin Contact	Wash off imr call a physici	nediately with plenty of water for at leas an.	t 15 minutes. If skin irritation persists,	
Inhalation		resh air. If not breathing, give artificial re ccur. Risk of serious damage to the lung		
Ingestion	Clean mouth with water and drink afterwards plenty of water. Do NOT induce vomiting. Call a physician or poison control center immediately. If vomiting occurs naturally, have victim lean forward.			
Most important symptoms and effects Notes to Physician	btoms and Difficulty in breathing. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting: Causes central nervous system depression Treat symptomatically			
	5. Fi	re-fighting measures		
Suitable Extinguishing Media Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam. Water mist ma be used to cool closed containers.			cohol-resistant foam. Water mist may	
Unsuitable Extinguishing Media	a Do not use a solid water stream as it may scatter and spread fire			
Flash Point	-22 °C / -7.6 °F			
Method -	No information	on available		
Autoignition Temperature	223 °C / 4	33.4 °F		
Explosion Limits				

 Upper
 No data available

 Lower
 No data available

 Sensitivity to Mechanical Impact
 No information available

 Sensitivity to Static Discharge
 No information available

Specific Hazards Arising from the Chemical

Flammable. Containers may explode when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back.

Hazardous Combustion Products

Carbon monoxide (CO). Carbon dioxide (CO₂).

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA Health Flammability 3 3		Instability 1	Physical hazards N/A
	6. Accidental rel	ease measures	
Personal Precautions		uipment as required. Ensure ac recautionary measures against	dequate ventilation. Remove all static discharges.
Environmental Precautions		ater or sanitary sewer system.	
Methods for Containment and Cle Up	Remove all sources of ignit	nt material. Keep in suitable, cl tion. Take precautionary measu explosion-proof equipment.	
	7. Handling a	and storage	
Handling	clothing. Avoid ingestion ar flames, hot surfaces and so tools and explosion-proof e	ources of ignition. Use only nor equipment. Take precautionary on of vapors by static electricity	ventilation. Keep away from open n-sparking tools. Use spark-proof
Storage.			ilated place. Flammables area. aterials. Strong oxidizing agents.

8. Exposure controls / personal protection

Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH IDLH	Mexico OEL (TWA)
Hexane, branched and linear		(Vacated) TWA: 500 ppm		
		(Vacated) TWA: 1800 mg/m ³		
		(Vacated) STEL: 1000 ppm		
		(Vacated) STEL: 3600		
		mg/m ³		

NIOSH IDLH: NIOSH - National Institute for Occupational Safety and Health

Engineering Measures	Use only under a chemical fume hood. Ensure that eyewash stations and safety showers are close to the workstation location. Use explosion-proof electrical/ventilating/lighting equipment. Ensure adequate ventilation, especially in confined areas.
Personal Protective Equipment	
Eye/face Protection	Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.
Skin and body protection	Wear appropriate protective gloves and clothing to prevent skin exposure.
Respiratory Protection	Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.
ç	P. Physical and chemical properties
Physical State	Liquid

Appearance Odor Odor Threshold pH Melting Point/Range Boiling Point/Range Flash Point Evaporation Rate Flammability (solid,gas) Flammability or explosive limits Upper Lower Vapor Pressure Vapor Pressure Vapor Density Specific Gravity Solubility Partition coefficient; n-octanol/water Autoignition Temperature
Partition coefficient; n-octanol/water
-

Colorless No information available No information available No information available -95 °C / -139 °F 69 °C / 156.2 °F @ 760 mmHg -22 °C / -7.6 °F No information available Not applicable No data available No data available 160 mbar @ 20°C No information available 0.659 Immiscible No data available 223 °C / 433.4 °F No information available 0.31 mPa s @ 20 °C C6 H14 86.18

10. Stability and reactivity

Reactive Hazard	None known, based on information available		
Stability	Stable under normal conditions.		
Conditions to Avoid	Incompatible products. Excess heat. Exposure to light. Keep away from open flames, hot surfaces and sources of ignition.		
Incompatible Materials	Strong oxidizing agents		
Hazardous Decomposition Products Carbon monoxide (CO), Carbon dioxide (CO2)			
Hazardous Polymerization	Hazardous polymerization does not occur.		
Hazardous Reactions	None under normal processing.		

11. Toxicological information

Acute Toxicity

Product Information

Component Informa	tion					
Componen	t	LD50 Oral		LD50 Dermal	LC50	Inhalation
Hexane, branched a	ind linear LE	050 = 15000 mg/kg(Rat) LD50 =	3350 mg/kg (Rabbit)	LC50 = 2593	54 mg/m ³ (Rat) 4h
Image: Construction of the second						
Irritation Irritating to eyes and skin						
Sensitization No information available						
Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.						
Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico
Hexane, branched and	92112-69-1	Not listed	Not listed	Not listed	Not listed	Not listed

linear			
Mutagenic Effects	No information available		
Reproductive Effects	Possible risk of impaired fertility.		
Developmental Effects	No information available.		
Teratogenicity	No information available.		
STOT - single exposure STOT - repeated exposure	Respiratory system Central nervous system (CNS) Respiratory system Heart		
Aspiration hazard	Category 1		
Symptoms / effects,both acute an delayed	d Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting: Causes central nervous system depression		
Endocrine Disruptor Information	No information available		
Other Adverse Effects	The toxicological properties have not been fully investigated.		
	12. Ecological information		

Ecotoxicity Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. Based on available literature. Data from closely analogous substances.

Persistence and Degradability	Persistence is unlikely based on information available.
Bioaccumulation/ Accumulation	No information available.
Mobility	Will likely be mobile in the environment due to its volatility.

Component	log Pow	
Hexane, branched and linear	4.11	

13. Disposal considerations					
Waste Disposal Methods	Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.				

14. Transport information				
DOT				
UN-No	UN1208			
Proper Shipping Name	Hexanes			
Hazard Class	3			
Packing Group	II			
TDG				
UN-No	UN1208			
Proper Shipping Name	HEXANES			
Hazard Class	3			
Packing Group	II			
IATA				
UN-No	UN1208			
Proper Shipping Name	Hexanes (Mixture)			
Hazard Class	3			
Packing Group	II			
IMDG/IMO				
UN-No	UN1208			
Proper Shipping Name	Hexanes (Mixture)			

Hazard Class 3 **Packing Group** Ш

15. Regulatory information

United States of America Inventory

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags
Hexane, branched and linear	92112-69-1	-	-	-

Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed '-' - Not Listed

TSCA 12(b) - Notices of Export Not applicable

International Inventories

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
Hexane, branched and linear	92112-69-1	-	-	295-570-2	-	Х	Х	Х	-	-

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

U.S. Federal Regulations

SARA 313

SARA 311/312 Hazard Categories	See section 2 for more information
CWA (Clean Water Act)	Not applicable
Clean Air Act	
OSHA - Occupational Safety and Health Administration	Not applicable
CERCLA	This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

California Proposition 65

This product contains the following Proposition 65 chemicals.

Component	CAS No	California Prop. 65	Prop 65 NSRL	Category
Hexane, branched and	92112-69-1	Male reproductive	-	Developmental
linear		(n-hexane)		
U.S. State Right-to-Know				
Regulations				
U.S. Department of Trans	portation			
Reportable Quantity (RQ):	Y			
DOT Marine Pollutant	N			
DOT Severe Marine Polluta	ant N			
U.S. Department of Home Security	land This produ	ct does not contain any DHS	chemicals.	

Other International Regulations

Mexico - Grade Serious risk, Grade 3

Authorisation/Restrictions according to EU REACH

Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulatory Affairs

Thermo Fisher Scientific

Email: EMSDS.RA@thermofisher.com

	Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
He	kane, branched and linear	92112-69-1	Listed	Not applicable	Not applicable	Not applicable

Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
Hexane, branched and linear	92112-69-1	Not applicable	Not applicable	Not applicable	Not applicable

16. Other information

Prepared By

Creation Date Revision Date Print Date Revision Summary 15-Jun-2009 24-Dec-2021 24-Dec-2021 This document has been updated to comply with the US OSHA HazCom 2012 Standard replacing the current legislation under 29 CFR 1910.1200 to align with the Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS