

SAFETY DATA SHEET

Creation Date 23-Dec-2009 Revision Date 24-Dec-2021 Revision Number 5

1. Identification

Product Name Nickel Nitrate Hexahydrate (Certified)

Cat No.: N62-500

CAS No 13478-00-7

Synonyms Nickelous nitrate hexahydrate

Recommended Use Laboratory chemicals.

Uses advised against Food, drug, pesticide or biocidal product use.

Details of the supplier of the safety data sheet

Company

Fisher Scientific Company One Reagent Lane Fair Lawn, NJ 07410 Tel: (201) 796-7100

Emergency Telephone Number CHEMTREC®, Inside the USA: 800-424-9300

CHEMTREC®, Outside the USA: 001-703-527-3887

2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Oxidizing solids Category 2 Acute oral toxicity Category 4 Acute Inhalation Toxicity - Dusts and Mists Category 4 Skin Corrosion/Irritation Category 2 Serious Eye Damage/Eye Irritation Category 1 Respiratory Sensitization Category 1 Category 1 Skin Sensitization Germ Cell Mutagenicity Category 2 Carcinogenicity Category 1A Reproductive Toxicity Category 1B Specific target organ toxicity (single exposure) Category 3

Target Organs - Respiratory system.

Specific target organ toxicity - (repeated exposure) Category 1

Target Organs - Lungs.

Label Elements

Signal Word

Danger

Hazard Statements

May intensify fire; oxidizer

Causes skin irritation

May cause an allergic skin reaction

Causes serious eye damage

May cause allergy or asthma symptoms or breathing difficulties if inhaled

May cause respiratory irritation

Suspected of causing genetic defects

May cause cancer by inhalation

May damage the unborn child

Causes damage to organs through prolonged or repeated exposure

Harmful if swallowed or if inhaled



Precautionary Statements

Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Use only outdoors or in a well-ventilated area

In case of inadequate ventilation wear respiratory protection

Contaminated work clothing should not be allowed out of the workplace

Wear protective gloves

Do not breathe dust/fume/gas/mist/vapors/spray

Keep away from heat/sparks/open flames/hot surfaces. - No smoking

Keep/Store away from clothing/ other combustible materials

Take any precaution to avoid mixing with combustibles

Response

IF exposed or concerned: Get medical attention/advice

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician

Skin

IF ON SKIN: Wash with plenty of soap and water

Take off contaminated clothing and wash before reuse

If skin irritation or rash occurs: Get medical advice/attention

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician

Ingestion

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

Rinse mouth

Fire

In case of fire: Use CO2, dry chemical, or foam for extinction

Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Very toxic to aquatic life with long lasting effects

WARNING. Cancer - https://www.p65warnings.ca.gov/.

3. Composition/Information on Ingredients

Component	CAS No	Weight %	
Nickel(II) nitrate, hexahydrate (1:2:6)	13478-00-7	>95	
Nickel nitrate (2+ salt)	13138-45-9	-	

4. First-aid measures

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Immediate medical attention is required.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Get medical attention.

Inhalation Remove to fresh air. If breathing is difficult, give oxygen. Do not use mouth-to-mouth

method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.

Immediate medical attention is required.

Ingestion Do NOT induce vomiting. Call a physician or poison control center immediately.

Most important symptoms and

effects

Causes eye burns. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause allergic skin reaction. Symptoms of allergic reaction may include rash,

itching, swelling, trouble breathing, tingling of the hands and feet, dizziness,

lightheadedness, chest pain, muscle pain or flushing

Notes to Physician Treat symptomatically

5. Fire-fighting measures

Unsuitable Extinguishing Media No information available

Flash Point No information available Method - No information available

Autoignition Temperature

Explosion Limits

No information available

Upper No data available
Lower No data available

Oxidizing Properties Oxidizer

Sensitivity to Mechanical Impact No information available Sensitivity to Static Discharge No information available

Specific Hazards Arising from the Chemical

Oxidizer: Contact with combustible/organic material may cause fire. Thermal decomposition can lead to release of irritating gases and vapors. Keep product and empty container away from heat and sources of ignition. May ignite combustibles (wood paper, oil, clothing, etc.). Do not allow run-off from fire-fighting to enter drains or water courses.

Hazardous Combustion Products

nitric acid.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

NFPA

Health	Flammability	Instability	Physical hazards
3	1	2	OX

6. Accidental release measures

Personal Precautions

Environmental Precautions

Use personal protective equipment as required. Evacuate personnel to safe areas. Ensure adequate ventilation. Avoid dust formation. Avoid contact with skin, eyes or clothing. Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water system. Prevent product from entering drains. Local authorities should be advised if significant spillages cannot be contained. See Section 12 for additional Ecological Information. Avoid release to the environment. Collect spillage.

Up

Methods for Containment and Clean Keep combustibles (wood, paper, oil, etc) away from spilled material. Sweep up and shovel into suitable containers for disposal. Avoid dust formation. Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Sweep up and shovel into suitable containers for disposal.

7. Handling and storage

Handling

Use only under a chemical fume hood. Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Keep away from clothing and other combustible materials. Avoid dust formation. Do not breathe (dust, vapor, mist, gas). Do not ingest. If swallowed then seek immediate medical assistance.

Storage.

Keep containers tightly closed in a dry, cool and well-ventilated place. Do not store near combustible materials. Incompatible Materials. Strong oxidizing agents. Organic materials. Finely powdered metals. Acids. Strong reducing agents. Combustible material.

8. Exposure controls / personal protection

Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH IDLH	Mexico OEL (TWA)
Nickel(II) nitrate,	TWA: 0.1 mg/m ³	(Vacated) TWA: 0.1 mg/m ³	IDLH: 10 mg/m ³	TWA: 0.1 mg/m ³
hexahydrate (1:2:6)			TWA: 0.015 mg/m ³	
Nickel nitrate (2+ salt)	TWA: 0.1 mg/m ³	(Vacated) TWA: 0.1 mg/m ³	IDLH: 10 mg/m ³	TWA: 0.1 mg/m ³
· · ·	1		TWA: 0.015 mg/m ³	

Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH IDLH: NIOSH - National Institute for Occupational Safety and Health

Engineering Measures Use only under a chemical fume hood. Ensure adequate ventilation, especially in confined

areas. Ensure that eyewash stations and safety showers are close to the workstation

location.

Personal Protective Equipment

Eye/face Protection Wear appropriate protective eyeglasses or chemical safety goggles as described by

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

Skin and body protection Wear appropriate protective gloves and clothing to prevent skin exposure.

Respiratory Protection Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard

> EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Handle in accordance with good industrial hygiene and safety practice. **Hygiene Measures**

9. Physical and chemical properties

Physical State Solid **Appearance** Blue green Odor Odorless

Odor Threshold No information available 5 50g/L (20°C)

Ha

56.7 °C / 134.1 °F **Melting Point/Range** 137 °C / 278.6 °F **Boiling Point/Range** Flash Point No information available **Evaporation Rate** Not applicable

Flammability (solid,gas) No information available

Flammability or explosive limits

No data available Upper Lower No data available **Vapor Pressure** nealiaible **Vapor Density** Not applicable

Specific Gravity No information available Solubility Soluble in water

Partition coefficient; n-octanol/water No data available

Autoignition Temperature No information available

137 °C **Decomposition Temperature**

Viscosity Not applicable N2 Ni O6 . 6 H2 O **Molecular Formula**

290.8 **Molecular Weight**

10. Stability and reactivity

Reactive Hazard Yes

Oxidizer: Contact with combustible/organic material may cause fire. Stability

Conditions to Avoid Avoid dust formation. Incompatible products. Excess heat. Combustible material.

Incompatible Materials Strong oxidizing agents, Organic materials, Finely powdered metals, Acids, Strong reducing

agents, Combustible material

Hazardous Decomposition Products nitric acid

Hazardous Polymerization No information available.

Hazardous Reactions None under normal processing.

11. Toxicological information

Acute Toxicity

Product Information

Component Information

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Nickel(II) nitrate, hexahydrate	LD50 = 1620 mg/kg (Rat)	Not listed	Not listed
(1:2:6)			

Toxicologically Synergistic

No information available

Products

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation Severe eye irritant; Irritating to skin

Sensitization May cause sensitization by skin contact

The table below indicates whether each agency has listed any ingredient as a carcinogen. Carcinogenicity

Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico
Nickel(II) nitrate,	13478-00-7	Group 1	Known	Not listed	X	Not listed
hexahydrate (1:2:6)						
Nickel nitrate (2+ salt)	13138-45-9	Not listed	Known	Not listed	Not listed	Not listed

IARC (International Agency for Research on Cancer)

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 2A - Probably Carcinogenic to Humans Group 2B - Possibly Carcinogenic to Humans

Possible risk of irreversible effects **Mutagenic Effects**

Reproductive Effects May cause harm to the unborn child.

Developmental Effects No information available.

No information available. **Teratogenicity**

STOT - single exposure Respiratory system

STOT - repeated exposure Lungs

Aspiration hazard No information available

delayed

Symptoms / effects, both acute and Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling

of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing

Endocrine Disruptor Information No information available

Other Adverse Effects See actual entry in RTECS for complete information.

12. Ecological information

Ecotoxicity

Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. The product contains following substances which are hazardous for the environment.

Persistence and Degradability Soluble in water Persistence is unlikely based on information available.

Bioaccumulation/ Accumulation No information available.

Will likely be mobile in the environment due to its water solubility. **Mobility**

13. Disposal considerations

Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

14. Transport information

DOT

UN-No UN2725

NICKEL NITRATE **Proper Shipping Name**

Hazard Class 5.1 **Packing Group** Ш

TDG

Nickel Nitrate Hexahydrate (Certified)

UN-No UN2725

NICKEL NITRATE Proper Shipping Name

Hazard Class 5.1 **Packing Group** Ш

IATA

UN-No UN2725

NICKEL NITRATE Proper Shipping Name

Hazard Class 5.1 **Packing Group** Ш

IMDG/IMO

UN-No UN2725

Proper Shipping Name NICKEL NITRATE

Hazard Class 5.1 **Packing Group** Ш

15. Regulatory information

United States of America Inventory

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags
Nickel(II) nitrate, hexahydrate (1:2:6)	13478-00-7	-	-	-
Nickel nitrate (2+ salt)	13138-45-9	Χ	ACTIVE	-

Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed '-' - Not Listed

TSCA 12(b) - Notices of Export Not applicable

International Inventories

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
Nickel(II) nitrate, hexahydrate	13478-00-7	-	-	-	Χ	-		Х	Х	-
(1:2:6)										
Nickel nitrate (2+ salt)	13138-45-9	Χ	-	236-068-5	Χ	Χ	Χ	Х	Χ	KE-25844

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

U.S. Federal Regulations

SARA 313

Component	CAS No	Weight %	SARA 313 - Threshold Values %
Nickel(II) nitrate, hexahydrate (1:2:6)	13478-00-7	>95	0.1 1.0
Nickel nitrate (2+ salt)	13138-45-9	-	0.1

SARA 311/312 Hazard Categories See section 2 for more information

CWA (Clean Water Act)

Component	CWA - Hazardous Substances	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants
Nickel(II) nitrate, hexahydrate	-	-	X	-
(1:2:6)				
Nickel nitrate (2+ salt)	-	-	X	-

Clean Air Act

Component	HAPS Data	Class 1 Ozone Depletors	Class 2 Ozone Depletors
Nickel(II) nitrate, hexahydrate (1:2:6)	X		-
Nickel nitrate (2+ salt)	X		-

OSHA - Occupational Safety and

Health Administration

Not applicable

CERCLA Not applicable

California Proposition 65

This product contains the following Proposition 65 chemicals.

Component	CAS No	California Prop. 65	Prop 65 NSRL	Category
Nickel(II) nitrate,	13478-00-7	Carcinogen	-	Developmental
hexahydrate (1:2:6)		Developmental		Carcinogen
,		Male Reproductive		
Nickel nitrate (2+ salt)	13138-45-9	Carcinogen	-	Developmental
, ,		Developmental		Carcinogen
		Male Reproductive		_

U.S. State Right-to-Know

Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Nickel(II) nitrate,	-	X	X	X	X
hexahydrate (1:2:6)					
Nickel nitrate (2+ salt)	X	X	X	X	X

U.S. Department of Transportation

Reportable Quantity (RQ): Y
DOT Marine Pollutant N
DOT Severe Marine Pollutant N

U.S. Department of Homeland

This product does not contain any DHS chemicals.

Security

Other International Regulations

Mexico - Grade No information available

Authorisation/Restrictions according to EU REACH

Component	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Nickel(II) nitrate, hexahydrate (1:2:6)	-	Use restricted. See item 27. (see link for restriction details)	-
Nickel nitrate (2+ salt)	-	Use restricted. See item 28. (see link for restriction details) Use restricted. See item 30. (see link for restriction details) Use restricted. See item 75. (see link for restriction details) Use restricted. See item 27. (see link for restriction details)	-

https://echa.europa.eu/substances-restricted-under-reach

Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic	Ozone Depletion	Restriction of
			Pollutant	Potential	Hazardous
					Substances (RoHS)

Nickel(II) nitrate, hexahydrate (1:2:6)	13478-00-7	Not applicable	Not applicable	Not applicable	Not applicable
Nickel nitrate (2+ salt)	13138-45-9	Listed	Not applicable	Not applicable	Not applicable

Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
Nickel(II) nitrate, hexahydrate (1:2:6)	13478-00-7	Not applicable	Not applicable	Not applicable	Not applicable
Nickel nitrate (2+ salt)	13138-45-9	Not applicable	Not applicable	Not applicable	Not applicable

41	\sim 1.1		4.4
16	()ther	inform	ation

Prepared By Regulatory Affairs

Thermo Fisher Scientific

Email: EMSDS.RA@thermofisher.com

 Creation Date
 23-Dec-2009

 Revision Date
 24-Dec-2021

 Print Date
 24-Dec-2021

Revision Summary This document has been updated to comply with the US OSHA HazCom 2012 Standard

replacing the current legislation under 29 CFR 1910.1200 to align with the Globally

Harmonized System of Classification and Labeling of Chemicals (GHS).

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS