according to 29CFR1910/1200 and GHS Rev. 3

Effective date : 02.10.2015

Page 1 of 8

Acetaldehyde, Lab Grade

SECTION 1: Identification of the substance/mixture and of the supplier				
Product name:	Acetaldehyde, Lab Grade			
Manufacturer/Supplier Trade name:				
Manufacturer/Supplier Article number:	S25115			
Recommended uses of the product and restrictions on use:				
Manufacturer Details:				
AquaPhoenix Scientific, Inc 9 Barnhart Drive, Hanover, PA 17331 (717) 632-1291				
Supplier Details:				
Fisher Science Education 6771 Silver Crest Road, Nazareth, PA 18064 (724)517-1954				
Emergency telephone number:				
Fisher Science Education				

Emergency Telephone No.: 800-535-5053

SECTION 2: Hazards identification

Classification of the substance or mixture:



Flammable Flammable liquids, category 1

Fritant Eye irritation, category 2A

Specific target organ toxicity following single exposure, category 3 Health hazard

Carcinogenicity, category 2

Flamm. Liq 1. Eye. Irrit 2A. Carcin. 2. STOT SE. 3. Aq AcTox 3.

Signal word: Danger

Hazard statements:

Extremely flammable liquid and vapour. Causes serious eye irritation. May cause respiratory irritation. Suspected of causing cancer. Harmful to aquatic life.

Precautionary statements:

If medical advice is needed, have product container or label at hand. Keep out of reach of children. according to 29CFR1910/1200 and GHS Rev. 3

Effective date : 02.10.2015

Acetaldehyde, Lab Grade

Read label before use. Obtain special instructions before use. Wash skin thoroughly after handling. Use only outdoors or in a well-ventilated area. Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face protection. Do not handle until all safety precautions have been read and understood. Keep away from heat/sparks/open flames/hot surfaces. No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/light/.../equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Avoid breathing dust/fume/gas/mist/vapours/spray. IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. IF exposed or concerned: Get medical advice/attention. If eye irritation persists get medical advice/attention. In case of fire: Use agents recommended in section 5 for extinction. Store in a well ventilated place. Keep container tightly closed. Store in a well ventilated place. Keep cool. Store locked up.

Dispose of contents and container as instructed in Section 13.

Other Non-GHS Classification:

WHMIS B2 () D2A ()

according to 29CFR1910/1200 and GHS Rev. 3

Effective date : 02.10.2015

Acetaldehyde, Lab Grade

SECTION 3: Composition/information on ingredients

Ingredients:				
CAS 75-07-0	Acetaldehyde	>99.5 %		
		Percentages are by weight		

SECTION 4: First aid measures

Description of first aid measures

After inhalation:

Immediately seek medical attention. Move exposed to fresh air. Give artificial respiration if necessary. If breathing is difficult give oxygen. Loosen clothing and place exposed in a comfortable position.

After skin contact:

Wash hands and exposed skin with soap and plenty of water. Seek medical attention if irritation persists or if concerned. Continue rinsing while removing contaminated clothing and shoes. Before rewearing wash contaminated clothing.

After eye contact:

Protect unexposed eye. Flush exposed eye gently using water for 15-20 minutes. Remove contact lenses while rinsing. Seek medical attention if irritation persists or concerned.

After swallowing:

Seek medical attention. Rinse mouth with water. Do not induce vomiting. Never give anything by mouth to an unconscious person. Seek medical attention if irritation, discomfort, or vomiting persists.

Most important symptoms and effects, both acute and delayed:

Blurred vision. Nausea. Dizziness. Unconsciousness. Vomiting. Pulmonary edema. Convulsions. Sneezing. Irritation. Shortness of breath. Headache. 75-07-0: Eye & Upper Respiratory Tract irritation. 75-07-0: Potential Occupational Carcinogen. 75-07-0: Liver - Irregularities - Based on Human Evidence.

Indication of any immediate medical attention and special treatment needed:

If seeking medical attention provide SDS document to physician. Physician should treat symptomatically.

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing agents:

Use water, dry chemical, chemical foam, carbon dioxide, or alcohol-resistant foam. For large fires water may be ineffective.

Unsuitable extinguishing agents: None

Special hazards arising from the substance or mixture:

May explode when heated. Empty containers retain product residue, liquid and vapor can be dangerous. Closed containers may rupture and explode during runaway polymerization. Accumulation of vapors increase risk of explosion. Vapors accumulate in low areas. Thermal decomposition can lead to release of irritating gases and vapors. Vapors may travel to a source of ignition and flash back. Sensitive to static discharge.

Advice for firefighters:

Protective equipment:

Wear protective eyeware, gloves, and clothing. Refer to Section 8.

Additional information (precautions):

Remove heat, sparks, and all sources of ignition. Use explosion-proof equipment. Test for peroxide formation

according to 29CFR1910/1200 and GHS Rev. 3

Effective date : 02.10.2015

Acetaldehyde, Lab Grade

before distillation or evaporation. Test for peroxide formation or discard after 1 year. Avoid inhaling gases, fumes, dust, mist, vapor, and aerosols. Avoid contact with skin, eyes, and clothing.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Ensure adequate ventilation. Ensure that air-handling systems are operational.

Environmental precautions:

Should not be released into environment. Prevent from reaching drains, sewer, or waterway.

Methods and material for containment and cleaning up:

Wear protective eyeware, gloves, and clothing. Refer to Section 8. Always obey local regulations. If necessary use trained response staff or contractor. Evacuate personnel to safe areas. Containerize for disposal. Refer to Section 13. Keep in suitable closed containers for disposal. Absorb with inert material. Use water spray to dilute spill to a non-flammable mixture.

Reference to other sections:

Addition of water or appropriate reducing materials will lessen peroxide formation.

SECTION 7: Handling and storage


Precautions for safe handling:

Remove heat, sparks, and all sources of ignition. Use explosion-proof equipment. Avoid contact with skin, eyes, and clothing. Follow good hygiene procedures when handling chemical materials. Refer to Section 8. Follow proper disposal methods. Refer to Section 13. Do not eat, drink, smoke, or use personal products when handling chemical substances. Handle under an inert atmosphere.

Conditions for safe storage, including any incompatibilities:

Reseal containers and store upright to prevent leakage. Store at: 2 - 8 °C. Store in a cool location. Keep away from food and beverages. Protect from freezing and physical damage. Provide ventilation for containers. Keep container tightly sealed. Store away from incompatible materials. Ground and bond containers when transferring material.

SECTION 8: Exposure controls/personal protection



according to 29CFR1910/1200 and GHS Rev. 3

Effective date : 02.10.2015	Page 5 of 8				
Acetaldehyde, Lab Grade					
Protection of skin:	Select glove material impermeable and resistant to the substance. Select glove material based on rates of diffusion and degradation. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Use proper glove removal technique without touching outer surface. Avoid skin contact with used gloves. Wear protective clothing.				
Eye protection:	Face shield and safety glasses are appropriate eye protection. Wear equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).				
General hygienic measures:	Perform routine housekeeping. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes, and clothing. Before rewearing wash contaminated clothing.				

SECTION 9: Physical and chemical properties

Appearance (physical state, color):	Clear colorless liquid	Explosion limit lower: Explosion limit upper:	4 % 60 %
Odor:	Fruity odor	Vapor pressure at 20°C:	750 mm Hg@25C
Odor threshold:	Not Determined	Vapor density:	1.52 - (Air = 1.0)
pH-value:	5 at 20 °C	Relative density:	0.785 g/cm3 at 25 °C
Melting/Freezing point:	-123 °C	Solubilities:	Soluble in water: Completely.
Boiling point/Boiling range:	21 °C	Partition coefficient (n- octanol/water):	log Pow: 0.5
Flash point (closed cup):	-27 °C	Auto/Self-ignition temperature:	Not Determined
Evaporation rate:	49.1	Decomposition temperature:	Not Determined
Flammability (solid, gaseous):	Flammable	Viscosity:	a. Kinematic: Not Determined b. Dynamic: Not Determined
Density at 20°C:	Not Determined		

SECTION 10: Stability and reactivity

Reactivity:

Nonreactive under normal conditions.

Chemical stability:

Closed containers may rupture and explode during runaway polymerization. Stable under normal conditions.

Possible hazardous reactions:

None under normal processing.

Conditions to avoid:

Accumulation of vapors. Heat. Exposure to air. Extremes of temperature and direct sunlight. Incompatible materials. Sensitive to static discharge.

Incompatible materials:

Oxidizing agents, Reducing agents, acids, Nitric acid, Peroxides, Bases, Sodium Hydroxide, Amines, Ammonia, Oxygen, Warning: acetaldehyde is oxidized rapidly and exothermically by air, to acetic acid, Acid anhydrides, Alcohols, Halogens, Ketones, Phenol, Hydrogen sulfide gas, Hydrogen peroxide.

Hazardous decomposition products: None

SECTION 11: Toxicological information

Effective date : 02.10.2015

Page 6 of 8

Acetaldehyde, Lab Grade

Acute Toxicity:

Oral:

75-07-0 LD50 orl-rat: 1930

Dermal:

75-07-0 LD50 Dermal - rabbit - 3,540 mg/kg

Inhalation:

75-07-0 LC50 Inhalation - rat - 4 h - 13300 ppm

Chronic Toxicity: No additional information. Corrosion Irritation:

Dermal:

75-07-0 Skin - rabbit Result: Mild skin irritation

Sensitization: No additional information.

Numerical Measures: No additional information.

Carcinogenicity:

75-07-0 : This product is or contains a component that has been reported to be possibly carcinogenic based on its IARC, ACGIH, NTP, or EPA classification.

Mutagenicity:

Mutagenic effects have occurred in experimental animals. Mutation in Mammalian Somatic Cells: Human.

Reproductive Toxicity:

Experiments have shown reproductive toxicity effects on laboratory animals.

SECTION 12: Ecological information

Ecotoxicity:

75-07-0 : LC50 - Pimephales promelas (fathead minnow) - 31 mg/l - 96 h

75-07-0: Immobilization EC50 - Daphnia magna (Water flea) - 57.4 mg/l - 48 h

75-07-0 : Growth inhibition EC50 - Pseudokirchneriella subcapitata (green algae) - > 100 mg/l - 24 h

Persistence and degradability:

75-07-0: Biotic/Aerobic - Exposure time 14 d Result: 80 % - Readily biodegradable. In the atmosphere it will degrade in a matter of hours by reaction with hydroxyl radicals and photolysis. If released into water it will rapidly biodegrade and volatilize (half-life 3 hrs for a typical river). If spilled on land it will also rapidly evaporate and leach into the ground where it will biodegrade.

Bioaccumulative potential: No additional information. **Mobility in soil**: No additional information.

Other adverse effects:

75-07-0: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Harmful to aquatic life.

SECTION 13: Disposal considerations

Waste disposal recommendations:

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Contact a licensed professional waste disposal service to dispose of this material. Dispose of empty containers as unused product. Product or containers must not be disposed together with

according to 29CFR1910/1200 and GHS Rev. 3

Effective date : 02.10.2015

Acetaldehyde, Lab Grade

household garbage. It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities (US 40CFR262.11). Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations. Ensure complete and accurate classification.

SECTION 14: Transport information

US DOT

UN Number: ADR, ADN, DOT, IMDG, IATA

1089

Limited Quantity Exception:

Bulk: RQ (if applicable): None Proper shipping Name: Acetaldehyde. Hazard Class: 3 Packing Group: I. Marine Pollutant (if applicable): No additional information. Comments: None None

Non Bulk: RQ (if applicable): None Proper shipping Name: Acetaldehyde. Hazard Class: 3 Packing Group: I. Marine Pollutant (if applicable): No additional information. Comments: None



SECTION 15: Regulatory information

United States (USA)

SARA Section 311/312 (Specific toxic chemical listings):

Acute, Chronic, Fire

SARA Section 313 (Specific toxic chemical listings):

75-07-0 Acetaldehyde.

RCRA (hazardous waste code):

None of the ingredients are listed.

TSCA (Toxic Substances Control Act):

All ingredients are listed.

CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act):

75-07-0 Acetaldehyde 1000 lbs.

Proposition 65 (California):

Chemicals known to cause cancer:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for males:

according to 29CFR1910/1200 and GHS Rev. 3

Effective date : 02.10.2015

Acetaldehyde, Lab Grade

None of the ingredients are listed.

Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

Canada

Canadian Domestic Substances List (DSL):

All ingredients are listed.

Canadian NPRI Ingredient Disclosure list (limit 0.1%):

None of the ingredients are listed.

Canadian NPRI Ingredient Disclosure list (limit 1%):

75-07-0 Acetaldehyde.

SECTION 16: Other information

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations. Note. The responsibility to provide a safe workplace remains with the user. The user should consider the health hazards and safety information contained herein as a guide and should take those precautions required in an individual operation to instruct employees and develop work practice procedures for a safe work environment. The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by the use of this material. It is the responsibility of the user to comply with all applicable laws and regulations applicable to this material.

GHS Full Text Phrases: None

Abbreviations and Acronyms: None

Effective date: 02.10.2015 **Last updated**: 06.17.2015