according to 29CFR1910/1200 and GHS Rev. 3

Effective date: 10.24.2014 Page 1 of 8

Silver Nitrate, Lab Grade

SECTION 1: Identification of the substance/mixture and of the supplier

Product name: Silver Nitrate, Lab Grade

Manufacturer/Supplier Trade name:

Manufacturer/Supplier Article number: S25525

Recommended uses of the product and restrictions on use:

Manufacturer Details:

AquaPhoenix Scientific, Inc 9 Barnhart Drive, Hanover, PA 17331 (717) 632-1291

Supplier Details:

Fisher Science Education 6771 Silver Crest Road, Nazareth, PA 18064 (724)517-1954

Emergency telephone number:

Fisher Science Education

Emergency Telephone No.: 800-535-5053

SECTION 2: Hazards identification

Classification of the substance or mixture:



Oxidizing

Oxidizing solids, category 2



Corrosive

Skin corrosion, category 1B Corrosive to metals, category 1



Environmentally Damaging

Chronic hazards to the aquatic environment, category 1 Acute hazards to the aquatic environment, category 1

Skin Corrosion 1B.

Aquatic Chronic Toxicity 1.

Corrosive to Metals 1.

Eye Irritation 2.

Aquatic Acute Toxicity 1.

Oxidizing solid 2.

Signal word: Danger

Hazard statements:

May intensify fire; oxidizer.

May be corrosive to metals.

Causes severe skin burns and eye damage.

Very toxic to aquatic life with long lasting effects.

Precautionary statements:

If medical advice is needed, have product container or label at hand. Keep out of reach of children. **Effective date**: 10.24.2014 Page 2 of 8

Silver Nitrate, Lab Grade

Read label before use.

Do not eat, drink or smoke when using this product.

Keep away from heat/sparks/open flames/hot surfaces - No smoking.

Take any precaution to avoid mixing with combustibles.

Keep only in original container.

Do not breathe dust/fume/gas/mist/vapours/spray.

Wash skin thoroughly after handling.

Keep/Store away from clothing/combustible materials.

Wear protective gloves/protective clothing/eye protection/face protection.

Keep away from heat/sparks/open flames/hot surfaces - No smoking.

Keep/Store away from clothing/.../combustible materials.

Take any precaution to avoid mixing with combustibles.

Avoid release to the environment.

Immediately call a POISON CENTER or doctor/physician.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Collect spillage.

Rinse skin with water/shower.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

Specific treatment (see supplemental first aid instructions on this label).

In case of fire: Use agents recommended in section 5 for extinction.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing.

Store locked up.


Store in corrosive resistant stainless steel container with a resistant inner liner.

Dispose of contents and container to an approved waste disposal plant.

Other Non-GHS Classification:

WHMIS









NFPA/HMIS



HMIS RATINGS (0-4)

according to 29CFR1910/1200 and GHS Rev. 3

Effective date: 10.24.2014 Page 3 of 8

Silver Nitrate, Lab Grade

SECTION 3: Composition/information on ingredients

Ingredients:				
CAS 7761-88-8	Silver Nitrate, ACS	>99 %		
	F	Percentages are by weight		

SECTION 4: First aid measures

Description of first aid measures

After inhalation:

Move exposed individual to fresh air. Loosen clothing as necessary and position individual in a comfortable position. Seek medical advice if discomfort or irritation persists. Do not use mouth-to-mouth resuscitation if victim ingested or inhaled the substance; induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.

After skin contact:

Seek medical advice if discomfort or irritation persists. Rinse/flush exposed area gently using water for 15-20 minutes.

After eye contact:

Protect unexposed eye. Rinse/flush exposed eye(s) gently using water for 15-20 minutes. Remove contact lens(es) if able to do so during rinsing. Seek medical attention immediately.

After swallowing:

Rinse mouth thoroughly. Do not induce vomiting. Seek medical attention if irritation, discomfort or vomiting persists. Have exposed individual drink sips of water or milk.

Most important symptoms and effects, both acute and delayed:

Skin Irritation. Respiratory Irritation. Causes burns by all exposure routes. Targets eyes, skin, mucous membranes. Nausea. Headache. Shortness of breath. Burning of eyes. Redness, tearing. Eye Irritation. Chronic inhalation or ingestion of silver salts may cause argyria characterized by a permanent blue-gray discoloration of the eyes, skin, mucous membranes, and internal organs.

Indication of any immediate medical attention and special treatment needed:

If seeking medical attention, provide SDS document to physician. Note to physician: Treat symptomatically.

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing agents:

If in laboratory setting, follow laboratory fire suppression procedures. Use appropriate fire suppression agents for adjacent combustible materials or sources of ignition. Use water spray, dry chemical, carbon dioxide, or chemical foam.

Unsuitable extinguishing agents: None

Special hazards arising from the substance or mixture:

Combustion products may include carbon oxides or other toxic vapors. Other toxic vapors include zinc and sulfur oxides. Strong oxidizer; Contact with other material may cause fire. During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Vapors may be heavier than air. They can spread along the ground and collect in low or confined areas. Containers may explode when heated. This material is an oxidizer; it greatly increases the burning rate of combustible materials.

Advice for firefighters:

Protective equipment:

according to 29CFR1910/1200 and GHS Rev. 3

Effective date: 10.24.2014 Page 4 of 8

Silver Nitrate, Lab Grade

Use NIOSH-approved respiratory protection/breathing apparatus. Wear protective clothing and equipment.

Additional information (precautions):

Move product containers away from fire or keep cool with water spray as a protective measure, where feasible. Do not allow fire protection water to enter sewer or discharge to open water. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain. This material is very toxic to aquatic life with long lasting effects.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Wear protective equipment. Keep away from combustibles. Use spark-proof tools and explosion-proof equipment. Avoid contact with skin, eyes and clothing. Avoid dust formation. Avoid contact with skin and eyes, and clothing. Use respiratory protective device against the effects of fumes/dust/aerosol. Keep unprotected persons away. Ensure adequate ventilation. Keep away from ignition sources. Protect from heat. Stop the spill, if possible. Contain spilled material by diking or using inert absorbent. Transfer to a disposal or recovery container.

Environmental precautions:

Prevent from reaching drains, sewer or waterway. Collect contaminated soil for characterization per Section 13. Collect liquids using vacuum or by use of non-combustible absorbents.

Methods and material for containment and cleaning up:

If in a laboratory setting, follow Chemical Hygiene Plan procedures. Place into properly labeled containers for recovery or disposal. If necessary, use trained response staff/contractor. Collect solids in powder form using vacuum with (HEPA filter).

Reference to other sections: None

SECTION 7: Handling and storage

Precautions for safe handling:

Prevent formation of aerosols. Protect from freezing and physical damage. Follow good hygiene procedures when handling chemical materials. Do not eat, drink, smoke, or use personal products when handling chemical substances. If in a laboratory setting, follow Chemical Hygiene Plan. Use only in well ventilated areas. Avoid splashes or spray in enclosed areas. Use spark-proof tools. Remove all sources of ignition. Empty containers retain product residue and can be hazardous. Do not reuse container. Wash hands after handling.

Conditions for safe storage, including any incompatibilities:

Store in a cool location. Protect from light. Store locked up. The product has a corrosive effect on steel and aluminum. Protect from freezing an physical damage. Provide ventilation for containers. Avoid storage near extreme heat, ignition sources or open flame. Store away from foodstuffs. Store in cool, dry conditions in well sealed containers. Keep container tightly sealed. Do not store near combustible materials or strong bases.

SECTION 8: Exposure controls/personal protection







Control Parameters:

7761-88-8, Silver nitrate, ACGIH TLV: (metal): 0.1 mg/m^3 . 7761-88-8, Silver nitrate, OSHA PEL: TWA (as Ag) 0.01 mg/m3. 7761-88-8, Silver nitrate, NIOSH REL: TWA (as Ag) 0.01 mg/m3. 7761-88-8, Silver nitrate, NIOSH IDLH: 10 mg/m3 (as Ag).

according to 29CFR1910/1200 and GHS Rev. 3

Effective date: 10.24.2014 Page 5 of 8

Silver Nitrate, Lab Grade

Appropriate Engineering controls: Emergency eye wash fountains and safety showers should be available in

the immediate vicinity of use/handling. Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapor or mists below the applicable workplace exposure limits (Occupational

Exposure Limits-OELs) indicated above.

Respiratory protection: Not required under normal conditions of use. Use suitable respiratory

protective device when high concentrations are present. Use suitable respiratory protective device when aerosol or mist is formed. For spills,

respiratory protection may be advisable.

Protection of skin: The glove material has to be impermeable and resistant to the product/

the substance/ the preparation being used/handled. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation. Wear protective equipment to prevent contact with skin,

eyes, or hair.

Eye protection: Safety glasses with side shields or goggles.

General hygienic measures: The usual precautionary measures are to be adhered to when handling

chemicals. Keep away from food, beverages and feed sources.

Immediately remove all soiled and contaminated clothing. Wash hands

before breaks and at the end of work. Do not inhale

gases/fumes/dust/mist/vapor/aerosols. Avoid contact with the eyes and skin. Launder clothing that has come in contact with the substance before

reuse.

SECTION 9: Physical and chemical properties

Appearance (physical state, color):	White powder	Explosion limit lower: Explosion limit upper:	Not determined Not determined
Odor:	Odorless	Vapor pressure at 20°C:	Not determined
Odor threshold:	Not determined	Vapor density:	Not determined
pH-value:	~6 (1% soln/water)	Relative density:	Not determined
Melting/Freezing point:	212 C	Solubilities:	Soluble in water. Molecular Weight: 169.87.
Boiling point/Boiling range:	433 C	Partition coefficient (noctanol/water):	Not determined
Flash point (closed cup):	Not applicable	Auto/Self-ignition temperature:	Not determined
Evaporation rate:	Not determined	Decomposition temperature:	Not determined
Flammability (solid, gaseous):	Not applicable	Viscosity:	a. Kinematic: Not determined b. Dynamic: Not determined
Density at 20°C:	Not determined Specific Gravity:4.35		

SECTION 10: Stability and reactivity

Reactivity:

Nonreactive under normal conditions.

Chemical stability:

No decomposition if used and stored according to specifications. Becomes gray or grayish-black on exposure to light in the presence of organic matter.

Possible hazardous reactions:

according to 29CFR1910/1200 and GHS Rev. 3

Effective date: 10.24.2014 Page 6 of 8

Silver Nitrate, Lab Grade

Material can react violently with combustible materials, reducing agents, aqueous ammonia. Hazardous reactions or instability may occur under certain conditions of storage or use, such as contact with combustible materials resulting in causing or intensifying fire. Reacts with alcohol to form explosive fulminate.

Conditions to avoid:

Dust. Excess heat. Incompatible materials. Combustible materials. Ignition sources. Excess light. Contamination. heating to decomposition.

Incompatible materials:

Ammonia. Organic matter. Alcohols. Charcoal. Acetylene. Hydrogen peroxide. Strong bases. Reducing agents.

Hazardous decomposition products:

Nitrogen oxides (NOx). Silver oxides. Oxygen.

SECTION 11: Toxicological information

Acute Toxicity:

Oral:

1173 mg/kg LD50 orl-rat (Silver nitrate 7761-88-8):

Chronic Toxicity: No additional information.

Corrosion Irritation:

Dermal:

Section 2 Classified as a skin irritant

Ocular:

Section 2 Classified as eye damage Section 2 Classified as an eye irritant

Sensitization: No additional information.

Numerical Measures: No additional information.

Carcinogenicity:

Not listed as a carcinogen (ACGIH, IARC, NTP): Silver Nitrate

Mutagenicity: No additional information.

Reproductive Toxicity: No additional information.

SECTION 12: Ecological information

Ecotoxicity:

Fish: LC50 (96h) P. promelas (aged 1-4 days) (7761-88-8): 1.2 µg dissolved Ag/L

Fish: LC50 (96h) P. promelas (aged 41 days) (7761-88-8): 10.4 µg dissolved Ag/L

Fish: EC10 (mortality)196 day O. mykiss (7761-88-8): 0.17 ug dissolved Ag/L

Persistence and degradability: No additional information. **Bioaccumulative potential**: No additional information.

Mobility in soil: No additional information.

Other adverse effects:

Very toxic to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

Waste disposal recommendations:

Product/containers must not be disposed together with household garbage. Do not allow product to reach

Effective date: 10.24.2014 Page 7 of 8

Silver Nitrate, Lab Grade

sewage system or open water. It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities (US 40CFR262.11). Consult federal state/ provincial and local regulations regarding the proper disposal of waste material that may incorporate some amount of this product.

SECTION 14: Transport information

US DOT

UN Number:

ADR, ADN, DOT, IMDG, IATA 1493

Limited Quantity Exception: None

Bulk: Non Bulk:

RQ (if applicable): None RQ (if applicable): None

Proper shipping Name: Silver Nitrate.

Proper shipping Name: Silver Nitrate.

Hazard Class: 5
Packing Group: ||.
Packing Group: ||.

Marine Pollutant (if applicable): No Marine Pollutant (if applicable): No

additional information. additional information. **Comments:** None **Comments:** None





SECTION 15: Regulatory information

United States (USA)

SARA Section 311/312 (Specific toxic chemical listings):

Reactive, Acute, Fire

SARA Section 313 (Specific toxic chemical listings):

7761-88-8 Silver compounds (Silver nitrate) [313c].

RCRA (hazardous waste code):

None of the ingredients are listed.

TSCA (Toxic Substances Control Act):

All ingredients are listed.

CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act):

7761-88-8 Silver NItrate 1 lb.

Proposition 65 (California):

Chemicals known to cause cancer:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for males:

according to 29CFR1910/1200 and GHS Rev. 3

Effective date: 10.24.2014 Page 8 of 8

Silver Nitrate, Lab Grade

None of the ingredients are listed.

Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

Canada

Canadian Domestic Substances List (DSL):

All ingredients are listed.

Canadian NPRI Ingredient Disclosure list (limit 0.1%):

None of the ingredients are listed.

Canadian NPRI Ingredient Disclosure list (limit 1%):

7761-88-8 Silver nitrate.

SECTION 16: Other information

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations. Note. The responsibility to provide a safe workplace remains with the user. The user should consider the health hazards and safety information contained herein as a guide and should take those precautions required in an individual operation to instruct employees and develop work practice procedures for a safe work environment. The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by the use of this material. It is the responsibility of the user to comply with all applicable laws and regulations applicable to this material.

GHS Full Text Phrases: None

Abbreviations and Acronyms:

IMDG International Maritime Code for Dangerous Goods.

IATA International Air Transport Association.

GHS Globally Harmonized System of Classification and Labelling of Chemicals.

ACGIH American Conference of Governmental Industrial Hygienists.

CAS Chemical Abstracts Service (division of the American Chemical Society).

NFPA National Fire Protection Association (USA).

HMIS Hazardous Materials Identification System (USA).

WHMIS Workplace Hazardous Materials Information System (Canada).

DNEL Derived No-Effect Level (REACH).

PNEC Predicted No-Effect Concentration (REACH).

CFR Code of Federal Regulations (USA).

SARA Superfund Amendments and Reauthorization Act (USA).

RCRA Resource Conservation and Recovery Act (USA).

TSCA Toxic Substances Control Act (USA).

NPRI National Pollutant Release Inventory (Canada).

DOT US Department of Transportation.

Effective date: 10.24.2014 **Last updated**: 06.10.2015