according to 29CFR1910/1200 and GHS Rev. 3

**Effective date** : 02.11.2015

## Sec-Butyl Alcohol

| SECTION 1: Identification of the substance/mixture and of the supplier                  |                   |  |  |  |
|---|-------------------|--|--|--|
| Product name:   | Sec-Butyl Alcohol |  |  |  |
| Manufacturer/Supplier Trade name:   |                   |  |  |  |
| Manufacturer/Supplier Article number:   | S25662A           |  |  |  |
| Recommended uses of the product and restrictions o                                      | on use:           |  |  |  |
| Manufacturer Details:   |                   |  |  |  |
| AquaPhoenix Scientific, Inc<br>9 Barnhart Drive, Hanover, PA 17331<br>(717) 632-1291    |                   |  |  |  |
| Supplier Details:   |                   |  |  |  |
| Fisher Science Education<br>6771 Silver Crest Road, Nazareth, PA 18064<br>(724)517-1954 |                   |  |  |  |
| Emergency telephone number:   |                   |  |  |  |

## **Fisher Science Education**

Emergency Telephone No.: 800-535-5053


## **SECTION 2: Hazards identification**

## Classification of the substance or mixture:



**Flammable** Flammable liquids, category 3

Irritant Skin irritation, category 2 Specific target organ toxicity following single exposure, category 3



Flam. Liq. 3. Skin Irrit. 2. Eye Dam. 1. STOT SE 3.

## Signal word: Danger

## Hazard statements:

Flammable liquid and vapour. Causes skin irritation. Causes serious eye damage. May cause respiratory irritation.

## **Precautionary statements:**

If medical advice is needed, have product container or label at hand. Keep out of reach of children. Read label before use. Keep away from heat/sparks/open flames/hot surfaces. No smoking. Page 1 of 8

according to 29CFR1910/1200 and GHS Rev. 3


Effective date : 02.11.2015

## Sec-Butyl Alcohol

Use only outdoors or in a well-ventilated area. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/light/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Wear protective gloves/protective clothing/eye protection/face protection. Wash skin thoroughly after handling. Avoid breathing dust/fume/gas/mist/vapours/spray. IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. In case of fire: Use agents recommended in section 5 for extinction. Specific treatment (see supplemental first aid instructions on this label). Take off contaminated clothing and wash before reuse. IF ON SKIN: Wash with soap and water. If skin irritation occurs: Get medical advice/attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Store locked up. Store in a well ventilated place. Keep container tightly closed.

Dispose of contents and container to an approved waste disposal plant.

## Other Non-GHS Classification:



## **SECTION 3: Composition/information on ingredients**

| Ingredients:          |                   |       |  |
|-----------------------|-------------------|-------|--|
| CAS 78-92-2           | Sec-Butyl Alcohol | 100 % |  |
| Percentages are by we |                   |       |  |
| <u>n</u>              |                   |       |  |

**SECTION 4: First aid measures** 

according to 29CFR1910/1200 and GHS Rev. 3

**Effective date** : 02.11.2015

## Sec-Butyl Alcohol

#### **Description of first aid measures**

#### After inhalation:

Loosen clothing as necessary and position individual in a comfortable position. Move exposed to fresh air. Give artificial respiration if necessary. If breathing is difficult give oxygen. Get medical assistance if cough or other symptoms appear.

## After skin contact:

Rinse/flush exposed skin gently using soap and water for 15-20 minutes. Seek medical advice if discomfort or irritation persists.

#### After eye contact:

Protect unexposed eye. Rinse/flush exposed eye(s) gently using water for 15-20 minutes. Remove contact lens(es) if able to do so during rinsing. Seek medical attention if irritation persists or if concerned.

#### After swallowing:

Rinse mouth thoroughly. Do not induce vomiting. Seek medical attention if irritation, discomfort, or vomiting persists.

## Most important symptoms and effects, both acute and delayed:

Irritation. Headache. Nausea. Shortness of breath.

## Indication of any immediate medical attention and special treatment needed:

If seeking medical attention provide SDS document to physician. Physician should treat symptomatically.

#### SECTION 5: Firefighting measures

## **Extinguishing media**

## Suitable extinguishing agents:

Use water, dry chemical, chemical foam, carbon dioxide, or alcohol-resistant foam.

#### Unsuitable extinguishing agents: None

#### Special hazards arising from the substance or mixture:

Oxides of carbon. Thermal decomposition can lead to release of irritating gases and vapors.

## Advice for firefighters:

#### **Protective equipment:**

Wear protective eyeware, gloves, and clothing. Refer to Section 8. Use NIOSH-approved respiratory protection/breathing apparatus.

## Additional information (precautions):

Avoid inhaling gases, fumes, dust, mist, vapor, and aerosols. Avoid contact with skin, eyes, and clothing.

## **SECTION 6: Accidental release measures**

## Personal precautions, protective equipment and emergency procedures:

Ensure adequate ventilation. Ensure that air-handling systems are operational.

#### **Environmental precautions:**

Should not be released into environment. Prevent from reaching drains, sewer, or waterway.

## Methods and material for containment and cleaning up:

Wear protective eyeware, gloves, and clothing. Refer to Section 8. Always obey local regulations. Containerize for disposal. Refer to Section 13. If necessary use trained response staff or contractor. Evacuate personnel to safe areas. Keep in suitable closed containers for disposal.

#### Reference to other sections: None

## **SECTION 7: Handling and storage**

according to 29CFR1910/1200 and GHS Rev. 3

Effective date : 02.11.2015

## Sec-Butyl Alcohol

## Precautions for safe handling:

Avoid contact with skin, eyes, and clothing. Follow good hygiene procedures when handling chemical materials. Refer to Section 8. Follow proper disposal methods. Refer to Section 13. Do not eat, drink, smoke, or use personal products when handling chemical substances.

## Conditions for safe storage, including any incompatibilities:

Store in a cool location. Keep away from food and beverages. Protect from freezing and physical damage. Provide ventilation for containers. Keep container tightly sealed. Store away from incompatible materials.

## **SECTION 8: Exposure controls/personal protection**

| Control Parameters:               | 78-92-2, Sec-Butyl Alcohol, ACGIH TLV TWA 50 ppm.<br>78-92-2, Sec-Butyl Alcohol, NIOSH TWA 50 ppm.<br>78-92-2, Sec-Butyl Alcohol, OHSA PEL TWA 50 ppm.   |
|-----------------------------------|--|
| Appropriate Engineering controls: | Emergency eye wash fountains and safety showers should be available in<br>the immediate vicinity of use or handling. Provide exhaust ventilation or<br>other engineering controls to keep the airborne concentrations of vapor<br>and mists below the applicable workplace exposure limits (Occupational<br>Exposure Limits-OELs) indicated above.   |
| Respiratory protection:           | Not required under normal conditions of use. Where risk assessment<br>shows air-purifying respirators are appropriate use a full-face particle<br>respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a<br>backup to engineering controls. When necessary use NIOSH approved<br>breathing equipment.  |
| Protection of skin:               | Select glove material impermeable and resistant to the substance. Select<br>glove material based on rates of diffusion and degradation. Dispose of<br>contaminated gloves after use in accordance with applicable laws and<br>good laboratory practices. Use proper glove removal technique without<br>touching outer surface. Avoid skin contact with used gloves. Wear<br>protective clothing. |
| Eye protection:                   | Wear equipment for eye protection tested and approved under<br>appropriate government standards such as NIOSH (US) or EN 166(EU).<br>Safety glasses or goggles are appropriate eye protection.   |
| General hygienic measures:        | Perform routine housekeeping. Wash hands before breaks and at the end<br>of work. Avoid contact with skin, eyes, and clothing. Before wearing wash<br>contaminated clothing.   |

## **SECTION 9: Physical and chemical properties**

| state, color):          | Clear, coloriess liquid.            | Explosion limit upper:  | Not Determined<br>Not Determined |
|-------------------------|-------------------------------------|-------------------------|----------------------------------|
| Odor:                   | Strong odor - sweet, fruity<br>odor | Vapor pressure at 20°C: | 11.7 mbar @ 20C                  |
| Odor threshold:         | Not Determined                      | Vapor density:          | 2.6(Air=1.0)                     |
| pH-value:               | Not Determined                      | Relative density:       | 0.808                            |
| Melting/Freezing point: | - 115C                              | Solubilities:           | Partially soluble in water.      |

according to 29CFR1910/1200 and GHS Rev. 3

**Effective date** : 02.11.2015

## Page 5 of 8

## Sec-Butyl Alcohol

| Boiling point/Boiling<br>range:   |                | Partition coefficient (n-<br>octanol/water): | Not Determined  |
|-----------------------------------|----------------|--|---|
| Flash point (closed cup):         | 1411           | Auto/Self-ignition<br>temperature:           | Not Determined  |
| Evaporation rate:                 | Not Determined | Decomposition<br>temperature:                | Not Determined  |
| Flammability (solid,<br>gaseous): | Not Determined | Viscosity:                                   | a. Kinematic: Not<br>Determined<br>b. Dynamic: Not Determined |
| Density at 20°C:                  | Not Determined |  |   |

## **SECTION 10: Stability and reactivity**

## **Reactivity:**

Nonreactive under normal conditions.

## **Chemical stability:**

Stable under normal conditions.

## Possible hazardous reactions:

None under normal processing.

#### **Conditions to avoid:**

Incompatible materials.

## Incompatible materials: None

## Hazardous decomposition products:

Oxides of carbon.

## **SECTION 11: Toxicological information**

## Acute Toxicity:

#### Oral:

2,460 mg/kg LD50 Rat

#### Dermal:

3,400 mg/kg LD50 Rabbit

## Inhalation:

4 h - 8000 ppm LC50 Rat

Chronic Toxicity: No additional information. Corrosion Irritation: No additional information. Sensitization: No additional information. Numerical Measures: No additional information. Carcinogenicity: No additional information. Mutagenicity: No additional information. Reproductive Toxicity: No additional information.

## **SECTION 12: Ecological information**

## **Ecotoxicity:**

LC50 - Pimephales promelas (fathead minnow): 1.220 mg/l - 96 h **Persistence and degradability**: No additional information. according to 29CFR1910/1200 and GHS Rev. 3

**Effective date** : 02.11.2015

Page 6 of 8

#### Sec-Butyl Alcohol

**Bioaccumulative potential**: No additional information. **Mobility in soil**: No additional information. **Other adverse effects**: No additional information.

## **SECTION 13: Disposal considerations**

## Waste disposal recommendations:

Contact a licensed professional waste disposal service to dispose of this material. Dispose of empty containers as unused product. Product or containers must not be disposed with household garbage. It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities (US 40CFR262.11). Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations. Ensure complete and accurate classification.

## **SECTION 14: Transport information**

## **US DOT**

**UN Number:** ADR, ADN, DOT, IMDG, IATA

**Limited Quantity Exception:** 

Bulk: RQ (if applicable): None Proper shipping Name: Butanols. Hazard Class: 3 Packing Group: III. Marine Pollutant (if applicable): No additional information. Comments: None None

1120

Non Bulk: RQ (if applicable): None Proper shipping Name: Butanols. Hazard Class: 3 Packing Group: III. Marine Pollutant (if applicable): No additional information. Comments: None



# SECTION 15: Regulatory information

## United States (USA)

SARA Section 311/312 (Specific toxic chemical listings):

Acute, Fire

## SARA Section 313 (Specific toxic chemical listings):

78-92-2 Sec-Butyl alcohol.

RCRA (hazardous waste code):

None of the ingredients are listed.

## TSCA (Toxic Substances Control Act):

All ingredients are listed.

CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act):

**Effective date** : 02.11.2015

## Sec-Butyl Alcohol

None of the ingredients are listed.

## Proposition 65 (California):

#### Chemicals known to cause cancer:

None of the ingredients are listed.

## Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

#### Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

## Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

## Canada

## Canadian Domestic Substances List (DSL):

All ingredients are listed.

## Canadian NPRI Ingredient Disclosure list (limit 0.1%):

None of the ingredients are listed.

## Canadian NPRI Ingredient Disclosure list (limit 1%):

None of the ingredients are listed.

## **SECTION 16: Other information**

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations. Note. The responsibility to provide a safe workplace remains with the user. The user should consider the health hazards and safety information contained herein as a guide and should take those precautions required in an individual operation to instruct employees and develop work practice procedures for a safe work environment. The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by the use of this material. It is the responsibility of the user to comply with all applicable laws and regulations applicable to this material.

## GHS Full Text Phrases: None

## **Abbreviations and Acronyms:**

IMDG International Maritime Code for Dangerous Goods. PNEC Predicted No-Effect Concentration (REACH). CFR Code of Federal Regulations (USA). SARA Superfund Amendments and Reauthorization Act (USA). RCRA Resource Conservation and Recovery Act (USA). TSCA Toxic Substances Control Act (USA). NPRI National Pollutant Release Inventory (Canada). DOT US Department of Transportation. IATA International Air Transport Association. GHS Globally Harmonized System of Classification and Labelling of Chemicals. ACGIH American Conference of Governmental Industrial Hygienists. CAS Chemical Abstracts Service (division of the American Chemical Society). NFPA National Fire Protection Association (USA). Safety Data Sheet according to 29CFR1910/1200 and GHS Rev. 3

**Effective date** : 02.11.2015

Page 8 of 8

## Sec-Butyl Alcohol

HMIS Hazardous Materials Identification System (USA). WHMIS Workplace Hazardous Materials Information System (Canada). DNEL Derived No-Effect Level (REACH).

Effective date: 02.11.2015 Last updated: 06.17.2015