

SAFETY DATA SHEET

Creation Date 23-Sep-2009

Revision Date 24-Dec-2021

Revision Number 5

1. Identification

Product Name Sodium perchlorate monohydrate

Cat No. : S360-212, S360-500, S490-100, S490-500

CAS No 7791-07-3

Synonyms Perchloric acid, sodium salt, monohydrate.

Recommended Use Laboratory chemicals.

Uses advised against Food, drug, pesticide or biocidal product use.

Details of the supplier of the safety data sheet

Company

Fisher Scientific Company
One Reagent Lane
Fair Lawn, NJ 07410
Tel: (201) 796-7100

Emergency Telephone Number CHEMTREC®, Inside the USA: 800-424-9300
CHEMTREC®, Outside the USA: 001-703-527-3887

2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

| | |
|--|------------|
| Oxidizing solids | Category 1 |
| Acute oral toxicity | Category 4 |
| Serious Eye Damage/Eye Irritation | Category 2 |
| Specific target organ toxicity - (repeated exposure) | Category 2 |
| Target Organs - Thyroid. | |

Label Elements

Signal Word

Danger

Hazard Statements

May cause fire or explosion; strong oxidizer
Harmful if swallowed
Causes serious eye irritation
May cause damage to organs through prolonged or repeated exposure

**Precautionary Statements****Prevention**

Wash face, hands and any exposed skin thoroughly after handling
 Do not eat, drink or smoke when using this product
 Do not breathe dust/fume/gas/mist/vapors/spray
 Keep away from heat/sparks/open flames/hot surfaces. - No smoking
 Keep/Store away from clothing/ other combustible materials
 Take any precaution to avoid mixing with combustibles
 Wear protective gloves/protective clothing/eye protection/face protection
 Wear fire/flame resistant/retardant clothing

Response

Get medical attention/advice if you feel unwell

Skin

IF ON CLOTHING: Rinse immediately contaminated clothing and skin with plenty of water before removing clothes

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
 If eye irritation persists: Get medical advice/attention

Ingestion

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell
 Rinse mouth

Fire

In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion
 In case of fire: Use CO₂, dry chemical, or foam for extinction

Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

None identified

3. Composition/Information on Ingredients

| Component | CAS No | Weight % |
|---|-----------|----------|
| Perchloric acid, sodium salt, monohydrate | 7791-07-3 | 100 |

4. First-aid measures

| | |
|-----------------------|---|
| General Advice | If symptoms persist, call a physician. |
| Eye Contact | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention. |
| Skin Contact | Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician. |
| Inhalation | Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if symptoms occur. |
| Ingestion | Clean mouth with water and drink afterwards plenty of water. Get medical attention if |

symptoms occur.

| | |
|--|------------------------------|
| Most important symptoms and effects | None reasonably foreseeable. |
| Notes to Physician | Treat symptomatically |

5. Fire-fighting measures

| | |
|---|--------------------------|
| Unsuitable Extinguishing Media | No information available |
| Flash Point | No information available |
| Method - | No information available |
| Autoignition Temperature | No information available |
| Explosion Limits | |
| Upper | No data available |
| Lower | No data available |
| Oxidizing Properties | Oxidizer |
| Sensitivity to Mechanical Impact | No information available |
| Sensitivity to Static Discharge | No information available |

Specific Hazards Arising from the Chemical

Oxidizer: Contact with combustible/organic material may cause fire. Thermal decomposition can lead to release of irritating gases and vapors. Keep product and empty container away from heat and sources of ignition. May ignite combustibles (wood paper, oil, clothing, etc.).

Hazardous Combustion Products

Chlorine. Hydrogen chloride gas.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA

| | | | |
|---------------|---------------------|--------------------|-------------------------|
| Health | Flammability | Instability | Physical hazards |
| 2 | 0 | 1 | OX |

6. Accidental release measures

| | |
|---|--|
| Personal Precautions | Use personal protective equipment as required. Ensure adequate ventilation. Avoid dust formation. |
| Environmental Precautions | Should not be released into the environment. |
| Methods for Containment and Clean Up | Sweep up and shovel into suitable containers for disposal. Keep in suitable, closed containers for disposal. |

7. Handling and storage

| | |
|-----------------|---|
| Handling | Ensure adequate ventilation. Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Avoid ingestion and inhalation. Avoid dust formation. Keep away from clothing and other combustible materials. |
| Storage. | Keep in a dry, cool and well-ventilated place. Keep container tightly closed. Do not store near combustible materials. Incompatible Materials. Organic materials. Strong acids. Metals. Reducing Agent. Finely powdered metals. Strong reducing agents. Combustible material. |

8. Exposure controls / personal protection

| | |
|----------------------------|--|
| Exposure Guidelines | This product does not contain any hazardous materials with occupational exposure |
|----------------------------|--|

limits established by the region specific regulatory bodies.

Engineering Measures

Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location. Use explosion-proof electrical/ventilating/lighting equipment.

Personal Protective Equipment**Eye/face Protection**

Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.

Skin and body protection

Wear appropriate protective gloves and clothing to prevent skin exposure.

Respiratory Protection

Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

| | |
|---|---------------------------|
| Physical State | Solid |
| Appearance | White |
| Odor | Odorless |
| Odor Threshold | No information available |
| pH | 6.0-8.0 5% aq.sol. (25°C) |
| Melting Point/Range | 130 °C / 266 °F |
| Boiling Point/Range | No information available |
| Flash Point | No information available |
| Evaporation Rate | Not applicable |
| Flammability (solid,gas) | No information available |
| Flammability or explosive limits | |
| Upper | No data available |
| Lower | No data available |
| Vapor Pressure | No information available |
| Vapor Density | Not applicable |
| Specific Gravity | 2.02 |
| Solubility | No information available |
| Partition coefficient; n-octanol/water | No data available |
| Autoignition Temperature | No information available |
| Decomposition Temperature | > 482°C |
| Viscosity | Not applicable |
| Molecular Formula | Cl Na O4 . H2 O |
| Molecular Weight | 140.46 |

10. Stability and reactivity

| | |
|-------------------------------|---|
| Reactive Hazard | Yes |
| Stability | Stable under normal conditions. Hygroscopic. Oxidizer: Contact with combustible/organic material may cause fire. |
| Conditions to Avoid | Incompatible products. Exposure to moist air or water. Combustible material. Excess heat. |
| Incompatible Materials | Organic materials, Strong acids, Metals, Reducing Agent, Finely powdered metals, Strong reducing agents, Combustible material |

Hazardous Decomposition Products Chlorine, Hydrogen chloride gas

Hazardous Polymerization Hazardous polymerization does not occur.

Hazardous Reactions None under normal processing.

11. Toxicological information

Acute Toxicity

Product Information

Component Information

Toxicologically Synergistic Products No information available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation Irritating to eyes

Sensitization No information available

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

| Component | CAS No | IARC | NTP | ACGIH | OSHA | Mexico |
|---|-----------|------------|------------|------------|------------|------------|
| Perchloric acid, sodium salt, monohydrate | 7791-07-3 | Not listed | Not listed | Not listed | Not listed | Not listed |

Mutagenic Effects No information available

Reproductive Effects No information available.

Developmental Effects No information available.

Teratogenicity No information available.

STOT - single exposure None known

STOT - repeated exposure Thyroid

Aspiration hazard No information available

Symptoms / effects, both acute and delayed No information available

Endocrine Disruptor Information No information available

Other Adverse Effects The toxicological properties have not been fully investigated.

12. Ecological information

Ecotoxicity

Do not empty into drains.

Persistence and Degradability Soluble in water Persistence is unlikely based on information available.

Bioaccumulation/ Accumulation No information available.

Mobility Will likely be mobile in the environment due to its water solubility.

13. Disposal considerations

Waste Disposal Methods Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

14. Transport information

DOT

UN-No UN1502
 Proper Shipping Name SODIUM PERCHLORATE
 Hazard Class 5.1
 Packing Group II

TDG

UN-No UN1502
 Proper Shipping Name SODIUM PERCHLORATE
 Hazard Class 5.1
 Packing Group II

IATA

UN-No UN1502
 Proper Shipping Name SODIUM PERCHLORATE
 Hazard Class 5.1
 Packing Group II

IMDG/IMO

UN-No UN1502
 Proper Shipping Name SODIUM PERCHLORATE
 Hazard Class 5.1
 Packing Group II

15. Regulatory information

United States of America Inventory

| Component | CAS No | TSCA | TSCA Inventory notification - Active-Inactive | TSCA - EPA Regulatory Flags |
|---|-----------|------|---|-----------------------------|
| Perchloric acid, sodium salt, monohydrate | 7791-07-3 | - | - | - |

Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed

- - - Not Listed

TSCA 12(b) - Notices of Export Not applicable

International Inventories

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

| Component | CAS No | DSL | NDSL | EINECS | PICCS | ENCS | ISHL | AICS | IECSC | KECL |
|---|-----------|-----|------|--------|-------|------|------|------|-------|------|
| Perchloric acid, sodium salt, monohydrate | 7791-07-3 | - | - | - | - | - | | X | X | - |

KECL - NIER number or KE number (<http://ncis.nier.go.kr/en/main.do>)**U.S. Federal Regulations**

SARA 313 Not applicable
 SARA 311/312 Hazard Categories See section 2 for more information
 CWA (Clean Water Act) Not applicable
 Clean Air Act Not applicable
 OSHA - Occupational Safety and Not applicable

Health Administration

CERCLA Not applicable**California Proposition 65** This product does not contain any Proposition 65 chemicals.**U.S. State Right-to-Know Regulations** Not applicable**U.S. Department of Transportation**

Reportable Quantity (RQ): N

DOT Marine Pollutant N

DOT Severe Marine Pollutant N

U.S. Department of Homeland Security This product does not contain any DHS chemicals.**Other International Regulations****Mexico - Grade** No information available**Authorisation/Restrictions according to EU REACH****Safety, health and environmental regulations/legislation specific for the substance or mixture**

| Component | CAS No | OECD HPV | Persistent Organic Pollutant | Ozone Depletion Potential | Restriction of Hazardous Substances (RoHS) |
|---|-----------|----------------|------------------------------|---------------------------|--|
| Perchloric acid, sodium salt, monohydrate | 7791-07-3 | Not applicable | Not applicable | Not applicable | Not applicable |

| Component | CAS No | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements | Rotterdam Convention (PIC) | Basel Convention (Hazardous Waste) |
|---|-----------|---|--|----------------------------|------------------------------------|
| Perchloric acid, sodium salt, monohydrate | 7791-07-3 | Not applicable | Not applicable | Not applicable | Not applicable |

16. Other information

Prepared By Regulatory Affairs
Thermo Fisher Scientific
Email: EMSDS.RA@thermofisher.com

Creation Date 23-Sep-2009**Revision Date** 24-Dec-2021**Print Date** 24-Dec-2021

Revision Summary This document has been updated to comply with the US OSHA HazCom 2012 Standard replacing the current legislation under 29 CFR 1910.1200 to align with the Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other

materials or in any process, unless specified in the text

End of SDS