



Science.
Applied to Life.™



The Safety Essentials

Your “go-to” guide for the top-selling
3M™ Safety Products

Table of Contents

5



Disposable
Respirators

6



Reusable
Respirators

8



Powered
Air Purifying
Respirators
(PAPR)

10



Supplied Air
and Escape
Respirators

13



Head & Face
Protection

15



Eye
Protection

16



Welding

19



Advanced
Hearing
Protection

20



Hearing
Solutions

23



Fall Protection
for Workers

25



Fall Protection
for Tools

27



Protective
Apparel

28



Reflective
Material

31



Ordering
Information

Suggested industry uses for products in this catalog are just a starting point for selecting appropriate PPE; safety managers need to determine appropriate PPE based on their unique work environments.

Respiratory



Get more face time. Comfort options that work for you.

A comfortable disposable respirator can help to make your workers want to wear one and promote compliance as required at all times during exposure.

Ordering Information

NOTE: Customers in the following industries may be interested in the products listed: construction, utilities, transportation (includes heavy manufacturing and machinery), government, healthcare (when fluid resistance is not needed), chemical and pharmaceutical.

| | | SKU | Part Number | Item Description | Quantity/Case |
|------------------------|---|------------|-------------|--|---------------|
| Classics |  | 7100132742 | 8210 | 3M™ Particulate Respirator 8210, N95 Two-strap design with welded dual-point attachment helps provide a secure seal | 160/Case |
| |  | 7000002056 | 8511 | 3M™ Particulate Respirator 8511, N95 3M™ Cool Flow™ Exhalation Valve helps reduce heat and humidity build-up inside the respirator | 80/Case |
| |  | 7000002462 | 8210V | 3M™ Particulate Respirator 8210V, N95 3M™ Cool Flow™ Exhalation Valve helps reduce heat and humidity build-up inside the respirator | 80/Case |
| Alternative Design |  | 7100110432 | 9211+ | 3M™ Aura™ Particulate Respirator 9211+/37193(AAD), N95 The Aura™ Series is designed to control airflow to help reduce eyewear fogging | 120/Case |
| |  | 7000002390 | 9105 | 3M™ VFLex™ Particulate Respirator 9105, N95 Economical flat fold design.V-shaped pleats help make breathing easier, flex with mouth movement for easier talking. | 400/Case |
| Enhanced Functionality |  | 7000002112 | 8515 | 3M™ Particulate Welding Respirator 8515/07189(AAD), N95 Economical option for welders | 80/Case |
| |  | 7000002055 | 8293 | 3M™ Particulate Respirator 8293, P100 NIOSH's highest rated filtration efficiency in a filtering facepiece respirator | 20/Case |
| |  | 7000002061 | 8576 | 3M™ Particulate Respirator 8576, P95, with Nuisance Level* Acid Gas Relief Carbon layer reduces exposure to nuisance levels of acid gases | 80/Case |
| |  | 7000002062 | 8577 | 3M™ Particulate Respirator 8577, P95 with Nuisance Level* Organic Vapor Relief Carbon layer reduces exposure to nuisance levels of organic vapors | 80/Case |

* Nuisance level refers to concentrations not exceeding OSHA PEL or other applicable government exposure limits, whichever is lower.

Safety and comfort built for the extreme.

Pick your protection.

3M™ Half Facepiece Reusable Respirator 6000 Series



Soft, lightweight facepiece offering an effective combination of comfort and convenience.

3M™ Rugged Comfort Half Facepiece Reusable Respirator 6500QL Series



Overmolded, low-profile design offers simplified cleaning, resilience and compatibility with certain welding and grinding shields.

3M™ Half Facepiece Reusable Respirator 7500 Series



Comfort and durability for all-day respiratory protection.

3M™ Full Facepiece Reusable Respirator 6000 Series



This lightweight, well-balanced facepiece provides enhanced comfort and durability and has a large lens for excellent visibility.

3M™ Ultimate FX Full Facepiece Reusable Respirator FF-400 Series



This full facepiece design was developed for comfort, durability and visibility with unique features that make it the optimal choice for a variety of industrial applications.

3M™ Full Facepiece Reusable Respirator 7800S Series



This durable full facepiece respirator has an optional clip-on welding faceshield kit for use in welding applications.

Featured Respiratory Technologies
















- Passive Speaking Diaphragm
- 3M™ Quick Latch
- 3M™ Scotchgard™ Protector
- Adjustable Head Harness Assembly
- Large Lens
- Comfortable Silicone Face Seal
- 3M™ Cool Flow™ Valve
- Low-Profile Design
- 3M™ Bayonet Connection System
- Supplied Dual Airline Applications

Ordering Information

NOTE: Customers in the following industries may be interested in the products listed: construction, utilities, transportation (includes heavy manufacturing and machinery), government, healthcare (when fluid resistance is not needed), chemical and pharmaceutical.

| SKU | Part Number | Item Description | Qty/Case |
|--|-------------|---|----------|
| 7000001932 | 6100 | 3M™ Half Facepiece Reusable Respirator 6100/07024(AAD), Small | 24/Case |
| 7000001933 | 6200 | 3M™ Half Facepiece Reusable Respirator 6200/07025(AAD), Medium | 24/Case |
| 7000001934 | 6300 | 3M™ Half Facepiece Reusable Respirator 6300/07026(AAD), Large | 24/Case |
| This series combines comfort and convenience | | | |
| 7000128237 | 6501QL | 3M™ Rugged Comfort Quick Latch Half Facepiece Reusable Respirator 6501QL/49488, Small | 10/Case |
| 7000128239 | 6502QL | 3M™ Rugged Comfort Quick Latch Half Facepiece Reusable Respirator 6502QL/49490, Medium | 10/Case |
| 7000128241 | 6503QL | 3M™ Rugged Comfort Quick Latch Half Facepiece Reusable Respirator 6503QL/49492, Large | 10/Case |
| Resilient silicone face seal provides comfort, durability, and stability with a soft but firm seal | | | |
| 7100134948 | 7501 | 3M™ Half Facepiece Reusable Respirator 7501/37081(AAD), Small | 10/Case |
| 7000002162 | 7502 | 3M™ Half Facepiece Reusable Respirator 7502/37082(AAD), Medium | 10/Case |
| 7100134949 | 7503 | 3M™ Half Facepiece Reusable Respirator 7503/37083(AAD), Large | 10/Case |
| Advance silicone material for increased comfort and greater durability | | | |
| 7000002029 | 6700 | 3M™ Full Facepiece Reusable Respirator 6700, Small | 4/Case |
| 7000002030 | 6800 | 3M™ Full Facepiece Reusable Respirator 6800, Medium | 4/Case |
| 7000002037 | 6900 | 3M™ Full Facepiece Reusable Respirator 6900, Large | 4/Case |
| Large lens provides a wide field of view for excellent visibility | | | |
| 7000029940 | FF-401 | 3M™ Ultimate FX Full Facepiece Reusable Respirator FF-401, Small | 4/Case |
| 7000002284 | FF-402 | 3M™ Ultimate FX Full Facepiece Reusable Respirator FF-402, Medium | 4/Case |
| 7100001847 | FF-403 | 3M™ Ultimate FX Full Facepiece Reusable Respirator FF-403, Large | 4/Case |
| Maximize comfort, durability and visibility | | | |
| 7000126199 | 7800S-S | 3M™ Full Facepiece Reusable Respirator 7800S-S, Small, Silicone | 1/Case |
| 7000002045 | 7800S-M | 3M™ Full Facepiece Reusable Respirator 7800S-M, Medium, Silicone | 1/Case |
| 7000126201 | 7800S-L | 3M™ Full Facepiece Reusable Respirator 7800S-L, Large, Silicone | 1/Case |
| Silicone facepiece enhances fit and improves durability | | | |

Ordering Information continued

| | SKU | Part Number | Item Description | Qty/Case | |
|--------------------|---|-------------|------------------|--|----------|
| Filters/Cartridges |  | 7000051991 | 2091 | 3M™ Particulate Filter 2091/07000(AAD), P100 Advanced Electret Media (AEM) provides lightweight, easy breathing comfort | 100/Case |
| |  | 7000029657 | 2097 | 3M™ Particulate Filter 2097/07184(AAD), P100 with Nuisance Level Organic Vapor Relief* Versatile protection against many oil and non-oil based particulate contaminants | 100/Case |
| |  | 7000127451 | 2297 | 3M™ Advanced Particulate Filter 2297, P100 with Nuisance Level Organic Vapor Relief* Easier breathing | 100/Case |
| |  | 7000002155 | 7093B | 3M™ Particulate Filter 7093B, P100 Exceptional 99.97% filter efficiency meets NIOSH P100-series test criteria | 144/Case |
| |  | 7000002008 | 5N11 | 3M™ Particulate Filter 5N11, N95 NIOSH approved for environments containing certain non-oil-based particles | 100/Case |
| |  | 7000002054 | 5P71 | 3M™ Particulate Filter 5P71/07194(AAD), P95 NIOSH approved for environments containing certain oil and non-oil based particles | 100/Case |
| |  | 7000051851 | 6001 | 3M™ Organic Vapor Cartridge 6001 NIOSH approved for protection against certain organic vapors | 60/Case |
| |  | 7000051849 | 6003 | 3M™ Organic Vapor/Acid Gas Cartridge 6003/07047(AAD) NIOSH approved for protection against certain organic vapors and acid gases | 60/Case |
| |  | 7000002040 | 6006 | 3M™ Multi Gas/Vapor Cartridge 6006 NIOSH approved for protection against certain organic vapors, acid gases, ammonia, methylamine and formaldehyde | 60/Case |
| |  | 7000029639 | 60921 | 3M™ Organic Vapor Cartridge/Filter 60921, P100 NIOSH approved for protection against certain organic vapors and particulates | 60/Case |
| |  | 7000029640 | 60923 | 3M™ Organic Vapor/Acid Gas Cartridge/Filter 60923, P100 NIOSH approved for protection against certain organic vapors, acid gases and particulates | 60/Case |
| |  | 7000002041 | 60926 | 3M™ Multi Gas/Vapor Cartridge/Filter 60926, P100 NIOSH approved for protection against certain organic vapors, acid gases, ammonia, methylamine, formaldehyde and particulates | 60/Case |
| Other/Accessories |  | 7000001912 | 501 | 3M™ Filter Retainer 501 Designed to hold 3M Particulate Filter 5N11 and 5P71/07194 (AAD) (sold separately) | 100/Case |
| |  | 7100138628 | 6885 | 3M™ Faceshield Cover 6885/07142(AAD) Use on 3M™ Full Facepieces 6000 Series to help protect the lens | 100/Case |
| |  | 7000001938 | 504 | 3M™ Respirator Cleaning Wipe 504/07065(AAD) Moist towelettes clean dirt and perspiration off facepiece respirators | 500/Case |

*Nuisance level refers to concentrations not exceeding OSHA PEL or other applicable government exposure limits, whichever is lower.

See important safety warnings at end of this catalog.

Go with the flow.

3M PAPR systems can offer comfortable, integrated protection against multiple hazards including respiratory, head, eye, face and hearing protection with certain NIOSH approved configurations.

TR-300+

High Efficiency HE particulate filter only



TR-600

HEPA filter plus multiple chemical cartridge options



TR-800

Featuring an intrinsically safe motor blower/battery



Ordering Information

NOTE: Customers in the following industries may be interested in the products listed:
1. Construction 2. Utilities 3. Heavy Manufacturing 4. Healthcare 5. Chemical/Pharmaceutical 6. Transportation Painting

| | SKU | Part Number | Item Description | Industry Typically Used* |
|------------|------------|---------------------------------------|---|--------------------------|
| Kits | 7100153814 | TR-300N+ ECK | 3M™ Versaflo™ Easy Clean PAPR Kit TR-300N+ ECK | 5 |
| | 7100153815 | TR-300N+ HIK | 3M™ Versaflo™ Heavy Industry PAPR Kit TR-300N+ HIK | 1,2,3 |
| | 7100153808 | TR-300N+ HKS | 3M™ Versaflo™ Healthcare PAPR Kit TR-300N+ HKS, Small - Medium | 4 |
| | 7100153841 | TR-300N+ HKL | 3M™ Versaflo™ Healthcare PAPR Kit TR-300N+ HKL, Medium - Large | 4 |
| | 7100035754 | TR-600-ECK | 3M™ Versaflo™ Easy Clean PAPR Kit | 4,5 |
| | 7100035755 | TR-600-HIK | 3M™ Versaflo™ Heavy Industry PAPR Kit | 1,2,3 |
| | 7100100424 | TR-600-HKS | 3M™ Versaflo™ Healthcare PAPR Kit, S/M | 4 |
| | 7100098538 | TR-600-HKL | 3M™ Versaflo™ Healthcare PAPR Kit, M/L | 4 |
| | 7100150926 | TR-800-ECK | 3M™ Versaflo™ Easy Clean PAPR Kit | 5 |
| | 7100150922 | TR-800-PSK | 3M™ Versaflo™ Painters PAPR Kit | 3,6 |
| 7100150927 | TR-800-HIK | 3M™ Versaflo™ Heavy Industry PAPR Kit | 3,5 | |
| Assemblies | 7100153811 | TR-304N+ | 3M™ Versaflo™ PAPR Assembly TR-304N+, with Easy Clean Belt and Economy Battery | 4,5 |
| | 7100153812 | TR-305N+ | 3M™ Versaflo™ PAPR Assembly TR-305N+, with Standard Belt and Economy Battery | 1,2,3 |
| | 7100153813 | TR-306N+ | 3M™ Versaflo™ PAPR Assembly TR-306N+, with High Durability Belt and High Capacity Battery | 1,2,3 |
| | 7100153810 | TR-307N+ | 3M™ Versaflo™ PAPR Assembly TR-307N+, with Easy Clean Belt and High Capacity Battery | 4,5 |
| | 7100035757 | TR-613N | 3M™ Versaflo™ PAPR Assembly with Standard Battery, BT-30 Breathing Tube and High Durability Belt | 1,2,3 |
| | 7100035758 | TR-614N | 3M™ Versaflo™ PAPR Assembly with Standard Battery, BT-30 Breathing Tube and Easy Clean Belt | 4,5 |
| | 7100035759 | TR-616N | 3M™ Versaflo™ PAPR Assembly with High Capacity Battery, BT-30 Breathing Tube and High Durability Belt | 1,2,3 |
| | 7100035830 | TR-617N | 3M™ Versaflo™ PAPR Assembly with High Capacity Battery, BT-30 Breathing Tube and Easy Clean Belt | 4,5 |
| | 7100098537 | TR-614N-HK | 3M™ Versaflo™ Healthcare PAPR Assembly TR-614-HK | 4 |

See important safety warnings at end of this catalog.

Ordering Information continued

| | SKU | Part Number | Item Description | Qty/Case | |
|---|--|--|--|--|------------|
| S-Series Hoods and Headcovers |  | 7000127428 | S-133L-5 | 3M™ Versaflo™ Headcover with Integrated Head Suspension, S-133L-5, White, Medium/Large | 5 EA/Case |
| | | The 3M™ Versaflo™ S-133L Headcover is a loose fitting facepiece approved for use with certain 3M™ Powered Air Purifying and Supplied Air Respirator Systems. It features the innovative 3M™ Quick Release Swivel (QRS) connection with compatible 3M breathing tubes. | | | |
| S-Series Hoods and Headcovers |  | 7000052786 | S-403L-20 | 3M™ Versaflo™ Economy Hood, S-403L-20, Medium/Large | 20 EA/Case |
| | | The 3M™ Versaflo™ S-403L Hood is approved for use with certain 3M™ Powered Air Purifying and Supplied Air Respirator Systems. It features the innovative 3M™ Quick Release Swivel (QRS) connection with compatible 3M breathing tubes. | | | |
| M-Series Headtops |  | 7000052768 | S-757 | 3M™ Versaflo™ Painter's Hood Assembly with Inner Shroud & Premium Head Suspension S-757 | 1 EA/Case |
| | | Consists of a S-950 Premium Head Suspension and a S-707 Hood. It is approved for use with certain 3M™ Powered Air Purifying and Supplied Air Respirator Systems. Fabric specifically intended to help capture paint overspray. Fabric has an internal film barrier to help prevent paint contact with skin or clothes. | | | |
| |  | 7000002350 | S-857 | 3M™ Hood Assembly with Sealed Seams Inner Shroud and Premium Head Suspension S-857 | 1 EA/Case |
| | | Consists of a S-950 Premium Head Suspension and a S-807 Hood. It is approved for use with certain 3M™ Powered Air Purifying and Supplied Air Respirator Systems. Sealed seams to help protect when certain liquid hazards may be present. Multi-layer barrier film used and double shroud design. | | | |
| |  | 7100086969 | M-207 | 3M™ Versaflo™ Respiratory Faceshield Assembly M-207, with Flame Resistant Face Seal | 1 EA/Case |
| | | The M-207 is a lightweight, comfortable PAPR headtop that combines a respirator and faceshield, with the option of adding earmuffs for hearing protection. This headtop is a popular in light industry where respirators and face protection are typically used. Combine the M-207 with 3M Versaflo PAPR or Supplied Air components to create a complete respiratory assembly. | | | |
| |  | 7000052874 | M-307 | 3M™ Versaflo™ Respiratory Hard Hat Assembly M-307, with Premium Visor and Face Seal | 1 EA/Case |
| | Used with an approved air source, M-300 Series hardhats provide respiratory (OSHA APF=25) and limited head (ANSI Z89.1-2003 Type 1 Class G) and eye (ANSI Z87.1-2010) protection. The M-307 assembly includes a premium visor and premium face seal. | | | | |
|  | 7100009447 | M-405 | 3M™ Versaflo™ Respiratory Helmet Assembly M-405, with Standard Visor and Shroud | 1 EA/Case | |
| | Used with an approved air source, M-400 Series helmets provide respiratory (OSHA APF=1000) and limited head (ANSI Z89.1-2003 Type 1 Class G) and eye (ANSI Z87.1-2010) protection. The M-405 assembly includes a standard visor and standard shroud. | | | | |
|  | 7000002395 | M-407 | 3M™ Versaflo™ Respiratory Helmet Assembly M-407, with Premium Visor and Flame Resistant Shroud | 1 EA/Case | |
| | For respiratory, eye, face and head protection with additional neck and shoulder coverage. Features a flame resistant shroud for applications with hot particles. The M-407 Assembly includes a M-927 Premium Visor, M-444 Inner Collar, and M-447 Flame Resistant Outer Shroud. The M-927 visor is made of coated polycarbonate. The M-447 shroud is made of Nomex® flame resistant fibers. | | | | |
|  | 7100168651 | M-407SG | 3M™ Versaflo™ Respiratory M-Series Helmet Assembly with Flame Resistant Shroud and Speedglas™ Welding Shield, M-407SG, No ADF | 1 EA/Case | |
| | The Versaflo™ M-407SG Helmet Assembly includes a flame resistant shroud and Speedglas™ Welding Shield, and offers a 10% weight reduction and larger viewing area than the L-905SG. | | | | |

See important safety warnings at end of this catalog.

Continuous innovations, consistent reliability

3M™ Scott™ Air-Pak™ 75i NIOSH Approved Self-Contained Breathing Apparatus



The NIOSH approved Air-Pak 75i SCBA utilizes a similar material design construction (meeting the same heat and flame testing characteristics) as other 3M™ Scott™ NFPA certified Air-Pak SCBA. It can also be configured with optional accessories like a Heads-Up Display (HUD), Rapid Intervention Crew/Universal Air Connection (RIC/UAC), "Buddy Breather" EBSS, and airline connection.

3M™ Scott™ AV-3000 with SureSeal Facepiece



Designed with customer feedback, the AV-3000 with SureSeal Facepiece builds on the success of the AV-2000 through design enhancements for better fit, added comfort, improved field of vision and enhanced communications. The AV3000 with SureSeal facepiece is a component of a wide variety of NIOSH-certified respiratory protection systems, including some suitable for CBRN applications.

NOTE: Customers in the following industries may be interested in the products listed: utilities, food & beverage, chemical and pharmaceutical.

Ordering Information

| | SKU | Item Name | Item Description | Item Specifications |
|--------------------------|-----------------|----------------------------------|--|--|
| SCBA* | API454001000101 | 3M™ Scott™ Air-Pak™ 75i | The Air-Pak 75i for industrial and firefighting applications not requiring NFPA-approved SCBA and PASS. | 4500 psig, E-Z Flo with Vibration |
| | IND112003100101 | 3M™ Scott™ iSCBA Industrial SCBA | The ISCBA provides superior IDLH-level (Immediately Dangerous to Life or Health) respiratory protection in non-fire related environments. | Nylon/Polymer Buckle, 2216 psig, E-Z Flo |
| | IND144003100101 | | | Kevlar/Metal Buckle, 4500 psig, E-Z Flo |
| | ACS3A2003000101 | 3M™ Scott™ ACSi™ | For use in non-fire-related, industrial environments and offers great benefits in comfort and flexibility. | 2216 psig, E-Z Flo |
| | ACS3A4003000101 | | | 4500 psig, E-Z Flo |
| Supplied Air Respirators | 804386-66 | 3M™ Scott™ E-Z™ Airline | This supplied air respirator is ideal protection when extended wear times are required in non-IDLH environments. | Hansen, E-Z Flo with Modulair |
| | 804386-62 | | | Schrader, E-Z Flo with Modulair |
| | SAR423030431001 | 3M™ Scott™ Ska-Pak™ AT | Automatic, hands-free air transfer capability. If the primary air supply to the respirator is interrupted, the air source is instantly switched to the portable air cylinder without user intervention | 3000 psig, 10 Minute, Kevlar, Hansen, E-Z Flo with Vibralert |
| | SAR423020431001 | | | 3000 psig, 5 Minute, Kevlar, Hansen, E-Z Flo with Vibralert |
| | SAR322010311001 | 3M™ Scott™ Ska-Pak™ Plus | A combination escape SCBA and supplied air respirator that offers emergency respiratory protection in hazardous atmospheres. | 2216 psig, 5 Minute, Nylon, Hansen, E-Z Flo |
| | SAR322010411001 | | | 2216 psig, 5 Minute, Kevlar, Hansen, E-Z Flo |
| | SAR222010211001 | | | 2216 psig, 5 Minute, Polypropylene, Hansen, E-Z Flo |

*NOTE: SCBA models stated above do not come with cylinders or facepieces, which must be ordered separately.

Ordering Information continued

| | | SKU | Item Name | Item Description | Item Specification |
|-------------|---|-----------|--------------------------------|---|---|
| ELSA |  | 2009164 | 3M™ Scott™ ELSA | The ELSA EEBD is an emergency escape-breathing device providing 5 or 10 minutes of escape time from toxic environments, even in atmospheres immediately dangerous to life or health (IDLH). | Emergency Escape Breathing Device (EEBD), 5 Minute |
| | | 2009165 | | | Emergency Escape Breathing Device (EEBD), 10 Minute |
| Cylinders |  | 804101-01 | 3M™ Scott™ Cylinders | Cylinders that meet the needs and demands of SCBA users. May be used with AP-75i, iSCBA or ACSi SCBAs. | Aluminum, 30 Minute, 2216 psig |
| | | 804721-01 | | | Carbon, 30 Minute, 4500 psig |
| | | 804722-01 | | | Carbon, 45 Minute, 4500 psig |
| | | 804723-01 | | | Carbon, 60 Minute, 4500 psig |
| | | 200874-01 | 3M™ Scott™ ACSi™ SCBA Cylinder | ACSi SCBA cylinders that meet the needs and demands of SCBA users. May only be used with ACSi SCBAs. | Aluminum, 30 Minute, 2216 psig |
| | | 200872-01 | | | Carbon, 60 Minute, 4500 psig |
| Facepieces |  | 805774-81 | 3M™ Scott™ AV-3000 SureSeal | Experience the value of the AV-3000 Facepiece with SureSeal system, an innovative product that offers greater comfort and improved fit and performance. | Polyester - Small |
| | | 805774-82 | | | Polyester - Medium |
| | | 805774-83 | | | Polyester - Large |
| | | 805773-81 | | | Kevlar - Small |
| | | 805773-82 | | | Kevlar - Medium |
| | | 805773-83 | | | Kevlar - Large |
| |  | 804069-19 | 3M™ Scott™ AV-2000 | The original AV facepiece, the AV-2000 facepiece was designed with maximum versatility, and holds NIOSH approvals across a wide variety of applications. | Polyester - Small |
| | | 804069-20 | | | Polyester - Large |
| | | 804069-21 | | | Polyester - X-Large |
| | | 804069-28 | | | Polyester - Comfort Seal (L) |
| | | 804191-71 | | | Kevlar - Small |
| | | 804191-72 | | | Kevlar - Large |
| | | 804191-73 | | | Kevlar - X-Large |
| | | 804191-74 | | | Kevlar - Comfort Seal (L) |
| Accessories |  | 30010-050 | 3M™ Scott™ Supply Hose | | Hansen Fittings, 50 Feet |
| | | 30020-050 | | | Schrader Fittings, 50 Feet |
| |  | 804497-01 | Hard Carrying Case, SCBA | | |
| | | 10009324 | Soft Carrying Bag, SCBA | | |

Head, Face and Eye












Lightweight helmets for comfortable protection.














The job's demanding. You don't need a helmet squeezing you, too. Engineered from the ground up to deliver comfort without compromise, no matter the height.

Ordering Information

NOTE: Customers in the following industries may be interested in the products listed:
1. Construction 2. Utilities 3. Heavy Manufacturing 4. Healthcare 5. Chemical/Pharmaceutical. 6. Forestry/Arborist

| | SKU | Part Number | Item Description | Qty/Case | Industry Used |
|-----------------|--|-------------|---|--------------|---------------|
| Cap Style |  7000053152 | H-701R-UV | 3M™ Hard Hat with Uvicator H-701R-UV, White, 4-Point Ratchet Suspension | 20 EA/Case | 1, 3, 5 |
| |  7000053153 | H-701V-UV | 3M™ Hard Hat with Uvicator H-701V-UV, Vented, White, 4-Point Ratchet Suspension | 20 EA/Case | 1, 3, 5 |
| |  7010315354 | H-701T | 3M™ Elevated Temperature Hard Hat H-701T, White, 4-Point Ratchet Suspension <i>Available in white, blue and yellow.</i> | 10 EA/Case | 1, 3, 5 |
| Full Brim |  7000144986 | H-801V-UV | 3M™ Full Brim Hard Hat H-801V-UV, White 4-Point Ratchet Suspension, Vented, with Uvicator | 20 EA/Case | 1, 3, 5 |
| |  7000053179 | H-801R-UV | 3M™ Full Brim Hard Hat H-801R-UV, White 4-Point Ratchet Suspension, with Uvicator | 20 EA/Case | 1, 3, 5 |
| Climbing Helmet |  7100175570 | X5001-ANSI | 3M™ SecureFit™ Safety Helmet, X5001-ANSI, White | 10 EA/Case | 1, 2, 5, 6 |
| |  7100175578 | X5001V-ANSI | 3M™ SecureFit™ Safety Helmet, X5001V-ANSI, White, vented | 10 EA/Case | 1, 5, 6 |
| Suspension |  7000002421 | H-700-RS4 | 3M™ Hard Hat Suspension Replacement H-700-RS4, 4-point Ratchet Standard | 20 EA/Case | |
| |  7100180703 | X5-6PTSUS | 3M™ X5-6PTSUS Replacement 6 Point Suspension for SecureFit™ Safety Helmet X5000 | 10 Kits/Case | |

Hard Hat Colors Available

-  Red
-  Blue
-  Gray
-  Navy
-  Black
-  Yellow
-  White
-  Hi Vis Yellow
-  Tan
-  Pink
-  Orange
-  Green
-  Hi Vis Orange

- ▶ High-visibility hard hat colors meet ANSI Z89.1-2014 High-Visibility Performance requirements
- ▶ Non-vented hard hats meet ANSI/ISEA Z89.1-2014 Type I, Class G and E requirements
- ▶ Vented hard hats meet ANSI/ISEA Z89.1-2014 Type I, Class C requirements

3M Face Protection

The 3M line of headgear and visors are designed to be durable and comfortable. The line features several interchangeable pieces for customization. Available features include ratchet suspension, anti-fog coating, multiple faceshield tint and material options, and easy assembly. All of our faceshields feature the reliability and performance you expect from 3M.

3M Headgear and Hard Hat Adapter




| Part Number | H8A | 82783-00000 | 82782-00000 |
|-----------------|--|--|--|
| Benefit | Ratchet headgear for use with any 3M™ Faceshield | Includes an H8A headgear and WP96 polycarbonate faceshield for grinding, cutting, drilling, and demolition | Includes an H8A headgear and a W96 propionate faceshield for chemical pipe fitting, liquid handling, line breaking, fueling, spraying and painting |
| SKU | 7000002290 | 7000127244 | 7000127243 |
| Industry Used** | 1, 2, 3, 4, 5 | 1, 2, 3, 4, 5 | 1, 2, 3, 4, 5 |

Impact

Chemical


High Heat

Mesh



| Part Number | WP96 | WCP96 | W96 | WE96X | WP96AL | WCP96G | W96M | W96MW |
|-----------------|---------------|---------------|---------------|---------------|------------|------------|------------|------------|
| SKU | 7000002339 | 7000052753 | 7100000260 | 7000127235 | 7000052705 | 7000127238 | 7000127168 | 7000127231 |
| Industry Used** | 1, 2, 3, 4, 5 | 1, 2, 3, 4, 5 | 1, 2, 3, 4, 5 | 1, 2, 3, 4, 5 | 3 | 3 | 6 | 6 |

**Industries: 1. Construction 2. Utilities 3. Transportation (includes Heavy Manufacturing and Machinery) 4. Government/Healthcare 5. Chemical/Pharmaceutical. 6. Forestry
Customers in the preceding industries may be interested in these products.















3M offers Safety Glasses that deliver innovation, leading-edge design, and advanced lens coatings, unique functionality and distinctive licensed brands that provide our customer with the confidence of being protected and the assurance of looking good.

Ordering Information

NOTE: Customers in the following industries may be interested in the products listed: construction, utilities, transportation (includes heavy manufacturing and machinery), government, healthcare (when fluid resistance is not needed), chemical and pharmaceutical.

| SKU | Part Number | Item Description | Accessories | |
|--|-------------|------------------|---|---|
|  | 7100090435 | SF201AF | 3M™ SecureFit™ Protective Eyewear SF201AF, Clear Lens | — |
| Stylish, lightweight design weighs less than 1oz. Features proprietary 3M™ Pressure Diffusion Temple Technology. | | | | |
|  | 7100150838 | SF401SGAF-BLU | 3M™ SecureFit™ Safety Glasses SF401SGAF-BLU, Blue/Gray, Clear Scotchgard™ Anti-fog Lens |  Gasket Available |
| Features proprietary 3M™ Pressure Diffusion Temple Technology which helps diffuse pressure over the ear for a secure, comfortable fit. Available in multiple colors. | | | | |
|  | 7100132253 | SF601SGAF-TAC | 3M™ SecureFit™ Tactical Series SF601SGAF-TAC, Clear Scotchgard™ Anti-Fog lens, black frame |  Gasket Available |
| 3M advancements in high performance protective eyewear, re-evaluates traditional concepts of form, fit, and function – leading to a comfortable, high performance spectacle. Available in a variety of lenses. | | | | |
|  | 7100079183 | S1101SGAF | 3M™ Solus™ 1000-Series Safety Glasses S1101SGAF, Black/Blue, Clear Scotchgard™ Anti-Fog Lens |  Gasket & Strap Available |
| 3M™ Solus™ 1000 series protective eyewear features Scotchgard™ Anti-Fog lens coating which helps workers see clearly, longer – providing longer lasting fog resistance than traditional anti-fog* coatings. Removable temples enable the use of the optional strap with removable gasket. Available in multiple frame and lens colors. | | | | |
|  | 7100168468 | GG502SGAF | 3M™ GoggleGear™ 500 Series GG502SGAF, Gray Scotchgard™ Anti-fog lens |  SRX Insert Available |
| These splash goggles with 3M™ Scotchgard™ Anti Fog Coating help keep lenses clear in hot and humid environments. | | | | |
|  | 7010302104 | GG2891S-SGAF | 3M™ GoggleGear™ GG2891S-SGAF, Sealed, Clear SGAF Lens | — |
| Suitable for a number of different applications where a comfortable goggle is required. | | | | |
|  | 7100203191 | SF3701ASGAF | 3M™ SecureFit™ 3700 Series, SF3701ASGAF-BLU, Alternate Fit, Blue, Scotchgard™ Anti-Fog Coating, Clear OTG AF-AS lens | — |
| Featuring Pressure Diffusion Temple (PDT) Technology and an adjustable ratcheting temple, the SecureFit 3700 series offers Over-The-Glass protection with a personalized fit. | | | | |

Lens options (availability dependent on model):

-  Clear
-  Indoor/Outdoor Grey
-  Polarized
-  Low IR
-  Shade 5.0
-  Readers +2.0
-  Grey
-  Amber
-  Photochromic
-  Shade 3.0
-  Readers +1.5
-  Readers +2.5

Scotchgard Anti-Fog
is available on SF600, SF400, Solus, GG500, GG2890, SFOTG3700

* Based on 3M internal testing per EN168 test method when compared with traditional anti-fog coatings.

Weld with confidence.

When it comes to your team’s safety, you want only the highest quality welding products. But you also want your workers to be comfortable on the job. That’s why we have designed our 3M™ Speedglas™ Welding Helmets and 3M™ Adflo™ Powered Air Purifying Respirators to help protect eyes, lungs, hearing, head and more from everyday hazards while providing lighter weight and more comfort.

9002NC

SKU: 7010341356



Robust and slim

The 3M™ Speedglas™ Welding Helmet 9002NC is a welding helmet designed for rugged, dependable protection. The 9002NC Welding helmet can be used for welding with Advanced auto-darkening optics which adjust to your working conditions for a lighter, brighter and more detailed view of your welds. And a lighter weight, slim profile means less constriction in tight spaces. The new 3M™ Speedglas™ Welding Helmet 9002NC is your new window to the world.

G5-01

SKU: 7100214392



Comfort and protection you can build on

The 3M™ Speedglas™ G5-01 Heavy-Duty Welding Helmet offers integrated respiratory protection and is quickly adjustable for both welding and grinding. The G5-01 also offers 3M's first-ever Variable Color Technology, allowing welders to select between three different dark state colors to get a better view of their weld puddle. This helmet also includes new and improved adjustable airflow, optional 1000 APF and task light accessories, Bluetooth® connectivity and more!

9100 XXi

SKU: 7010302093



See your work in a brand new light

With improvements based on input from master welders around the world, the 3M™ Speedglas™ Welding Filter 9100XXi sets a new standard for visibility, convenience and ease of use. The improved optics in this helmet deliver more natural color and contrast which may allow better control of the weld puddle, greater precision, and simplified workflow.

Ordering Information





















NOTE: Customers in the following industries may be interested in the products listed:
 1. Construction 2. Transportation 3. Heavy Manufacturing 4. General Manufacturing
 5. Oil & Gas 6. Mining

○ Focus industries for product’s use.

| | SKU | Part Number | Item Description | Qty/Case | Industry Used |
|----------------------|-------------------------|-------------|---|----------|------------------|
| Helmets | 9100 Series | 7010302093 | 3M™ Speedglas™ Welding Helmet 9100, 06-0100-30iSW, with Auto-Darkening Filter 9100XXi | 1/Case | 1, 2, 3, 4, 5, 6 |
| | | 7010341109 | 3M™ Speedglas™ Welding Helmet 9100 FX 06-0600-30SW, Side Windows Auto-Darkening Filter 9100XX Shade 5, 8-13 | 1/Case | 1, 2, 3, 4, 5, 6 |
| | 9002NC Series | 7010341356 | 3M™ Speedglas™ Welding Helmet 9002NC 04-0100-20NC | 1/Case | 1, 2, 3, 4, 5, 6 |
| | 100 Series | 7000029984 | 3M™ Speedglas™ Welding Helmet 100 Black with Auto-Darkening Filter 100V 07-0012-31BL/37232(AAD) | 1/Case | 1, 2, 3, 4, 5, 6 |
| Welding P&SA Systems | 9100 FX Air Powered Air | 7100200574 | 3M™ Adflo™ PAPR with 3M™ Speedglas™ Welding Helmet 9100-Air, 35-1101-30iSW, HE Filter, Li Ion Batt, ADF 9100XXi | 1/Case | 1, 2, 3, 4, 5, 6 |
| | | 7100200572 | 3M™ Adflo™ PAPR with 3M™ Speedglas™ Welding Helmet 9100 FX-Air, 36-1101-30SW, HE filter, Li Ion Batt, ADF 9100XXi | 1/Case | 1, 2, 3, 4, 5, 6 |
| | | 7100200573 | 3M™ Adflo™ PAPR HE System with 3M™ Speedglas™ Welding Helmet 9100 MP, 37-1101-30iSW | 1/Case | 1, 3, 4, 5 |

See important safety warnings at end of this catalog.

Ordering Information continued

| | | SKU | Part Number | Item Description | Qty/ Case | Industry Used | |
|--------------------------|---------------------------------------|---|-------------|------------------|--|------------------|------------------|
| Helmet Accessories | 9100 Series |  | 7010385388 | 06-0000-30i-KIT | 3M™ Speedglas™ Auto Darkening Filter 9100XXi with Silver Front Panel, 06-0000-30i-KIT | 1/Case | 1, 2, 3, 4, 5, 6 |
| | |  | 7000127722 | 06-0014-00NR | 3M™ Speedglas™ 9100 Hard Hat Adapter 06-0014-00NR, for 3M™ Speedglas™ Welding Helmet 9100 (Hard Hat not included) | 1/Case | ①②③ 4, 5, 6 |
| | |  | 7000128083 | 06-0700-54 | 3M™ Speedglas™ Wide-View Clear Grinding Visor 9100 FX/9100 FX-Air, 06-0700-54, Anti-Fog treated | 5/Case | 1, 2, 3, 4, 5, 6 |
| | |  | 7010385936 | 06-0200-51 | 3M™ Speedglas™ Welding Helmet Outside Protection Plate 9100 06-0200-51/37174(AAD) | 10/Case | 1, 2, 3, 4, 5, 6 |
| | 9002NC |  | 7010386299 | 04-0000-21NC | 3M™ Speedglas™ Welding Filter 9002NC 04-0000-21NC | 1/Case | 1, 2, 3, 4, 5, 6 |
| | |  | 7000030042 | 07-0014-00NR | 3M™ Speedglas™ 100 Hard Hat Adapter, Welding Safety 07-0014-00NR, for 3M™ Speedglas™ Welding Helmet 100 Series (Hard Hat not included), Compatible with 9002NC | 1/Case | ①②③ 4, 5, 6 |
| | |  | 7100009491 | 04-0270-01 | 3M™ Speedglas™ Welding Helmet Outside Protection Plate 9000 04-0270-01 | 10/Case | 1, 2, 3, 4, 5, 6 |
| | |  | 7000126758 | 04-0280-01 | 3M™ Speedglas™ Inside Protection Plate 9002NC with +1 shade 04-0280-01, standard plate with no additional shade is 04-0280-00 | 5/Case | 1, 2, 3, 4, 5, 6 |
| Welding P&SA Systems | Adflo Assemblies |  | 7100200576 | 38-1101-30iSW | 3M™ Adflo™ PAPR and Versaflo™ M-Series Helmet Kit Speedglas™ Welding Shield, 38-1101-30iSW, Li Ion Battery, ADF 9100 XXi | 1/Case | 1, 2, ③ 4, 5, 6 |
| | |  | 70071734944 | 35-5401-01 | 3M™ Adflo™ Turbo Assembly 35-5401-01, Lithium Ion Battery | 1/Case | 1, 2, 3, 4, 5, 6 |
| | Supplied Air Kits |  | 7100194538 | 26-5702-30iSW | 3M™ Speedglas™ FA III SAR V-100 and Speedglas™ Welding Helmet 9100 FX-Air, 26-5702-30iSW, ADF 9100XXi | 1/Case | 1, ②③④ 5, 6 |
| | |  | 7100194535 | 27-5702-30iSW | 3M™ Speedglas™ FA III SAR V-100 Valve and Speedglas™ Welding Helmet 9100 MP, 27-5702-30iSW, ADF 9100XXi | 1/Case | ①②③④⑤⑥ |
| | G5-01 |  | 7100214379 | 46-5702-30iVC | 3M™ Speedglas™ Heavy-Duty Welding Helmet G5-01 w 3M™ V-100 Vortex™ Cooling Valve Assembly, ADF G5-01 | 1/Case | ①②③④⑤⑥ |
| | |  | 70071735958 | 46-1101-30iVC | 3M™ Speedglas™ Heavy-Duty Welding Helmet G5-01 w ADF G5-01VC and 3M™ Adflo™ High-Altitude PAPR Assembly | 1/Case | ①②③④⑤⑥ |
| | |  | 70071735925 | 46-0099-35 | 3M™ Speedglas™ Heavy-Duty Welding Helmet G5-01, Rigid Neck Cover, Fabric Head Cover, No ADF | 1/Case | ①②③④⑤⑥ |
| | |  | 70071735842 | 46-0000-30i | 3M™ Speedglas™ Welding Filter G5-01 | 1/Case | ①②③④⑤⑥ |
| | |  | 70071735859 | 46-0000-30iVC | 3M™ Speedglas™ Welding Filter G5-01VC | 1/Case | ①②③④⑤⑥ |
| | |  | 7000126735 | 15-1101-99 | 3M™ Adflo™ High Efficiency Starter Kit 15-1101-99/37147(AAD) | 1/Case | 1, 2, 3, 4, 5, 6 |
| Welding P&SA Accessories | Adflo Accessories & Replacement Parts |  | 7000127589 | 15-0299-99x06 | 3M™ Adflo™ Powered Air Purifying Respirator (PAPR) High Efficiency Particulate Filter 15-0299-99X06 | 6/Case | 1, 2, 3, 4, 5, 6 |
| | |  | 7100009539 | 15-0299-99x02 | 3M™ Adflo™ Powered Air Purifying Respirator (PAPR) High Efficiency Particulate Filter 15-0299-99X02/37145(AAD) | 2/Case | 1, 2, 3, 4, 5, 6 |
| | |  | 7000126732 | 15-0099-99x12 | 3M™ Adflo™ Prefilter 15-0099-99X12 | 12/Case | 1, 2, 3, 4, 5, 6 |
| | | | 7000128118 | 15-0499-99x02 | 3M™ Adflo™ Replacement Cartridges 15-0499-99X02, Organic Vapor/Acid Gas(OV/SD/CL/HC) | 2/Case | 1, 2, 3, 4, 5, 6 |
| | | | 7100025244 | 35-0099-08 | 3M™ Adflo™ PAPR Battery Smart Charger 35-0099-08, for Lithium Ion Battery | 1/Case | 1, 2, 3, 4, 5, 6 |
| | | | 7100025245 | 35-1099-07 | 3M™ Adflo™ Powered Air Purifying Respiratory (PAPR) Battery, 35-1099-07, Lithium Ion | 1/Case | 1, 2, 3, 4, 5, 6 |
| | | | 7000052901 | BPK-01 | 3M™ Versaflo™ Back Pack BPK-01 for Adflo PAPR | 1/Case | 1, 2, 3, 4, 5, 6 |
| | | | 7000128097 | SG-30W | 3M™ Speedglas™ Self-Adjusting Breathing Tube SG-30W /37268(AAD) | 1/Case | 1, 2, 3, 4, 5, 6 |
| | | | 7000128115 | SG-15 | 3M™ Speedglas™ Breathing Tube Cover SG-15 | 1/Case | 1, 2, 3, 4, 5, 6 |

Hearing Solutions



Safety never sounded so good.






3M PELTOR solutions help provide protection from hazardous noise while allowing for auditory awareness and communications.

Find your function. (Color corresponds to the function in the above chart.)

| | | | | |
|---|---|---|---|--|
|  Hearing protection with level-dependent function for environmental listening |  Hearing protection with built-in two-way radio |  Hearing protection for communicating with external two-way radio |  Hearing protection with external audio input |  Bluetooth® technology |
|---|---|---|---|--|

Ordering Information

NOTE: Customers in the following industries may be interested in the products listed: 1. Construction 2. Utilities 3. Transportation 4. Government/Healthcare 5. Chemical/Pharmaceutical 6. Firearms Instructor. Transportation includes Heavy Manufacturing, Metal Fab, and Machinery

| | Function | SKU | Part Number | Item Description | Industry Used |
|--|---|------------|------------------|--|---------------|
| LiteCom Plus |  | 7000108560 | MT7H7A4610-NA | 3M™ PELTOR™ Lite Com Plus Two Way Radio Headset, Headband | 1, 2, 3 |
| | | 7000108562 | MT7H7P3E4610-NA | 3M™ PELTOR™ LiteCom Plus 2-Way Radio Headset, Hard Hat Attached | 1, 2, 3 |
| 30 pre-programmed channels and 121 sub-channel settings. | | | | | |
| WS LiteCom PRO III |  | 7100099585 | MT73H7F4D10NA-50 | 3M™ PELTOR™ WS™ LiteCom PRO III 403-470MHz, Analog/Digital, Intrinsically Safe, NA version, Headband | 1, 2, 3, 5 |
| | | 7100099790 | MT73H7A4D10NA | 3M™ PELTOR™ WS™ LiteCom PRO III 403-470MHz, Analog/Digital, NA version, Headband | 1, 2, 3 |
| | | 7100099581 | MT73H7B4D10NA | 3M™ PELTOR™ WS™ LiteCom PRO III 403-470MHz, Analog/Digital, NA version, Neckband | 1, 2, 3 |
| | | 7100099586 | MT73H7P3E4D10NA | 3M™ PELTOR™ WS™ LiteCom PRO III 403-470MHz, Analog/Digital, NA version, Hard Hat Attached | 1, 2, 3, 5 |
| Built-in programmable two-way communication radio allows for clear, hands-free communication in high levels of noise without cumbersome cables or cords. | | | | | |
| EEP |  | 7100193144 | EEP-100 | 3M™ PELTOR™ Electronic Earplug, EEP-100 | 1, 3, 6 |
| Helps provide hearing protection in environments with hazardous noise. | | | | | |
| Protac III |  | 7100088424 | MT13H221A | 3M™ PELTOR™ ProTac™ III Headset, Black, Headband | 1, 2, 3 |
| | | 7100088423 | MT13H221P3E | 3M™ PELTOR™ ProTac™ III Headset, Black, Hard Hat Attached | 1, 2, 3 |
| Professional-Quality Hearing Protection. Environmental microphones for level-dependent hearing protection and ambient listening. | | | | | |
| WS Protac XP |  | 7100147166 | MRX21A2WS6-NA | 3M™ PELTOR™ WS ALERT XP, Headband, FM Radio, Bluetooth® | 1, 2, 3 |
| | | 7100147152 | MRX21P3E2WS6-NA | 3M™ PELTOR™ WS ALERT XP, Hardhat Attached, FM Radio, Bluetooth® | 1, 2, 3 |
| Voice microphone includes VOX (Voice Operated Transmit) for handsfree communication. | | | | | |

U.S. EPA specifies the NRR as the measure of hearing protector noise reduction. However, 3M makes no warranties as to the suitability of the NRR for this purpose. 3M strongly recommends personal fit testing of hearing protectors. Research suggests that users may receive less noise reduction than indicated by the attenuation label value(s) on the packaging due to variation in fit, fitting skill, and motivation of the user. Refer to applicable regulations for guidance on how to adjust attenuation label values. It is recommended that the NRR be reduced by 50% to better estimate typical protection.

See important safety warnings at end of this catalog.




Hearing protection for nearly every environment.

3M has multiple options to help meet your needs. To the right are the most common earplugs, and some key benefits:

| | |
|-------------------------|---|
| Disposable | <p>Disposable Foam Earplugs</p> <ul style="list-style-type: none"> ▶ High NRR* for situations with high noise exposures ▶ Usually the lowest cost option ▶ Conforms comfortably to the unique shape of each ear |
| Reusable | <p>Reusable Earplugs</p> <ul style="list-style-type: none"> ▶ Designed for multiple uses ▶ Durable and washable with mild soap and water ▶ One size fits most |
| Push to Fit | <p>Push-to-Fit Earplugs</p> <ul style="list-style-type: none"> ▶ Quicker to insert than disposable foam earplugs ▶ No-roll design helps keep the tips clean when the wearer's hands are dirty ▶ Moderate to high NRR* |
| Metal Detectable | <p>Metal Detectable</p> <ul style="list-style-type: none"> ▶ Helps prevent food contamination ▶ 3M offers a metal detectable push-to-fit earplug ▶ Metal detectable cord available |

Ordering Information

NOTE: Customers in the following industries may be interested in the products listed: construction, utilities, transportation (includes heavy manufacturing and machinery), government, healthcare (when fluid resistance is not needed), chemical and pharmaceutical.

| | SKU | Part Number | Item Description | Qty/Case | NRR* |
|-------------------------|---|---|--|------------|-------|
| PELTOR Ear muffs |  | 7000104070 | X1 3M™ PELTOR™ Ear muffs X1, Over-the-Head, Green | 10 EA/Case | 22 dB |
| | | The X1A is a lightweight, low-profile earmuff designed for protection against low-level industrial noise and other loud sounds. It features an electrically insulated wire headband, often referred to as "dielectric". | | | |
| |  | 7000104073 | X4 3M™ PELTOR™ Ear muffs X4, Over-the-Head, Light Green | 10 EA/Case | 27 dB |
| | | Combines high attenuation with a sleek, low-profile and lightweight design. The innovative foam earcup inserts and spacers help boost attenuation while adding little bulk or weight helping this product have a great NRR* to thinness of cup ratio, great for those who have to work in tight spaces. | | | |
| |  | 7000104074 | X5 3M™ PELTOR™ Ear muffs X5, Over-the-Head, Black | 10 EA/Case | 31 dB |
| | No earmuffs in the market today offer a higher Noise Reduction Rating (NRR*) than X5. The high attenuation provided by these earmuffs is a result of the combination of specially-formulated foam in the earcups and cushions and the innovative spacer and cup design. | | | | |

U.S. EPA specifies the NRR as the measure of hearing protector noise reduction. However, 3M makes no warranties as to the suitability of the NRR for this purpose. 3M strongly recommends personal fit testing of hearing protectors. Research suggests that users may receive less noise reduction than indicated by the attenuation label value(s) on the packaging due to variation in fit, fitting skill, and motivation of the user. Refer to applicable regulations for guidance on how to adjust attenuation label values. It is recommended that the NRR be reduced by 50% to better estimate typical protection.

Ordering Information continued

| | SKU | Part Number | Item Description | Qty/Case | NRR* | |
|--|---|---|--|--|---------------|-------|
| Disposable |  | 700002299 | 310-1001 3M™ E-A-R™ Classic™ Uncorded Earplugs 310-1001/ 310-1103 (small), in Pillow Pack | 2,000 EA/Case | 29 dB | |
| | Classic earplugs start out firm to allow for easy insertion, then soften from body heat to conform to the unique shape of each ear. This low-pressure foam formulation doesn't absorb moisture for a comfortable fit even in high heat and humidity. The PVC Material will not ignite when exposed to an arc flash. | | | | | |
| |  | 700002303 | 312-1250 3M™ E-A-Rsoft™ Yellow Neons™ Earplugs 312-1250, Uncorded, Poly Bag | 2,000 EA/Case | 33 dB | |
| | These earplugs are designed to seal the ear canal with soft, slow-recovery foam for excellent noise reduction and comfort. | | | | | |
| Disposable |  | 7100099847 | 1100 3M™ Uncorded Foam Earplugs 1100 | 1,000 EA/Case | 29 dB | |
| | These economical, tapered earplugs are made with hypoallergenic foam that is designed to conform to the unique shape of each ear. 3M 1100 and 1110 earplugs start out firm, to make them easier to insert, then soften in the ear for a comfortable fit. | | | | | |
| |  | 7000029951 | 312-1261 3M™ E-A-Rsoft™ FX™ Earplugs 312-1261, Uncorded, Poly Bag | 2,000 EA/Case | 33 dB | |
| | Features a bell shape and super-soft, slow-recovery foam to effectively seal the ear canal and provide reliable hearing protection. | | | | | |
| Reusable |  | 7100101640 | 340-3002 3M™ UltraFit™ Silicone Corded Earplugs, 340-3002, w/Carry Case | 320 pr/Case | 24 dB | |
| | Designed for small to medium size ears and made from a durable soft silicone material this earplug easily adapts to the ear canal and can be washed and reused many times to help reduce waste. The three-flange design fits a wide range of ear canal sizes and a cloth cord for comfort and convenience. This product features a carry case to help you keep your earplugs clean and protected when not in use. | | | | | |
| |  | 700002320 | 340-4004 3M™ E-A-R™ UltraFit™ Corded Earplugs 340-4004, in Poly Bag | 400 EA/Case | 25 dB | |
| | A proven three-flange design and pliable, pre-molded material make UltraFit earplugs a good option for most ears. These durable earplugs are easy to use again and again, reducing waste. They can be cleaned easily with soap and water. | | | | | |
| Reusable |  | 7000127187 | p3000 3M™ Tri-Flange™ Corded Earplugs P3000 | 400 EA/Case | 26 dB | |
| | Soft, flexible flanges are designed to adapt to the shape of the ear canal to comfortably help reduce exposure to noise. The plastic stem allows the wearer to insert the earplugs quickly and easily without touching the premolded tips. Choose from a vinyl or cloth cord. | | | | | |
| |  | 7000052745 | 318-1001 3M™ E-A-R™ Push-Ins™ Earplugs 318-1001, Corded, Poly Bag | 400 EA/Case | 28 dB | |
| | 3M™ E-A-R™ Push-Ins™ corded foam earplugs provide all-day hearing comfort, convenience and protection. Constructed of 3M™ E-A-Rform™ foam, these earplugs feature a no roll-down design and a blue stem for a quick and easy insertion. | | | | | |
| Push to Fit |  | 7000002319 | 328-100 3M™ E-A-R™ Flexible Fit Earplug HA 328-1001, ANSI, corded, polybag | 400 pair PR/Case | 30 dB | |
| | The NEW 3M™ E-A-R™ Flexible Fit Earplug has a soft foam tip and a flexible fitting stem that allows easy insertion into the ear using one or two hands. | | | | | |
| |  | 7000052722 | p2001 3M™ No-Touch™ Push-to-Fit Earplugs P2001, Corded | 400 EA/Case | 29 dB | |
| | Corded push-to-fit foam earplugs create a hygienic, noise-reducing seal in the ear canal with soft foam, a smooth tapered shape and paddle stems. Push-to-fit design makes using hearing protection easy. | | | | | |
| Push to Fit |  | 7000127181 | P1301 3M™ E-A-R™ Skull Screws™ Earplugs P1301, Corded | 480 EA/Case | 32 dB | |
| | Push-to fit corded foam earplugs sport the tough look of threaded metal, but feel of soft foam, while offering push-to-fit convenience and noise attenuation with attitude. Effective hearing protection and compliance with a clean, easy twist. | | | | | |
| | Metal Detectable |  | 70071515749 | 340-4007 3M™ E-A-R™ UltraFit™ Metal Detectable Corded Earplugs 340-4007, in Poly Bag | 400 EA/Case | 25 dB |
| | |  | 7000029952 | 311-4106 3M™ E-A-Rsoft™ Yellow Neons™ Metal Detectable Corded Earplugs 311-4106, in Poly Bag Regular Size | 2,000 EA/Case | 32 dB |
|  | | 7000127208 | 311-1127 3M™ E-A-R™ EXPRESS™ Pod Plugs™ Corded Metal-Detectable Earplugs 311-1127, in Pillow Pack | 400 EA/Case | 25 dB | |
| All metal detectable earplugs have a stainless steel bead encased in the earplug. Popular in food manufacturing industries, when contamination prevention is critical. Available in a variety of comfortable earplug styles to meet most wearer preferences and environmental needs. | | | | | | |
| Dispenser |  | 7100064963 | 391-0000 3M™ E-A-R™ One Touch™ Pro Earplug Dispenser, Blue 391-0000 | 1 EA/Case | | |

All 3M earplugs are offered corded and most are also offered uncorded.

*NOTE: 3M strongly recommends fit testing of hearing protectors. Research suggests that many users will receive less noise reduction than indicated by the NRR due to variation in hearing protector fit, fitting skill and motivation of the user. If the NRR is used, 3M recommends that it be reduced by 50% or in accordance with applicable regulations.

See important safety warnings at end of this catalog.

Height Safety



Leadership at heights. Science applied to safety at height.

3M™ DBI-SALA® Sliding Beam Anchor



Secure the product to a beam using the redesigned adjustment buttons, simply connect your Self-Retracting Lifeline (SRL) or lanyard to the swiveling D-ring and you're ready to work. The anchor point slides effortlessly behind you.

3M™ DBI-SALA® Nano-Lok™ Edge Twin-Leg Quick Connect Self Retracting Lifeline



Nano Lok™ edge is specifically designed for foot level tie off and leading edge applications often found in construction. It is ergonomically designed for ease of use and is ideal for direct connection to most harnesses.

3M™ DBI-SALA® ExoFit NEX™ Plus Comfort Construction Style Positioning Harness



Get the same comfort of the ExoFit NEX harness with these new features: an integrated easy-link SRL adapter, a fixed back D-ring and auto-resetting lanyard keepers.


3M™ DBI-SALA® Lad-Saf™ X3 Detachable Cable Sleeve



The Lad Saf™ X3 sleeve connects the worker to the 3M™ DBI-SALA® Lad-Saf™ System, effortlessly follows the user during the climb and locks onto the cable in the event of a fall, arresting the fall and allowing the user to regain their footing.

Ordering Information

NOTE: Customers in the following industries may be interested in the products listed:
 Industries: 1. Construction 2. Utilities 3. Heavy Manufacturing 4. Oil & Gas
 **Also used in industries such as Telecom, Electrical and Nuclear.

| | SKU | Part Number | Item Description | Industry Used |
|----------------|-------------|--|---|---------------|
| Anchors | 70007488110 | 7605060 | 3M™ DBI-SALA® EZ-Line™ Retractable Horizontal Lifeline System 7605060, 60 ft. (18.3 m) | 1, 3 |
| | 70804485541 | 2104710 | 3M™ DBI-SALA® Sliding Beam Anchor 2104710, Small | 1, 3 |
| | 70007439253 | 2000112** | 3M™ DBI-SALA® Saflok™ Carabiner 2000112, Yellow Zinc | 1, 3 |
| Body Harnesses | 70007700084 | 1102000 | 3M™ DBI-SALA® Delta™ Vest-Style Harness 1102000, Yellow, Universal | 1, 3 |
| | 70007765293 | 1161309 | 3M™ Protecta® Construction Style Positioning Harness 1161309, Black, Medium/Large | 1, 3 |
| | 70804445271 | 1140183 | 3M™ DBI-SALA® ExoFit NEX™ Plus Comfort Construction Style Positioning Harness 1140183, Gray, Large | 1, 3 |
| | 70804445024 | 1140158 | 3M™ DBI-SALA® ExoFit NEX™ Plus Comfort Construction Style Positioning Harness 1140158, Gray, Medium | 1, 3 |
| | 70804444498 | 1140105 | 3M™ DBI-SALA® ExoFit NEX™ Plus Comfort Vest-Style Harness 1140105, Gray, Large | 1, 3 |
| | 70007700100 | 1107977 | 3M™ DBI-SALA® ExoFit™ Vest-Style Harness 1107977, Blue, Large | 1, 3 |
| | 70007405429 | 1101655 | 3M™ DBI-SALA® Delta™ Construction Style Positioning Harness 1101655, Yellow, Large | 1, 3 |
| Connectors | 70007464913 | 3590500 | 3M™ PROTECTA® Rebel™ Self Retracting Lifeline - Cable 3590500, 33 ft. (10 m) | 1, 3 |
| | 70007443966 | 3101277** | 3M™ DBI-SALA® Nano-Lok™ Twin-Leg Quick Connect Self Retracting Lifeline - Web 3101277, 6 ft. (1.8 m) | 1, 3 |
| | 70007444006 | 3101280** | 3M™ DBI-SALA® Nano-Lok™ Twin-Leg Quick Connect Self Retracting Lifeline - Web 3101280, 6 ft. (1.8 m) | 1, 3 |
| | 70007484259 | 6160054 | 3M™ DBI-SALA® Lad-Saf™ X3 Detachable Cable Sleeve 6160054 | 1, 2, 3 |
| | 70007461885 | 3500231 | 3M™ DBI-SALA® Nano-Lok™ Edge Twin-Leg Quick Connect Self Retracting Lifeline - Cable 3500231, Orange, 8 ft. (2.4 m) | 1, 3 |
| | 70007465969 | 3590550 | 3M™ DBI-SALA® Rebel™ Self Retracting Lifeline - Cable 3590550, 50 ft. (15.2 m) | 1, 3 |
| | 70007448536 | 1340161** | 3M™ PROTECTA® PRO™ Stretch 100% Tie-Off Shock Absorbing Lanyard 1340161, Red, 6 ft. (1.8 m) | 1, 3 |
| | 70007442976 | 3100425** | 3M™ PROTECTA® Rebel™ Self Retracting Lifeline - Web 3100425, Red, 11 ft. (3.3 m) | 1, 3 |
| | 70007444337 | 3101374** | 3M™ DBI-SALA® Nano-Lok™ Tie-Back Twin-Leg Quick Connect Self Retracting Lifeline - Web 3101374, 9 ft. (2.7 m) | 1, 3 |
| | 70007456570 | 3504430 | 3M™ DBI-SALA® Ultra-Lok™ Self Retracting Lifeline - Cable 3504430, 30 ft. (9.1 m) | 1, 3 |
| | 70007461869 | 3500227 | 3M™ DBI-SALA® Nano-Lok™ Edge Twin-Leg Quick Connect Self Retracting Lifeline - Cable 3500227, Orange, 8 ft. (2.4 m) | 1, 3 |
| | 70007441770 | 1244409** | 3M™ DBI-SALA® ShockWave™ 2 100% Tie-Off Shock Absorbing Lanyard 1244409, Yellow, 6 ft. (1.8 m) | 1, 3 |
| | 70007454237 | 3100414 | 3M™ PROTECTA® Rebel™ Twin-Leg Self Retracting Lifeline - Web 3100414, Red, 6 ft. (1.8 m) | 1, 3 |
| | 70007454336 | 3100431 | 3M™ PROTECTA® Rebel™ Self Retracting Lifeline - Web 3100431, Red, 20 ft. (6.1 m) | 1, 3 |
| | 70007462818 | 3500246 | 3M™ DBI-SALA® Nano-Lok™ Edge Twin-Leg Quick Connect Self Retracting Lifeline, Cable 3500246, 8 ft. (2.4m)  | 1, 3, 4 |
| | 70007489852 | 8300030 | 3M™ DBI-SALA® Advanced™ Aluminum Tripod with Winch 8300030 Silver, Black, Anodized Yellow, 60 ft. (18 m) | 1, 3 |
| | 70007438503 | 1231117** | 3M™ DBI-SALA® D-ring Extension 1231117, Yellow, 1.5 ft. (0.5 m) | 1, 3 |
| 70007608444 | 9501403 | 3M™ DBI-SALA® Suspension Trauma Safety Straps 9501403, Black | 1, 3 | |

Everything you need to help stop the drop.

Ordering Information

NOTE: Customers in the following industries may be interested in the products listed: construction, utilities, heavy manufacturing, chemical and oil & gas.

| | SKU | Part Number | Item Description | Suggested Industry Used* |
|---|-------------|-------------|---|--------------------------|
|  | 70007448809 | 1500003 | 3M™ DBI-SALA® D-Ring. Load Capacity 2 lbs, 10/pk. D-Rings can be attached to virtually any tool under 2 lbs using our Quick-Wrap Tape II. | 1, 2 |
|  | 70804440215 | 1500173 | 3M™ DBI-SALA® Quick Wrap Tape II – Blue 2x length 1" × 216", 60 pk. Use with D-rings and Tool Cinch Attachments to create instant tethering points on virtually any tool. | 1, 2, 3 |
|  | 70804436940 | 1500161 | 3M™ DBI-SALA® Harness Adapter. Load Rating 5 lbs. Provides an attachment point for your tools on harness webbing. | 1 |
|  | 70007437695 | 1500015 | 3M™ DBI-SALA® V-Ring Double Tool Cinch Attachment. Two stabilization wings, Load Rating 35 lbs. Tool Cinch Attachments feature a cinch design that allows users to quickly secure equipment up to 35 lbs. | 1, 3 |
|  | 70804436908 | 1500156 | 3M™ DBI-SALA® 5 lb. Tool Retractor. Load Rating 5 lbs. Retractable design minimizes tangling and tripping hazards. | 1 |
|  | 70007449047 | 1500047 | 3M™ DBI-SALA® Hook2Loop Bungee | 1, 2, 3 |
|  | 70007449054 | 1500048 | 3M™ DBI-SALA® Hook2Loop Bungee Tool Tether | 1 |
|  | 70804431230 | 1500159 | 3M™ DBI-SALA® Hook2Hook Coil Tether with Swivel | 2, 3 |
|  | 70007448841 | 1500007 | 3M™ DBI-SALA® D-Ring | 2, 3 |
|  | 70007448858 | 1500009 | 3M™ DBI-SALA® D-Ring Cord | 2 |
|  | 70007449351 | 1500109 | 3M™ DBI-SALA® Dual Tool Holster with Retractors | 2 |
|  | 70007448874 | 1500013 | 3M™ DBI-SALA® V-Ring Single Tool Cinch Attachment | 2 |

*Industries: 1. Iron Worker 2. Scaffold Worker 3. Boiler Maker

Protective Apparel



Tailored for the way you work.





Designed for reliable protection and comfort – all shift long! 3M™ Protective Apparel includes a variety of features, from fabrics with specialized treatments for enhanced wear and added protection, to breathable back panels for increased comfort.

- Suggested
- Possible alternative

| | 4520 | 4540+ |
|---|------------------|-------|
| Certification | | |
| | ▶ Limited splash | |
| | ▶ Particle | |
| | ▶ Anti-static | |
| ▶ Abatement/remediation | | |
| Exposure to radioactive particles | ○ | ○ |
| Mold remediation/mold spores | ● | ○ |
| Asbestos inspection, site preparation | ● | ○ |
| Asbestos removal | ○ | ○ |
| ▶ Agriculture | | |
| Fertilizer application (dry/granular) | ○ | ○ |
| Animal waste (solid) | ○ | |
| Pesticide spraying ¹ | | |
| ▶ Pharmaceutical/clean room | | |
| Pharmaceutical processing | ○ | ○ |
| Handling powders | ○ | ○ |
| Clean rooms | | ○ |
| ▶ Painting | | |
| Spray Painting | | ● |
| Resin application | | ● |
| Fiberglass application | | ● |
| ▶ Cleaning and maintenance | | |
| Dirt | ○ | |
| Machine or vehicle maintenance | ○ | ○ |
| Light duty building maintenance | ○ | |
| Grease (general) | ○ | ○ |
| ▶ General industry | | |
| Electronics/circuit board assembly ² | ● | |
| Fiberglass/cellulose insulation installation | ● | ○ |
| Food processing | ○ | ○ |
| General powder handling | ○ | ○ |
| Lime handling | ○ | |
| Woodworking | ● | |
| Non-hazardous aerosols (sprays) | ○ | ○ |
| Non-hazardous liquids | ○ | ○ |
| Non-hazardous solids | ○ | |
| Coal dust | ○ | ○ |

Ordering Information

NOTE: Customers in the following industries may be interested in the following products: Transportation (includes Heavy Manufacturing and Machinery) and Chemical/Pharmaceutical industries.

| | SKU | Product Name/Number/Item Description | Quantity/Case |
|--|---|---|---------------|
| 4520 |  | 7000088987 3M™ Disposable Protective Coverall 4520-BLK-M | 25/Case |
| | | 7000088986 3M™ Disposable Protective Coverall 4520-BLK-L | 25/Case |
| | | 7000088988 3M™ Disposable Protective Coverall 4520-BLK-XL | 25/Case |
| |  | 7000088989 3M™ Disposable Protective Coverall 4520-BLK-XXL | 25/Case |
| | | 7000088990 3M™ Disposable Protective Coverall 4520-BLK-3XL | 25/Case |
| | | 7000088985 3M™ Disposable Protective Coverall 4520-BLK-4XL | 25/Case |
| (Coverall, zipper front, storm flap, attached hood, elastic wrists and ankles, white) | | | |
| 4540+ |  | 7000109040 3M™ Disposable Protective Coverall 4540+BLK-M | 25/Case |
| | | 7000109041 3M™ Disposable Protective Coverall 4540+BLK-L | 25/Case |
| | | 7000109042 3M™ Disposable Protective Coverall 4540+BLK-XL | 25/Case |
| |  | 7000109043 3M™ Disposable Protective Coverall 4540+BLK-XXL | 25/Case |
| | | 7000109044 3M™ Disposable Protective Coverall 4540+BLK-3XL | 25/Case |
| | | 7000109045 3M™ Disposable Protective Coverall 4540+BLK-4XL | 25/Case |
| (Coverall, zipper front, storm flap, breathable panel, attached hood, knit cuffs, elastic ankles, white) | | | |

¹ Refer to pesticide manufacturer's recommendations for appropriate level of liquid/particulate protection.

² For applications conducted in a controlled environment refer to "Cleanroom Applications".

* All apparel must be suitably grounded for anti-static treatment to be effective.

Scotchlite



Helping employers protect lives through trusted reflective innovation.

Our Promise:

3M is a pioneer in developing the science behind retroreflection and has been advancing the technology in new and groundbreaking ways for decades. We continue to make advancements in reflective material innovations and help play a longstanding role in on-the-job safety.

Resources and education.

ANSI/ISEA 107-2015 Standard

Federal safety regulations requires that employers perform a low visibility risk assessment for every job function on a worksite exposed to vehicle and/or equipment traffic. Are you compliant with OSHA Hazard Assessment Requirements?

See how the New ANSI/ISEA 107-2015 standard changes may impact your High Visibility garment choices: 3M.com/ANSIMadeEasier

3M High Visibility Hazard Assessment

Learn more about 3M High Visibility materials and access our assessment tool by visiting our website: 3M.com/HSS

Buying made easy.

For a list of Reflective and High Visibility Apparel from brands featuring 3M™ Scotchlite™ Reflective Material, visit: 3M.com/highvisibilityclothing

Compliance across industries.

High Visibility Clothing Options - made with 3M™ Scotchlite™ Reflective Material.



Oil and Gas



Firefighting



Mining



Construction

NOTE: Customers in the following industries may be interested in the following products: Oil & Gas, Firefighting, Mining, Construction.

How 3M™ Scotchlite™ Reflective Material Works:

Retroreflectivity helps the eye perceive objects in low-light conditions when illuminated by a light source. In more scientific terms, retroreflection occurs when light rays are returned in the direction from which they came. Retroreflective materials appear brightest to an observer located near the original light source.



Visible value. Without comparison.

3M™ Scotchlite™ Reflective Material - 5410 Diamond Mesh Trim is a revolutionary leap in performance and design, delivering compliant visibility with breathability and durability - to help keep your guys comfortable and safe while they work. Created with a patent-pending 3M cut and spread technology, the interstitial weeding process and related waste is eliminated to create a resource-efficient, lower-cost trim without sacrificing visibility.

Learn more at: [3M.com/DiamondMesh](https://www.3M.com/DiamondMesh)





Personal Safety Division
3M Center, Building 0235-2W-70
St. Paul, MN 55144-1000

Customer Service: 1-800-328-1667
Technical Service: 1-800-243-4630
www.3M.com/WorkerSafety

3M Personal Safety Division
Fall Protection
3833 SALA Way
Red Wing, MN 55066

Customer Service: 1-800-328-6146
Email: 3MFallProtection@mmm.com
www.3M.com/FallProtection

3M Personal Safety Division
Scott Fire & Safety
Monroe Corporate Center
4320 Goldmine Road
Monroe, NC 28110

Customer Service: 1-800-247-7257
Fax: 704-291-8330
www.3mscott.com

Important Notice: This guide is only an outline. It should not be used as the only means for selecting PPE. The wearer must read and understand the user instructions for each product. Specific country legislation must be observed. If in doubt, contact a safety professional. Selection of the most appropriate PPE will depend on the particular situation and should only be made by a competent person knowledgeable of the actual working conditions and the limitations of PPE.

Final determination as to the suitability of these products for a particular situation is the employer's responsibility. This information is subject to revision at any time. Always read and follow all User Instructions in order to ensure correct operation. If you have questions contact 3M Technical Service.

LIMITATION OF LIABILITY: Except as provided above, 3M shall not be liable or responsible for any loss or damage, whether direct, indirect, incidental, special or consequential arising out of the sale, use or misuse of 3M PSD products, or the user's inability to use such products. THESE REMEDIES SET FORTH HEREIN ARE EXCLUSIVE.



▲WARNING

These respirators help reduce exposures to certain airborne particulates.

Before use, the wearer must read and understand the User Instructions provided as a part of the product packaging. A written respiratory protection program must be implemented meeting all the requirements of OSHA 1910.134 including training, fit testing and medical evaluation. In Canada, CSA standards Z94.4 requirements must be met and/or requirements of the applicable jurisdiction, as appropriate. Misuse may result in injury, illness or death. For correct use, consult supervisor and User Instructions, or call 3M PSD Technical Service in USA at 1-800-243-4630 and in Canada at 1-800-267-4414.

Important – Before using these respirators, you must determine the following:

1. The type of contaminant(s) for which the respirator is being selected.
2. The concentration level of contaminant(s).
3. Whether the respirator can be properly fitted on the wearer's face. All respirator instructions, warnings and use and time limitations must also be read and understood by the wearer before use.

Before use of these respirators, a written respiratory protection program must be implemented, meeting all the requirements of OSHA 29 CFR 1910.134, including training and fit testing.

▲WARNING

These hearing protectors help reduce exposure to hazardous noise and other loud sounds. Misuse or failure to wear hearing protectors at all times that you are exposed to noise may result in hearing loss or injury. For proper use, see supervisor and User Instructions, or call 3M PSD Technical Service in USA at 1-800-243-4630. If there is any drainage from your ear or you have an ear infection, consult with your physician before wearing earplugs. Failure to do so may result in hearing loss or injury.

3M strongly recommends fit testing of hearing protectors. Research suggests that many users will receive less noise reduction than indicated by the NRR due to variation in hearing protector fit, fitting skill and motivation of the user. If the NRR is used, 3M recommends that it be reduced by 50% or in accordance with applicable regulations.

▲WARNING

Compliant fall protection and emergency rescue systems help prevent serious injuries associated with fall events. Users must read and understand the User Instructions provided with the product, and must be properly trained by their employers in the safe use of these systems before using them, per OSHA 1910.140 and 1926.503 or applicable local standards. Misuse or failure to follow warnings and instructions may result in serious personal injury or death. For correct use, see supervisor, User Instructions, or call 800-328-6146 (Opt. 1).

▲WARNING

3M™ Hard Hat H-700 Series and 3M™ Hard Hat H-800 Series provides limited protection only. Misuse or failure to following warnings and User Instructions may result in serious personal injury or death. For proper use see supervisor, User Instructions or call 3M Personal Safety Division (PSD) Technical Service at 800-243-4630 (USA) or 800-267-4114 (Canada).

▲WARNING

These products meet the requirements of certain industrial eyewear standards and with some models certain industrial head protection standards. They do not provide complete head, eye and face protection from severe impact and penetration and are not a substitute for good safety practices and engineering controls. **Misuse may result in serious injury or death.** For correct use, see supervisor and User Instructions, or call 3M PSD Technical Service.

▲WARNING

This product is designed to help protect the wearer's eyes and face from harmful radiation including visible light, ultra-violet radiation (UV), infra-red radiation (IR), sparks and spatter resulting from welding processes. These products must be used only by qualified persons who are properly trained in their use and maintenance. **Misuse may result in permanent eye injury and vision loss.** Always wear ANSI Z87.1 compliant safety spectacles in addition to any welding helmet. For correct use, see supervisor and User Instructions, or call 3M PSD Technical Service in USA at 1-800-243-4630 and in Canada at 1-800-267-4414.



3M General Offices

3M Center, Building 235-2W-1000
St. Paul, MN 55144-1000
3M.com/PersonalSafety

3M Canada Company PSD

P.O. Box 5757
London, Ontario N6A 4T1
Canada

For More Information

Technical Assistance in US
1-800-243-4630
Technical Assistance in Canada
1-800-267-4414
www.3M.com/workersafety

3M, Adflo, Advanced, Aura, Classic, DBI-SALA, Delta, E-A-R, E-A-Rsoft, ExoFit, ExoFit NEX, EXPRESS, EZ-Line, GoggleGear, Glyder, Lad-Saf, Nano-Lok, No-Touch, PELTOR, Pod-Plugs, Protecta, Pro-Tac, Push-Ins, Rebel, Salalift, Saflok, Scotchgard, Scotchlite, SecureFit, ShockWave, Skull Screws, Solus, Speedglas, Talon, Tri-Flange, UltraFit, Ultra-Lok, VFlex, WS, Yellow Neons, and Versaflo are trademarks of 3M Company, used under license in Canada. Please recycle. Printed in USA.

© 3M 2020. All rights reserved.

70-0716-7276-3