

# SAFETY DATA SHEET

Creation Date 23-Apr-2010 Revision Date 26-Dec-2021 Revision Number 7

1. Identification

Product Name 1,1,1,3,3,3-Hexamethyldisilazane

Cat No.: AC430850000; AC430850010; AC430851000

 CAS No
 999-97-3

 Synonyms
 HMDS

Recommended Use Laboratory chemicals.

Uses advised against Food, drug, pesticide or biocidal product use.

Details of the supplier of the safety data sheet

Company

Fisher Scientific Company
One Reagent Lane
Fair Lawn, NJ 07410

Acros Organics
One Reagent Lane
Fair Lawn, NJ 07410

Fair Lawn, NJ 07410

Tel: (201) 796-7100

Emergency Telephone Number For information US call: 001-800-ACROS-01 / Europe call: +32 14 57 52 11

Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No.**US**:001-800-424-9300 / **Europe**:001-703-527-3887

# 2. Hazard(s) identification

## Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids

Acute oral toxicity

Category 4

Acute dermal toxicity

Category 3

Acute Inhalation Toxicity - Vapors

Category 4

## Label Elements

## Signal Word

Danger

#### **Hazard Statements**

Highly flammable liquid and vapor Toxic in contact with skin Harmful if swallowed or if inhaled



## **Precautionary Statements**

#### Prevention

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Wear protective gloves/protective clothing/eye protection/face protection

Avoid breathing dust/fume/gas/mist/vapors/spray

Use only outdoors or in a well-ventilated area

Keep away from heat/sparks/open flames/hot surfaces. - No smoking

Keep container tightly closed

Ground/bond container and receiving equipment

Use explosion-proof electrical/ventilating/lighting equipment

Use only non-sparking tools

Take precautionary measures against static discharge

#### Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Call a POISON CENTER or doctor/physician if you feel unwell

#### Skin

Call a POISON CENTER or doctor/physician if you feel unwell

Wash contaminated clothing before reuse

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

#### Ingestion

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

Rinse mouth

#### Fire

In case of fire: Use CO2, dry chemical, or foam for extinction

## Storage

Store locked up

Store in a well-ventilated place. Keep cool

## **Disposal**

Dispose of contents/container to an approved waste disposal plant

# Hazards not otherwise classified (HNOC) Harmful to aquatic life with long lasting effects

Component	CAS No	Weight %
Hexamethyldisilizane	999-97-3	<=100

3. Composition/Information on Ingredients

# 4. First-aid measures

**General Advice** Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.

·

**Eye Contact** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. In

the case of contact with eyes, rinse immediately with plenty of water and seek medical

advice.

## 1,1,1,3,3,3-Hexamethyldisilazane

**Skin Contact**Wash off immediately with plenty of water for at least 15 minutes. Immediate medical

attention is required.

Inhalation If not breathing, give artificial respiration. Remove to fresh air. Do not use mouth-to-mouth

method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.

Immediate medical attention is required.

**Ingestion** Do NOT induce vomiting. Call a physician or poison control center immediately.

Most important symptoms and

effects

None reasonably foreseeable. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe

damage to the delicate tissue and danger of perforation

Notes to Physician Treat symptomatically

## 5. Fire-fighting measures

Suitable Extinguishing Media Water mist may be used to cool closed containers. CO 2, dry chemical, dry sand,

alcohol-resistant foam.

Unsuitable Extinguishing Media No information available

Flash Point 20 °C / 68 °F

Method - No information available

Autoignition Temperature 325 °C / 617 °F

**Explosion Limits** 

**Upper** 16.3 vol % **Lower** 0.8 vol %

**Sensitivity to Mechanical Impact** No information available **Sensitivity to Static Discharge** No information available

#### Specific Hazards Arising from the Chemical

Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin and mucous membranes. Containers may explode when heated. Flammable. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back.

## **Hazardous Combustion Products**

Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>).

## **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

NFPA

HealthFlammabilityInstabilityPhysical hazards331N/A

## 6. Accidental release measures

Personal Precautions Use personal protective equipment as required. Ensure adequate ventilation. Keep people

away from and upwind of spill/leak. Evacuate personnel to safe areas. Remove all sources

of ignition. Take precautionary measures against static discharges.

**Environmental Precautions**Should not be released into the environment. Do not flush into surface water or sanitary

sewer system.

Methods for Containment and Clean Soak up with inert absorbent material. Keep in suitable, closed containers for disposal.

Up

Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

## 7. Handling and storage

#### Handling

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not breathe mist/vapors/spray. Do not ingest. If swallowed then seek immediate medical assistance. Handle under an inert atmosphere. Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Take precautionary measures against static discharges.

Storage.

Keep away from heat, sparks and flame, Flammables area, Keep containers tightly closed in a dry, cool and well-ventilated place. Corrosives area, Store under an inert atmosphere, Protect from moisture. Incompatible Materials. Strong oxidizing agents. Water.

## 8. Exposure controls / personal protection

**Exposure Guidelines** 

This product does not contain any hazardous materials with occupational exposure limitsestablished by the region specific regulatory bodies.

**Engineering Measures** 

Use only under a chemical fume hood. Use explosion-proof electrical/ventilating/lighting equipment. Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas.

#### **Personal Protective Equipment**

**Eye/face Protection** Wear appropriate protective eyeglasses or chemical safety goggles as described by

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

Skin and body protection Wear appropriate protective gloves and clothing to prevent skin exposure.

Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard **Respiratory Protection** 

> EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Handle in accordance with good industrial hygiene and safety practice. **Hygiene Measures** 

## 9. Physical and chemical properties

Not applicable

**Physical State** Liquid **Appearance** Colorless Odor Odorless

**Odor Threshold** No information available pН No information available Melting Point/Range -78 °C / -108.4 °F

125 °C / 257 °F @ 760 mmHg **Boiling Point/Range** 

**Flash Point** 20 °C / 68 °F

**Evaporation Rate** No information available Flammability (solid,gas)

Flammability or explosive limits

16.3 vol % Upper 0.8 vol % Lower

**Vapor Pressure** 20 hPa @ 20 °C

**Vapor Density** 4.6 **Specific Gravity** 0.760

Solubility Water reactive No data available Partition coefficient; n-octanol/water

#### 1,1,1,3,3,3-Hexamethyldisilazane

**Autoignition Temperature Decomposition Temperature** 

**Viscosity Molecular Formula Molecular Weight** 

325 °C / 617 °F No information available 0.9 cSt at 25 °C

C6 H19 N Si2 161.4

## 10. Stability and reactivity

None known, based on information available **Reactive Hazard** 

Stability Stable under normal conditions. Moisture sensitive.

**Conditions to Avoid** Incompatible products. Excess heat. Keep away from open flames, hot surfaces and

sources of ignition. Exposure to moist air or water.

**Incompatible Materials** Strong oxidizing agents, Water

Hazardous Decomposition Products Carbon monoxide (CO), Carbon dioxide (CO2)

Hazardous polymerization does not occur. **Hazardous Polymerization** 

**Hazardous Reactions** None under normal processing.

## 11. Toxicological information

#### **Acute Toxicity**

#### **Product Information**

**Component Information** 

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation		
Hexamethyldisilizane	LD50 = 813 mg/kg (Rat)	LD50 = 1350 mg/kg ( Rabbit )	LC50 = 1516 ppm (Rat) 6 h		

**Toxicologically Synergistic** 

No information available

**Products** 

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation Causes burns by all exposure routes

Sensitization No information available

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico
Hexamethyldisilizane	999-97-3	Not listed				

**Mutagenic Effects** Not mutagenic in AMES Test

No information available. **Reproductive Effects** No information available. **Developmental Effects Teratogenicity** No information available.

STOT - single exposure None known STOT - repeated exposure None known

No information available **Aspiration hazard** 

delayed

Symptoms / effects,both acute and Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and

danger of perforation

Endocrine Disruptor Information No information available

Other Adverse Effects The toxicological properties have not been fully investigated.

## 12. Ecological information

## **Ecotoxicity**

The product contains following substances which are hazardous for the environment. Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment. Reacts with water so no ecotoxicity data for the substance is available.

Component	Freshwater Algae Freshwater Fish		Microtox	Water Flea	
Hexamethyldisilizane	Not listed	Pimephales promelas: LC50:	Not listed	EC50: 186 mg/L 48h	
1		167 mg/L 96h		-	

Persistence and Degradability Persistence is unlikely based on information available.

**Bioaccumulation/ Accumulation** No information available.

**Mobility** Is not likely mobile in the environment.

# 13. Disposal considerations

**Waste Disposal Methods** 

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

## 14. Transport information

DOT

**UN-No** UN1992

Proper Shipping Name FLAMMABLE LIQUIDS, TOXIC, N.O.S.

Technical Name Hexamethyldisilizane

Hazard Class 3
Subsidiary Hazard Class 6.1
Packing Group ||

TDG

UN-No UN1992

Proper Shipping Name FLAMMABLE LIQUID, TOXIC, N.O.S.

Hazard Class 3 Subsidiary Hazard Class 6.1 Packing Group II

IATA

**UN-No** UN1992

**Proper Shipping Name** FLAMMABLE LIQUID, TOXIC, N.O.S.

Hazard Class 3
Subsidiary Hazard Class 6.1
Packing Group II

IMDG/IMO

UN-No UN1992

Proper Shipping Name FLAMMABLE LIQUID, TOXIC, N.O.S.

Hazard Class 3
Subsidiary Hazard Class 6.1
Packing Group ||

## 15. Regulatory information

## United States of America Inventory

Component	CAS No TSCA		TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags	
Hexamethyldisilizane	999-97-3	X	ACTIVE	-	

Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed
'-' - Not Listed

TSCA 12(b) - Notices of Export Not applicable

## **International Inventories**

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
Hexamethyldisilizane	999-97-3	Х	-	213-668-5	Х	Х	Χ	Х	Х	KE-34695

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

## U.S. Federal Regulations

SARA 313 Not applicable

SARA 311/312 Hazard Categories See section 2 for more information

CWA (Clean Water Act) Not applicable

Clean Air Act Not applicable

**OSHA** - Occupational Safety and

Health Administration

Not applicable

CERCLA Not applicable

**California Proposition 65** This product does not contain any Proposition 65 chemicals.

# U.S. State Right-to-Know

Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Hexamethyldisilizane	-	X	-	-	-

#### **U.S. Department of Transportation**

Reportable Quantity (RQ): N
DOT Marine Pollutant N
DOT Severe Marine Pollutant N

## U.S. Department of Homeland

Security

This product does not contain any DHS chemicals.

## Other International Regulations

Mexico - Grade Serious risk, Grade 3

## Authorisation/Restrictions according to EU REACH

## Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic	Ozone Depletion	Restriction of

Hazardous

**Potential** 

					Substances (RoHS)	
Hexamethyldisilizane	999-97-3	Listed	Not applicable	Not applicable	Not applicable	
Component	CAS No	Seveso III Directive (2012/18/EC) -	Seveso III Directive (2012/18/EC) -	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)	
	Qualifying Quantities Qualifying Quantities					
		for Major Accident	for Safety Report			
		Notification	Requirements			
Hexamethyldisilizane	999-97-3	Not applicable	Not applicable	Not applicable	Not applicable	

## 16. Other information

Prepared By Regulatory Affairs

Thermo Fisher Scientific

Email: EMSDS.RA@thermofisher.com

 Creation Date
 23-Apr-2010

 Revision Date
 26-Dec-2021

 Print Date
 26-Dec-2021

Revision Summary This document has been updated to comply with the US OSHA HazCom 2012 Standard

replacing the current legislation under 29 CFR 1910.1200 to align with the Globally

Pollutant

Harmonized System of Classification and Labeling of Chemicals (GHS).

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of SDS**