

SAFETY DATA SHEET

Creation Date 03-Sep-2009 Revision Date 13-Oct-2023 Revision Number 7

1. Identification

Product Name N,N-Dimethylformamide

Cat No.: BP1160-4; BP1160-500; BP1160N2-19; BP1160POP-20;

BP1160POP-50; BP1160POP-200; BP1160RS-19; BP1160RS-28;

BP1160RS-115; BP1160RS-200; BP1160SS-50

CAS No 68-12-2 Synonyms DMF

Recommended UseLaboratory chemicals.

Uses advised against Food, drug, pesticide or biocidal product use.

Details of the supplier of the safety data sheet

Company

Fisher Scientific Company One Reagent Lane Fair Lawn, NJ 07410 Tel: (201) 796-7100

Emergency Telephone Number

CHEMTREC®, Inside the USA: 800-424-9300 CHEMTREC®, Outside the USA: 001-703-527-3887

2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids

Acute dermal toxicity

Acute Inhalation Toxicity - Vapors

Serious Eye Damage/Eye Irritation

Category 2

Carcinogenicity

Category 1B

Reproductive Toxicity

Specific target organ toxicity (single exposure)

Category 3

Target Organs - Respiratory system, Central nervous system (CNS).

Label Elements

Signal Word

Danger

Hazard Statements

Flammable liquid and vapor
Causes serious eye irritation
May cause respiratory irritation
May cause drowsiness or dizziness
May damage the unborn child
May cause cancer
Harmful in contact with skin or if inhaled



Precautionary Statements

Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Use only outdoors or in a well-ventilated area

Wash face, hands and any exposed skin thoroughly after handling

Do not breathe dust/fume/gas/mist/vapors/spray

Keep away from heat/sparks/open flames/hot surfaces. - No smoking

Keep container tightly closed

Ground/bond container and receiving equipment

Use explosion-proof electrical/ventilating/lighting equipment

Use only non-sparking tools

Take precautionary measures against static discharge

Keep cool

Wear protective gloves/protective clothing/eye protection/face protection

Response

IF exposed or concerned: Get medical attention/advice

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Skin

Call a POISON CENTER or doctor/physician if you feel unwell

Wash contaminated clothing before reuse

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

Fire

In case of fire: Use CO2, dry chemical, or foam for extinction

Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Lachrymator (substance which increases the flow of tears)

WARNING. Cancer - https://www.p65warnings.ca.gov/.

3. Composition/Information on Ingredients

Component	CAS No	Weight %
Dimethylformamide	68-12-2	>95

4. First-aid measures

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Get medical attention

immediately if symptoms occur.

Inhalation Remove to fresh air. If breathing is difficult, give oxygen. Get medical attention.

Ingestion Do NOT induce vomiting. Get medical attention.

Most important symptoms and

effects

Irritating to eyes. Difficulty in breathing. May be harmful if absorbed through skin: Gastrointestinal discomfort: Symptoms of overexposure may be headache, dizziness,

tiredness, nausea and vomiting

Notes to Physician Treat symptomatically

5. Fire-fighting measures

Suitable Extinguishing Media Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam. Water mist may

be used to cool closed containers.

Unsuitable Extinguishing Media No information available

Flash Point 58 °C / 136.4 °F

Method - Abel-Pensky (DIN 51755)

Autoignition Temperature 445 °C / 833 °F

Explosion Limits

 Upper
 15.2 vol %

 Lower
 2.2 vol %

Sensitivity to Mechanical Impact No information available Sensitivity to Static Discharge No information available

Specific Hazards Arising from the Chemical

Flammable. Risk of ignition. Containers may explode when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back. Thermal decomposition can lead to release of irritating gases and vapors.

Hazardous Combustion Products

Carbon monoxide (CO). Carbon dioxide (CO₂). Nitrogen oxides (NOx).

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

NFPA

HealthFlammabilityInstabilityPhysical hazards220N/A

6. Accidental release measures

Personal Precautions Ensure adequate ventilation. Use personal protective equipment as required. Keep people

away from and upwind of spill/leak. Evacuate personnel to safe areas. Remove all sources

of ignition. Take precautionary measures against static discharges.

Environmental Precautions Should not be released into the environment. See Section 12 for additional Ecological

Information.

Methods for Containment and Clean Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. **Up**Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

7. Handling and storage

Handling

Use only under a chemical fume hood. Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Do not breathe mist/vapors/spray. Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools. Use spark-proof tools and explosion-proof equipment. Take precautionary measures against static discharges.

Storage.

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks and flame. Incompatible Materials. Strong oxidizing agents. Halogens. Halogenated compounds. Reducing Agent. .

8. Exposure controls / personal protection

Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH	Mexico OEL (TWA)
Dimethylformamide	TWA: 5 ppm	(Vacated) TWA: 10 ppm	IDLH: 500 ppm	TWA: 10 ppm
	Skin	(Vacated) TWA: 30 mg/m ³	TWA: 10 ppm	
		Skin	TWA: 30 mg/m ³	
		TWA: 10 ppm	_	
		TWA: 30 mg/m ³		

Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH: NIOSH - National Institute for Occupational Safety and Health

Engineering MeasuresUse only under a chemical fume hood. Ensure that eyewash stations and safety showers

are close to the workstation location. Use explosion-proof electrical/ventilating/lighting

equipment.

Personal Protective Equipment

Eye/face Protection Wear appropriate protective eyeglasses or chemical safety goggles as described by

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

Skin and body protection Wear appropriate protective gloves and clothing to prevent skin exposure.

Respiratory Protection Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard

EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Recommended Filter type: Type A. Organic gases and vapours filter. Brown. conforming to EN14387.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

Physical State Liquid
Appearance Colorless
Odor Rotten-egg like

Odor Threshold No information available

pH 6-8 @ 20°C 20% aq.sol

N,N-Dimethylformamide

 Melting Point/Range
 -61 °C / -77.8 °F

 Boiling Point/Range
 153 °C / 307.4 °F

 Flash Point
 58 °C / 136.4 °F

 Method Abel-Pensky (DIN 51755)

Evaporation Rate 0.17

Flammability (solid,gas)

Not applicable

Flammability or explosive limits

 Upper
 15.2 vol %

 Lower
 2.2 vol %

Vapor Pressure 4.9 mbar @ 20 °C

Vapor Density 2.5 Specific Gravity 0.945

Solubility

Partition coefficient; n-octanol/water

Autoignition Temperature

Soluble in water

No data available

445 °C / 833 °F

Decomposition Temperature > 350°C

Viscosity 0.8 mPa.s at 20 °C

Molecular FormulaC3 H7 N OMolecular Weight73.09

Surface tension 36.42 mN/m (25 °C)

10. Stability and reactivity

Reactive Hazard None known, based on information available

Stability Stable under normal conditions.

Conditions to Avoid Incompatible products. Heat, flames and sparks. Keep away from open flames, hot

surfaces and sources of ignition.

Incompatible Materials Strong oxidizing agents, Halogens, Halogenated compounds, Reducing Agent,

Hazardous Decomposition Products Carbon monoxide (CO₂), Carbon dioxide (CO₂), Nitrogen oxides (NO_X)

Hazardous Polymerization Hazardous polymerization does not occur.

Hazardous ReactionsNone under normal processing.

11. Toxicological information

Acute Toxicity

Product Information

LC50 Inhalation (DUST) VALUE 9400 mg/m³/24 (mouse) LC50 Inhalation (VAPOR) VALUE 3421 ppm/h (rat)

Component Information

L	Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Г	Dimethylformamide	3040 mg/kg (Rat)	1500 mg/kg (Rabbit)	>5.58 mg/L/4h (Rat)
			3.2 g/kg (Rat)	

Toxicologically Synergistic No information available

Products

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation Irritating to eyes

Sensitization No information available

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico
Dimethylformamide	68-12-2	Group 2A	Not listed	A3	X	Not listed

N,N-Dimethylformamide

Mutagenic Effects No information available

Reproductive Effects Experiments have shown reproductive toxicity effects on laboratory animals.

Developmental Effects May cause harm to the unborn child. Developmental effects have occurred in experimental

animals.

Teratogenicity Teratogenic effects have occurred in experimental animals.

Respiratory system Central nervous system (CNS) STOT - single exposure

STOT - repeated exposure None known

No information available **Aspiration hazard**

delayed

Symptoms / effects, both acute and May be harmful if absorbed through skin: Gastrointestinal discomfort: Symptoms of

overexposure may be headache, dizziness, tiredness, nausea and vomiting

Endocrine Disruptor Information

Component	EU - Endocrine Disrupters	EU - Endocrine Disruptors -	Japan - Endocrine Disruptor
	Candidate List	Evaluated Substances	Information
Dimethylformamide	Group III Chemical	Not applicable	Not applicable

Other Adverse Effects The toxicological properties have not been fully investigated.

12. Ecological information

Ecotoxicity

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Dimethylformamide	EC50 = 7500 mg/L/96h	Pimephales promelas: LC50	EC50 = 2000 mg/L 5 min	EC50 = 7500 mg/L/48h
		= 10.6 g/L/96h	EC50 = 570 mg/L 240 h	
		Onchorhynchus mykiss:	_	
		LC50 = 9.8 g/L/96h		
		Lepomis macrochirus: LC50		
		= 6.3 g/L/96h		

Persistence and Degradability Persistence is unlikely

Bioaccumulation/ Accumulation No information available.

Will likely be mobile in the environment due to its water solubility but will likely degrade over Mobility

time. Will likely be mobile in the environment due to its water solubility.

Component	log Pow
Dimethylformamide	-1.028

13. Disposal considerations

Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

14. Transport information

DOT

UN-No UN2265

Proper Shipping Name N,N-DIMETHYLFORMAMIDE

Hazard Class 3 Ш **Packing Group**

TDG

UN-No UN2265

N,N-DIMETHYLFORMAMIDE **Proper Shipping Name**

N,N-Dimethylformamide

Hazard Class 3
Packing Group III

<u>IATA</u>

UN-No UN2265

Proper Shipping Name N,N-DIMETHYLFORMAMIDE

Hazard Class 3 Packing Group III

IMDG/IMO

UN-No UN2265

Proper Shipping Name N,N-DIMETHYLFORMAMIDE

Hazard Class 3
Packing Group III

15. Regulatory information

United States of America Inventory

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags
Dimethylformamide	68-12-2	X	ACTIVE	-

Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed

'-' - Not Listed

TSCA - Per 40 CFR 751, Regulation of Certain Chemical Substances & Mixtures, Under TSCA Section 6(h) (PBT)

Not applicable

TSCA 12(b) - Notices of Export

Not applicable

International Inventories

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
Dimethylformamide	68-12-2	Х	-	200-679-5	Х	Χ	Χ	Х	Х	KE-11411

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

U.S. Federal Regulations

SARA 313

O/ 11.0 1 O 1 O	71101010							
Component	CAS No	Weight %	SARA 313 - Threshold					
•			Values %					
Dimethylformamide	68-12-2	>95	0.1					

SARA 311/312 Hazard Categories See section 2 for more information

CWA (Clean Water Act) Not applicable

Clean Air Act

Component	HAPS Data	Class 1 Ozone Depletors	Class 2 Ozone Depletors
Dimethylformamide	X		-

OSHA - Occupational Safety and

Health Administration

Not applicable

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability

Act (CERCLA) (40 CFR 302)

Component	Hazardous Substances RQs	CERCLA EHS RQs
Dimethylformamide	100 lb	-

California Proposition 65

This product contains the following Proposition 65 chemicals.

Component	CAS No	California Prop. 65	Prop 65 NSRL	Category
Dimethylformamide	68-12-2	Carcinogen	-	Carcinogen

U.S. State Right-to-Know

Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Dimethylformamide	X	X	X	X	X

U.S. Department of Transportation

Reportable Quantity (RQ): Y
DOT Marine Pollutant N
DOT Severe Marine Pollutant N

U.S. Department of Homeland

Security

This product does not contain any DHS chemicals.

Other International Regulations

Mexico - Grade Moderate risk, Grade 2

Authorisation/Restrictions according to EU REACH

Component	CAS No	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Dimethylformamide	68-12-2	-	Use restricted. See item 72. (see link for restriction details) Use restricted. See item 30. (see link for restriction details) Use restricted. See item 75. (see link for restriction details) Use restricted. See item 76. (see link for restriction details) Use restricted. See item 76. (see link for restriction details)	SVHC Candidate list - (Toxic to Reproduction, Article 57c)

After the sunset date the use of this substance requires either an authorization or can only be used for exempted uses, e.g. use in scientific research and development which includes routine analytics or use as intermediate.

REACH links

https://echa.europa.eu/substances-restricted-under-reach https://echa.europa.eu/candidate-list-table

Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic	Ozone Depletion	Restriction of

			Pollutant	Potential	Hazardous Substances (RoHS)
Dimethylformamide	68-12-2	Listed	Not applicable	Not applicable	Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)? Not applicable

Other International Regulations

	Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities	Seveso III Directive (2012/18/EC) - Qualifying Quantities	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
			for Major Accident Notification	for Safety Report Requirements		
Г	Dimethylformamide	68-12-2	Not applicable	Not applicable	Not applicable	Annex I - Y42

16. Other information

Prepared By Regulatory Affairs

Thermo Fisher Scientific

Email: EMSDS.RA@thermofisher.com

 Creation Date
 03-Sep-2009

 Revision Date
 13-Oct-2023

 Print Date
 13-Oct-2023

Revision Summary This document has been updated to comply with the US OSHA HazCom 2012 Standard

replacing the current legislation under 29 CFR 1910.1200 to align with the Globally

Harmonized System of Classification and Labeling of Chemicals (GHS).

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS