according to 29CFR1910/1200 and GHS Rev. 3

Effective date : 02.02.2015

Aluminum Chloride Hexahydrate,

SECTION 1: Identification of the substance/mixture and of the supplier

Product name:

Aluminum Chloride Hexahydrate,

Manufacturer/Supplier Trade name:

Manufacturer/Supplier Article number: S25143A

Recommended uses of the product and restrictions on use:

Manufacturer Details:

AquaPhoenix Scientific, Inc 9 Barnhart Drive, Hanover, PA 17331 (717) 632-1291

Supplier Details:

Fisher Science Education 6771 Silver Crest Road, Nazareth, PA 18064 (724)517-1954


Emergency telephone number:

Fisher Science Education

Emergency Telephone No.: 800-535-5053

SECTION 2: Hazards identification

Classification of the substance or mixture:



Corrosive

Serious eye damage, category 1 Skin corrosion, category 1B Corrosive to metals, category 1

Chronic hazards to the aquatic environment, category 4 Aquatic Chronic 4. STOT. SE 3. Skin corrosion/irritation - Skin Corr. 1B. Eye Damage 1. Corrosive to metals.

Signal word: Danger

Hazard statements:

May be corrosive to metals. Causes severe skin burns and eye damage. Causes serious eye damage. May cause respiratory irritation. May cause long lasting harmful effects to aquatic life.

Precautionary statements:

If medical advice is needed, have product container or label at hand. Keep out of reach of children. Read label before use. Avoid breathing dust/fume/gas/mist/vapours/spray.

according to 29CFR1910/1200 and GHS Rev. 3

Effective date : 02.02.2015

Aluminum Chloride Hexahydrate,

Wash skin thoroughly after handling.

Use only outdoors or in a well-ventilated area.

Avoid release to the environment.

Wear protective gloves/protective clothing/eye protection/face protection.

Do not breathe dust/fume/gas/mist/vapours/spray.

Keep only in original container.

IF ON SKIN: Wash with soap and water.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Absorb spillage to prevent material damage.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.

Call a POISON CENTER or doctor/physician if you feel unwell.

Specific treatment (see supplemental first aid instructions on this label).

If skin irritation occurs: Get medical advice/attention.

If eye irritation persists get medical advice/attention.

Take off contaminated clothing and wash before reuse.


Immediately call a POISON CENTER or doctor/physician.

Store locked up.

Store in corrosive resistant stainless steel container with a resistant inner liner.

Dispose of contents and container to an approved waste disposal plant.

Other Non-GHS Classification:



SECTION 3: Composition/information on ingredients

Ingredients:					
Aluminum Chloride Hexahydrate		100 %			
Percentages are by wei					
	Aluminum Chloride Hexahydrate				

SECTION 4: First aid measures

according to 29CFR1910/1200 and GHS Rev. 3

Effective date : 02.02.2015

Aluminum Chloride Hexahydrate,

Description of first aid measures

After inhalation:

Move exposed to fresh air. Give artificial respiration if necessary. If breathing is difficult give oxygen. Loosen clothing and place exposed in a comfortable position. Seek medical attention. DO NOT use mouth-to-mouth resuscitation without a barrier device to prevent responder from receiving burns.

After skin contact:

Wash hands and exposed skin with soap and plenty of water. Seek medical attention. Rinse or flush skin/hair gently with water for at least 30 minutes.

After eye contact:

Protect unexposed eye. Remove contact lenses while rinsing. Rinse or flush eye gently with water for at least 30 minutes, lifting upper and lower lids. Seek immediate medical attention (ophthalmologist).

After swallowing:

Rinse mouth with water. Do not induce vomiting. Never give anything by mouth to an unconscious person. Seek medical attention. Give alert victim sips of water.

Most important symptoms and effects, both acute and delayed:

Shortness of breath. Headache. Nausea. Dizziness. Cough. Irritation/burns, all routes of exposure. May cause burns to the gastrointestinal tract. Causes chemical burns to the respiratory tract. Effects may be delayed.

Indication of any immediate medical attention and special treatment needed:

If seeking medical attention provide SDS document to physician. Physician should treat symptomatically.

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing agents:

Use means most suitable for extinguishing surrounding fire. Substance is noncombustible.

Unsuitable extinguishing agents: None

Special hazards arising from the substance or mixture:

Thermal decomposition can lead to release of irritating gases and vapors. Hydrogen chloride. Aluminum oxide.

Advice for firefighters:

Protective equipment:

Wear protective eyeware, gloves, and clothing. Refer to Section 8. Wear chemical protective clothing and positive pressure self-contained breathing apparatus (SCBA).

Additional information (precautions):

Avoid inhaling gases, fumes, dust, mist, vapor, and aerosols. Avoid contact with skin, eyes, and clothing. Avoid generating dust. Provide appropriate exhaust ventilation at places where dust is formed.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Ensure adequate ventilation. Ensure that air-handling systems are operational.

Environmental precautions:

Should not be released into environment. Prevent from reaching drains, sewer, or waterway.

Methods and material for containment and cleaning up:

Pick up and arrange disposal without creating dust. Sweep up and shovel. Wear protective eyeware, gloves, and clothing. Refer to Section 8. Always obey local regulations. If necessary use trained response staff or contractor. Evacuate personnel to safe areas. Containerize for disposal. Refer to Section 13. Keep in suitable

according to 29CFR1910/1200 and GHS Rev. 3

Effective date : 02.02.2015

Page 4 of 8

Aluminum Chloride Hexahydrate,

closed containers for disposal.

Reference to other sections: None

SECTION 7: Handling and storage

Precautions for safe handling:

Avoid contact with skin, eyes, and clothing. Follow good hygiene procedures when handling chemical materials. Refer to Section 8. Follow proper disposal methods. Refer to Section 13. Do not eat, drink, smoke, or use personal products when handling chemical substances. Avoid dust formation.

Conditions for safe storage, including any incompatibilities:

Store in a cool location. Keep away from food and beverages. Protect from freezing and physical damage. Provide ventilation for containers. Keep container tightly sealed. Store away from incompatible materials. Store only in original container. Store locked up.

SECTION 8: Exposure controls/personal protection

Control Parameters:	7784-13-6, Aluminium chloride hexahydrate, TWA 2 mg/m3 USA. OSHA. 7784-13-6, Aluminium chloride hexahydrate , TWA 2 mg/m3 USA. NIOSH. , Nuisance dust, ACGIH TLV TWA:10mg/m3 (inhalable particles). , Nuisance dust, OSHA PEL TWA: 15 mg/m3 (total dust).
Appropriate Engineering controls:	Emergency eye wash fountains and safety showers should be available in the immediate vicinity of use or handling. Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapor and mists below the applicable workplace exposure limits (Occupational Exposure Limits-OELs) indicated above. Use under fume hood designed for hazardous chemicals with an average face velocity of 100 feet per minute or greater.
Respiratory protection:	Not required under normal conditions of use. Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. When necessary use NIOSH approved breathing equipment. Use under fume hood.
Protection of skin:	Select glove material impermeable and resistant to the substance. Select glove material based on rates of diffusion and degradation. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Use proper glove removal technique without touching outer surface. Avoid skin contact with used gloves. Wear protective clothing.
Eye protection:	Wear equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses or goggles are appropriate eye protection.
General hygienic measures:	Perform routine housekeeping. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes, and clothing. Before rewearing wash contaminated clothing.

SECTION 9: Physical and chemical properties

Appearance (physical		Explosion limit lower:	Not Determine.
state, color):		Explosion limit upper:	Not Determine.

according to 29CFR1910/1200 and GHS Rev. 3

Effective date : 02.02.2015

Page 5 of 8

Aluminum Chloride Hexahydrate,

Odor:	Pungent odor	Vapor pressure at 20°C:	1 hPa at 100 °C	
Odor threshold:	Not Determine.	Vapor density:	Not Determine.	
pH-value:	2.5 - 3.5 at 20 °C	Relative density:	2.398 g/cm3	
Melting/Freezing point:	181C	Solubilities:	None	
Boiling point/Boiling range:	INAT DATARMINA	Partition coefficient (n- octanol/water):	Not Determine.	
Flash point (closed cup):	INAT LIGTARMINA	Auto/Self-ignition temperature:	Not Determine.	
Evaporation rate:	INAT LIGTARMINA	Decomposition temperature:	Not Determine.	
Flammability (solid, gaseous):	Not Determine.	Viscosity	a. Kinematic: Not Determine. b. Dynamic: Not Determine.	
Density at 20°C:	Not Determine.			

SECTION 10: Stability and reactivity

Reactivity:

Nonreactive under normal conditions.

Chemical stability:

Stable at room temperature in closed containers under normal storage and handling conditions.

Possible hazardous reactions:

None under normal processing.

Conditions to avoid:

Moisture sensitive. Incompatible materials. Excess heat, dust formation, contact with water, alkaline materials.

Incompatible materials:

Excess heat, dust formation, contact with water, alkaline materials. Water, organic materials.

Hazardous decomposition products:

Hydrogen chloride, aluminum oxide, irritating and toxic fumes and gases.

SECTION 11: Toxicological information

Acute Toxicity:

Oral:

LD50: 3311 mg/kg (rat) Aluminum Chloride Hexahydrate (7784-13-6)

7784-13-6 LD50 Rat oral 3300 mg/kg bw /Hexahydrate

Chronic Toxicity: No additional information.

Corrosion Irritation: No additional information.

Sensitization: No additional information.

Numerical Measures: No additional information.

Carcinogenicity: No additional information.

Mutagenicity:

7784-13-6: Mammal lymphocyte DNA damage.

Reproductive Toxicity:

7784-13-6: Developmental Toxicity - Mouse - Intravenous Specific Developmental Abnormalities: Musculoskeletal system.

according to 29CFR1910/1200 and GHS Rev. 3

Effective date : 02.02.2015

Page 6 of 8

Aluminum Chloride Hexahydrate,

SECTION 12: Ecological information

Ecotoxicity:

7784-13-6: LC50 - other fish - 27.1 mg/l - 96 h

7784-13-6: EC50 - Daphnia magna (Water flea) - 27.3 mg/l - 48 h

7784-13-6: Crustacea LC50 (48 hr) Daphnia magna (Water flea, age: <24 hr) 3.9 mg/L

7784-13-6: Crustacea LC50 (96hr) Polychaete Ctenodrilus serratus 0.48 mg/L

Persistence and degradability: No additional information.

Bioaccumulative potential: No additional information.

Mobility in soil: No additional information.

Other adverse effects:

7784-13-6: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Harmful to aquatic life. 7784-13-6: May be harmful to aquatic organisms due to the shift of the pH. Avoid release to the environment. 7784-13-6: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Harmful to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

Waste disposal recommendations:

Contact a licensed professional waste disposal service to dispose of this material. Dispose of empty containers as unused product. Product or containers must not be disposed together with household garbage. It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities (US 40CFR262.11). Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations. Ensure complete and accurate classification.

SECTION 14: Transport information

US DOT

UN Number: ADR, ADN, DOT, IMDG, IATA

Limited Quantity Exception:

Bulk: RQ (if applicable): None Proper shipping Name: Aluminum Chloride. Hazard Class: 8 Packing Group: II. Marine Pollutant (if applicable): No additional information. Comments: None 1726

None

Non Bulk: RQ (if applicable): None Proper shipping Name: Aluminum Chloride. Hazard Class: 8 Packing Group: II. Marine Pollutant (if applicable): No additional information. Comments: None





according to 29CFR1910/1200 and GHS Rev. 3

Effective date : 02.02.2015

Page 7 of 8

Aluminum Chloride Hexahydrate,

SECTION 15: Regulatory information

United States (USA)

SARA Section 311/312 (Specific toxic chemical listings):

Reactive, Acute, Chronic

SARA Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

RCRA (hazardous waste code):

None of the ingredients are listed.

TSCA (Toxic Substances Control Act):

All ingredients are listed.

CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act):

None of the ingredients are listed.

Proposition 65 (California):

Chemicals known to cause cancer:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

Canada

Canadian Domestic Substances List (DSL):

All ingredients are listed.

Canadian NPRI Ingredient Disclosure list (limit 0.1%):

None of the ingredients are listed.

Canadian NPRI Ingredient Disclosure list (limit 1%):

None of the ingredients are listed.

SECTION 16: Other information

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations. Note. The responsibility to provide a safe workplace remains with the user. The user should consider the health hazards and safety information contained herein as a guide and should take those precautions required in an individual operation to instruct employees and develop work practice procedures for a safe work environment. The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by the use of this material. It is the responsibility of the user to comply with all applicable laws and regulations applicable to this material.

GHS Full Text Phrases: None

Effective date : 02.02.2015

Aluminum Chloride Hexahydrate,

Abbreviations and Acronyms: None

Effective date: 02.02.2015 **Last updated**: 06.17.2015